

Medicare Hospital

INFORMATION

Report

EMBARGOED FOR RELEASE:
WEDNESDAY, JUNE 10, 1992
6 P.M. EDT



1992
Mississippi

RA981
.AC
M43
1988-1990
v.26

MEDICARE HOSPITAL INFORMATION

1988 • 1989 • 1990

~~~~~

Volume 26

~~~~~

MISSISSIPPI

~~~~~

LOUIS W. SULLIVAN, M.D.  
*Secretary*  
U.S. Department of Health and Human Services

WILLIAM TOBY  
*Acting Administrator*  
Health Care Financing Administration

# STATES BY VOLUME

| VOL | STATE                             | VOL | STATE                         |
|-----|-----------------------------------|-----|-------------------------------|
| 1   | ALABAMA                           | 28  | MONTANA                       |
| 2   | ALASKA                            | 29  | NEBRASKA                      |
| 3   | ARIZONA                           | 30  | NEVADA                        |
| 4   | ARKANSAS                          | 31  | NEW HAMPSHIRE                 |
| 5   | CALIFORNIA (Part 1)               | 32  | NEW JERSEY                    |
| 6   | CALIFORNIA (Part 2)               | 33  | NEW MEXICO                    |
| 7   | COLORADO                          | 34  | NEW YORK                      |
| 8   | CONNECTICUT                       | 35  | NORTH CAROLINA                |
| 9   | DELAWARE                          | 36  | NORTH DAKOTA                  |
| 10  | DISTRICT OF COLUMBIA              | 37  | OHIO                          |
| 11  | FLORIDA                           | 38  | OKLAHOMA                      |
| 12  | GEORGIA                           | 39  | OREGON                        |
| 13  | HAWAII,<br>AMERICAN SAMOA<br>GUAM | 40  | PENNSYLVANIA                  |
| 14  | IDAHO                             | 41  | PUERTO RICO<br>VIRGIN ISLANDS |
| 15  | ILLINOIS                          | 42  | RHODE ISLAND                  |
| 16  | INDIANA                           | 43  | SOUTH CAROLINA                |
| 17  | IOWA                              | 44  | SOUTH DAKOTA                  |
| 18  | KANSAS                            | 45  | TENNESSEE                     |
| 19  | KENTUCKY                          | 46  | TEXAS (Part 1)                |
| 20  | LOUISIANA                         | 47  | TEXAS (Part 2)                |
| 21  | MAINE                             | 48  | UTAH                          |
| 22  | MARYLAND                          | 49  | VERMONT                       |
| 23  | MASSACHUSETTS                     | 50  | VIRGINIA                      |
| 24  | MICHIGAN                          | 51  | WASHINGTON                    |
| 25  | MINNESOTA                         | 52  | WEST VIRGINIA                 |
| 26  | MISSISSIPPI                       | 53  | WISCONSIN                     |
| 27  | MISSOURI                          | 54  | WYOMING                       |
|     |                                   | 55  | TECHNICAL SUPPLEMENT          |



# FOREWORD

The mission of the Health Care Financing Administration (HCFA) is to promote the timely delivery of appropriate, quality health care to the nation's aged, disabled, and poor. The agency must also ensure that beneficiaries are aware of the services for which they are eligible, that those services are accessible, and that agency policies and actions promote efficiency and quality within the total health care delivery system.

To that end, the annual release of the Medicare Hospital Information report is a key element in our continuing efforts to improve the effectiveness of medical practice and the quality of care provided to Medicare beneficiaries. It is also an important step in helping beneficiaries make more informed health care decisions.

The information in this release is not intended as a direct measure of quality of care. It is best used as a "screening tool"—that is, to identify potential problems for further review and, in consultation with medical staff, to evaluate a hospital's strengths and weaknesses. Thus, we believe that consumers can use this information to ask questions of their physicians, rather than reach judgments about the quality of care in a particular hospital. We also expect this information to be used by hospital administrators, physicians, peer review organizations, State survey and certification agencies, and researchers.

This publication presents information to answer the question "What is the actual mortality rate within a certain period of time for each hospital compared to the rate that would have been predicted, given what we know about the characteristics of the patients admitted?" Our basic approach to analyzing hospital mortality information has remained unchanged for the past five years; however, since the last publication of mortality information in May 1991, we have made some significant changes both in our methodology and in the way we display the results of our analysis. The four principal changes in the 1992 report are:

- A graphic presentation of the predicted and observed mortality rates for most hospitals for "All Causes" for Federal fiscal years 1988-1990 at 30, 90, and 180 days;
- The addition of information on certain variables that we use in computing the predicted mortality rates for each hospital;
- The addition of information on the geographic origin of each hospital's patients; and

- A comparison of the average length of stay in each hospital with the average for the State and Nation.

These refinements should make this information an even more valuable educational tool to help improve the quality of care in hospitals. The changes were reviewed by a panel of outside experts. The methodology used to calculate the observed mortality rate, the predicted mortality rate, and the standard deviation are briefly described in the Technical Information section of the Introduction to this volume and in more detail in the Technical Supplement (Volume 55).

We acknowledge the assistance we have received from the American Hospital Association—not only for providing the information detailing selected hospital characteristics, but also for alerting its members to the importance of this information. We are also grateful to the personnel in each hospital who took the time to review the data thoroughly and to provide us with comments and suggestions. As before, we have published individual hospitals' comments in their respective State volumes. Over the years, these communications have helped to improve and refine the information included in this publication.

HCFA is committed to improving the Medicare Hospital Information report. To that end, we are continuing to work with representatives of hospital, consumer, employer and other organizations to make this annual report as useful as possible for all consumers.

# TABLE OF CONTENTS

|                                              |    |
|----------------------------------------------|----|
| Introduction.....                            | ix |
| ABERDEEN MONROE COUNTY HOSPITAL .....        | 2  |
| AMI GARDEN PARK COMMUNITY HOSPITAL.....      | 4  |
| BALDWIN SATELLITE HOSPITAL .....             | 6  |
| BAPTIST HOSPITAL DESOTO .....                | 8  |
| BAPTIST MEM HOSPITAL-NORTH MISSISSIPPI.....  | 10 |
| BAPTIST MEMORIAL HOSPITAL BOONEVILLE.....    | 12 |
| BAPTIST MEMORIAL HOSPITAL-UNION COUNTY ..... | 14 |
| BEACHAM MEMORIAL HOSPITAL .....              | 16 |
| BILOXI REGIONAL MEDICAL CENTER .....         | 18 |
| BOLIVAR COUNTY HOSPITAL .....                | 20 |
| CHOCTAW COUNTY HOSPITAL .....                | 22 |
| CHOCTAW HEALTH CENTER.....                   | 24 |
| CLAIBORNE COUNTY HOSPITAL .....              | 26 |
| CLAY COUNTY MEDICAL CENTER .....             | 28 |
| COMMUNITY HOSPITAL OF CALHOUN COUNTY .....   | 30 |
| COVINGTON COUNTY HOSPITAL.....               | 32 |
| DELTA MEDICAL CENTER.....                    | 34 |
| DISTRICT 2 COMMUNITY HOSPITAL.....           | 36 |
| FG RILEY MEMORIAL HOSPITAL.....              | 38 |
| FIELD MEMORIAL HOSPITAL.....                 | 40 |
| FORREST GENERAL HOSPITAL.....                | 42 |
| FRANKLIN COUNTY MEMORIAL HOSPITAL.....       | 44 |
| GEORGE COUNTY HOSPITAL .....                 | 46 |
| GILMORE MEMORIAL HOSPITAL.....               | 48 |
| GOLDEN TRIANGLE REGIONAL MEDICAL CENTER..... | 50 |
| GREEN COUNTY HOSPITAL .....                  | 52 |
| GREENWOOD LEFLORE HOSPITAL.....              | 54 |
| GRENADA LAKE MEDICAL CENTER .....            | 56 |
| GULF COAST MEDICAL CENTER.....               | 58 |
| H C WATKINS MEMORIAL HOSPITAL .....          | 60 |
| HANCOCK GENERAL HOSPITAL.....                | 62 |
| HARDY WILSON MEMORIAL HOSPITAL .....         | 64 |
| HILLCREST HOSPITAL .....                     | 66 |
| HUMANA HOSPITAL NATCHEZ .....                | 68 |
| HUMPHREYS COUNTY MEMORIAL HOSPITAL .....     | 70 |
| ITAWAMBA COUNTY HOSPITAL .....               | 72 |
| JASPER HEALTH CARE INSTITUTION .....         | 74 |
| JEFF ANDERSON REGIONAL MEDICAL CENTER .....  | 76 |
| JEFFERSON COUNTY HOSPITAL.....               | 78 |
| JEFFERSON DAVIS COUNTY HOSPITAL .....        | 80 |
| JEFFERSON DAVIS MEMORIAL HOSPITAL .....      | 82 |



|                                                |     |
|------------------------------------------------|-----|
| JONES COUNTY COMMUNITY HOSPITAL .....          | 84  |
| KEMPER COMMUNITY HOSPITAL .....                | 86  |
| KILMICHAEL HOSPITAL .....                      | 88  |
| KINGS DAUGHTERS HOSPITAL .....                 | 90  |
| KINGS DAUGHTERS HOSPITAL .....                 | 92  |
| KINGS DAUGHTERS HOSPITAL .....                 | 94  |
| LAIRD HOSPITAL .....                           | 96  |
| LAWRENCE COUNTY HOSPITAL .....                 | 98  |
| LEAKE MEMORIAL HOSPITAL .....                  | 100 |
| LUCIUS OLEN CROSBY MEMORIAL HOSPITAL .....     | 102 |
| LUMBERTON CITIZENS HOSPITAL .....              | 104 |
| MADISON GENERAL HOSPITAL .....                 | 106 |
| MAGEE GENERAL HOSPITAL .....                   | 108 |
| MAGNOLIA HOSPITAL .....                        | 110 |
| MARION COUNTY GENERAL HOSPITAL .....           | 112 |
| MEMORIAL HOSPITAL AT GULFPORT .....            | 114 |
| MEMORIAL HOSPITAL OF HOLLY SPRINGS .....       | 116 |
| MERCY REGIONAL MEDICAL CENTER .....            | 118 |
| METHODIST HOSPITAL .....                       | 120 |
| METHODIST HOSPITAL OF MIDDLE MISSISSIPPI ..... | 122 |
| METHODIST HOSPITAL OF STONE COUNTY .....       | 124 |
| METHODIST MEDICAL CENTER, INC .....            | 126 |
| MISSISSIPPI BAPTIST MEDICAL CENTER .....       | 128 |
| MONTFORT JONES MEMORIAL HOSPITAL .....         | 130 |
| NESHOBA COUNTY GENERAL HOSPITAL .....          | 132 |
| NORTH MISSISSIPPI MEDICAL CENTER .....         | 134 |
| NORTH MS MEDICAL CTR PONTOTOC HOSPITAL .....   | 136 |
| NORTH SUNFLOWER COUNTY HOSPITAL .....          | 138 |
| NOXUBEE GENERAL HOSPITAL .....                 | 140 |
| NW MISSISSIPPI REGIONAL MEDICAL CENTER .....   | 142 |
| OKITBBEHA COUNTY HOSPITAL .....                | 144 |
| OKOLONA COMMUNITY HOSPITAL .....               | 146 |
| PEARL RIVER COUNTY HOSPITAL .....              | 148 |
| PERRY COUNTY GENERAL HOSPITAL .....            | 150 |
| QUITMAN COUNTY HOSPITAL .....                  | 152 |
| RANKIN MEDICAL CENTER .....                    | 154 |
| RIVER OAKS HOSPITAL .....                      | 156 |
| RUSH FOUNDATION HOSPITAL .....                 | 158 |
| RUSH HOSPITAL NEWTON .....                     | 160 |
| S E LACKEY MEMORIAL HOSPITAL .....             | 162 |
| SARDIS COMMUNITY HOSPITAL & NURSING HOME ..... | 164 |
| SENATOBIA COMMUNITY HOSPITAL .....             | 166 |
| SHARKEY ISAUQUENA COMMUNITY HOSPITAL .....     | 168 |
| SHELBY COMMUNITY HOSPITAL .....                | 170 |
| SIMPSON GENERAL HOSPITAL .....                 | 172 |
| SINGING RIVER HOSPITAL SYSTEM .....            | 174 |

|                                                |     |
|------------------------------------------------|-----|
| SMITH COUNTY GENERAL HOSPITAL .....            | 176 |
| SOUTH PANOLA COMMUNITY HOSPITAL.....           | 178 |
| SOUTH SUNFLOWER COUNTY HOSPITAL.....           | 180 |
| ST DOMINIC JACKSON MEMORIAL HOSPITAL.....      | 182 |
| ST DOMINICS DOCTORS HOSPITAL.....              | 184 |
| SW MISSISSIPPI GENERAL HOSPITAL .....          | 186 |
| TALLAHATCHIE GENERAL HOSPITAL .....            | 188 |
| THAGGARD HOSPITAL.....                         | 190 |
| TIPPAH COUNTY HOSPITAL.....                    | 192 |
| TISHOMINGO HEALTH SERVICES INC.....            | 194 |
| TRACE REGIONAL HOSPITAL.....                   | 196 |
| TUNICA COUNTY HOSPITAL.....                    | 198 |
| TYLER HOLMES MEMORIAL HOSPITAL.....            | 200 |
| UNIVERSITY OF MISSISSIPPI MEDICAL CENTER ..... | 202 |
| VICKSBURG MEDICAL CENTER.....                  | 204 |
| WALTHALL COUNTY GENERAL HOSPITAL.....          | 206 |
| WAYNE GENERAL HOSPITAL.....                    | 208 |
| WEBSTER GENERAL HOSPITAL.....                  | 210 |
| WEST SCOTT BAPTIST HOSPITAL .....              | 212 |
| WHITFIELD MEDICAL SURGICAL HOSPITAL.....       | 214 |
| WINSTON COUNTY COMMUNITY HOSPITAL .....        | 216 |
| WOMANS HOSPITAL.....                           | 218 |
| YALOBUSHA GENERAL HOSPITAL.....                | 220 |
| State and National Hospital Information .....  | 222 |
| Hospital Comments                              |     |





# INTRODUCTION

The Medicare Hospital Information report contains information on acute care hospitals that treated Medicare patients discharged in Federal fiscal year (FY) 1990 (October 1, 1989—September 30, 1990).

This year's publication set consists of 54 State volumes and a Technical Supplement (Volume 55). There is one volume per State, except that California and Texas have two volumes each, Hawaii is combined with American Samoa and Guam, and Puerto Rico and the Virgin Islands are combined together in one volume.

Each hospital's two summary data pages are arranged alphabetically by hospital name in each State volume. These data pages consist of:

- The hospital's FY 1990 Medicare hospital mortality rates;
- A graphic presentation of the predicted and observed mortality rates for most hospitals for "All Causes" for FYs 1988—1990 at 30, 90, and 180 days;
- The FY 1990 values for selected explanatory factors used to predict the mortality rates;
- Origins and lengths of stays of Medicare admissions; and
- Hospital characteristics, such as the number of beds and other characteristics, which we obtained from data contained in the American Hospital Association's (AHA) 1990 Annual Survey of Hospitals files or, when such information was not available from the AHA file, the Health Care Financing Administration's (HCFA) Online Survey, Certification and Reporting System (OSCAR) file.

*Please note that the information regarding origins and lengths of stays and hospital characteristics are presented strictly for information purposes only. They were not used to calculate the hospital's predicted mortality rates.*

Toward the end of each volume, we include both State and national mortality rates developed by our analysis, as well as the comments we received from individual hospitals.

## DESCRIPTION OF MORTALITY INFORMATION

The mortality rates at a given hospital may reflect, among other factors, the age, sex, diagnoses, and severity of illness of patients admitted to that hospital, as well as the quality of care they received. Factors affecting health and the probability of death vary among the patient populations served by individual hospitals. Consequently, the mortality rates in different patient populations vary considerably.

These latest analyses of the mortality rates associated with Medicare hospitalizations are similar to those carried out in the four prior years. Only one hospitalization for every patient was used. As in last year's analysis, when a patient had multiple hospitalizations during the fiscal year, one stay was selected at random to be analyzed. We believe that the use of the randomly selected admission provides a better representation of a typical hospital admission and permits us to calculate mortality rates more nearly like those the hospital itself would calculate for its patients.

Although we publish data only on deaths which occur within 180 days of admission to the hospital, for purposes of analysis our methodology actually considers deaths which occur any time within 365 days of admission (with the exception that no date of death later than April 1, 1991 is used). This is part of the formula which assesses the long-term risk of mortality. With this approach, information about the early and later results of the hospitalization is provided. This is important because diseases evolve with different time courses, and treatments may have different short- and long-term effects. The choice of at least 180 days allows substantial followup consistent with timely reporting of HCFA data.

We again analyzed the data on a fiscal year, rather than on a calendar year, basis because it allows us to report on recent hospitalizations. Also, new Medicare rules are often instituted on a fiscal year basis.

For each hospital, mortality rates are presented for overall Medicare patient mortality and for eight medical conditions and nine procedures. The information consists of the number of Medicare patients; the observed or actual mortality rate (OBS); the predicted mortality rate (PRED), given the mix of patients; and a standard deviation (SD), a measure of the uncertainty of the predicted rate.

The following information will be helpful when reviewing specific information for any given hospital.



## *Number Of Cases*

This is the number of individual Medicare beneficiaries whose discharge in a fiscal year from the short-term, acute care hospital listed was selected for analysis. The total number of cases randomly selected for each hospital is presented under the category “All Causes.” The eight medical condition and nine surgical procedure categories are subgroupings drawn from the “All Causes” selection. Although a particular patient may appear in only one of the eight medical condition categories, that same patient may also appear in one or more of the nine surgical procedure categories. Similarly, a patient may appear in one or more of the nine surgical procedure categories, even though he or she was not included in any of the eight medical condition categories.

The categories chosen for display represent HCFA's interpretation of the categories judged to be important by various outside advisors including the Institute of Medicine. The listed condition and procedure categories do not cover the reason for admission of all the hospitalized Medicare patients in this study. (The ICD-9-CM codes included in each condition and procedure category appear in Table 1 following this Introduction section.)

These conditions and procedures represent the causes for the hospital admission and/or surgical episodes during that stay; they do not necessarily represent the cause of death. HCFA does not have access to cause of death information.

## *Observed Mortality Rate (OBS)*

The observed mortality rate for each category is the percentage of each acute care hospital's selected Medicare patients who died within 30, 90, or 180 days of the selected admission. This rate does **not** represent the percentage whose death was caused by a particular condition or procedure.

The percentage is rounded to the nearest one-tenth of one percent. Both in-hospital deaths and deaths occurring after discharge but within 30, 90, or 180 days of admission are included. For example, if a hospital had 1,000 patients included in the “All Causes” category and 124 of these patients died within 30 days of the selected admission, the 30-day observed mortality rate would be 12.4 percent; if an additional 17 patients died more than 30 but less than 91 days after admission, the 90-day observed mortality rate would be 14.1 percent; and if an additional 13 patients died more than 90 but less than 181 days after admission, the 180-day observed mortality rate would be 15.4 percent.

It is important to note that the observed mortality rate is cumulative; e.g., the 90-day observed mortality rate includes all deaths which occur within 30 days of admission, as well as those occurring more than 30 and less than 91 days after admission.

### ***Predicted Mortality Rate (PRED)***

The predicted mortality rate for each hospital's patients is derived in part by determining, based on national experience, the contribution to the probability of dying associated with various patient characteristics such as:

- Principal diagnosis (grouped into 23 analytical risk categories),
- Age,
- Sex,
- Previous hospital admissions within the prior six months,
- Admission source (e.g., physician reference, skilled nursing facility reference),
- Admission type (e.g., elective or emergency), and
- The presence of up to seven comorbid conditions—cancer, chronic cardiovascular disease, chronic renal disease, chronic liver disease, chronic pulmonary disease, cerebrovascular degeneration, and chronic diabetes. A list of the ICD-9-CM codes defining the comorbid conditions is in Table 2 following this Introduction section.

### ***Standard Deviation (SD)***

The standard deviation is a tool to gauge the extent to which the difference between the observed and predicted mortality rate is meaningful. In general, the greater the difference between the two rates, the greater the probability that the difference represents an actual variation from what would be expected in view of the national experience. The less chance that the difference between the PRED and the OBS can be attributed to statistical variability, the more grounds for possible concern about the institution's performance.

Information on how to use the SD to construct prediction intervals for use in assessing the real difference between the OBS and the PRED is included in the Technical Information section of this Introduction. The precision and interpretability of the estimates are weaker when there are no deaths or 50 or fewer cases in a particular category being analyzed. Thus, for these instances, dashes (“---”) are placed in the SD column.



## **OBSERVED MORTALITY RATE AND PREDICTED RANGE FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES**

Also in this year's report, we have presented graphs that display the information for most hospitals described above for FYs 1988 and 1989, as well as FY 1990. (In particular, these graphs could not be computed for hospitals that had 50 or fewer cases or no deaths in FYs 1988, 1989, or 1990). In constructing the graphs, we used 2 times the standard deviation to approximate a 95 percent prediction interval. The observed mortality is shown as a dot (•). The predicted mortality is shown at the middle of a range of mortality rates. The bottom of the range is the predicted mortality minus twice the standard deviation, and the top of the range represents the predicted mortality plus twice the standard deviation. The graphs for FY 1988 and FY 1989 are based on new random samples and new computations for this year's report. Thus, the calculations for some hospitals for FY 1988 and FY 1989 may be different from previous releases, because we are including more current data in this year's report.

## **FY 1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

This year's report includes the FY 1990 average at each hospital of many of the explanatory factors used to predict that hospital's mortality rates. This information provides a profile of the patients used in the analysis and should help to identify possible systematic coding errors in the claims data used to calculate the mortality rates. These percentages are derived from the patients included in the sample and should be applied to the total number of cases listed in "All Causes." It is important to note that neither the admission sources/types nor the comorbidities categories are mutually exclusive. For example, a patient could be both "referred by his personal physician" and "admitted for elective procedure." Similarly, a patient could have secondary diagnoses of both cancer and diabetes.

## **INFORMATION SOURCES AND NOTES**

We believe that when the mortality rate information is properly understood and applied, it can be very useful; it can also be misleading if it is interpreted incorrectly. The information simply describes one of several possible outcomes at a hospital—postadmission mortality for Medicare beneficiaries.

Mortality information is not necessarily representative of a hospital's total performance in all aspects of patient care. Individual hospitals may have very good reasons for their rates being higher than the rates predicted by the HCFA model. For example, one hospital might have different death rates than another because its patient mix is not fully accounted for by the model.

Accordingly, we offered each hospital the opportunity to review their specific information and to provide comments to HCFA and the public, and we included those comments that were received timely at the end of this volume. Users should read the discussions about the uses and limitations of the mortality information found on page xiii, as well as any comments a hospital may have provided.

### *Hospitals In The Analysis*

The hospitals included in this analysis are participating in Medicare as short-term, acute care facilities—all have a zero in the third position of their Medicare provider number. All other hospitals—those with something other than a zero in the third position of their provider number, such as rehabilitation facilities or psychiatric institutions—were excluded. This year, as in the past two years, we have also excluded hospices.

In some cases, we have included data for hospitals that closed, changed ownership, or changed management either during or subsequent to FY 1990. Our data included for those institutions reflects the situation as it existed at the time the hospitalizations analyzed occurred.

### *Data Sources*

This report is based primarily on Medicare hospital billing information for Federal fiscal years 1988, 1989, and 1990. While the principal source of the data for the analysis was the HCFA-maintained Medicare Provider Analysis and Review (MEDPAR) file, which contains information about each Medicare hospitalization, some of the information about beneficiaries, such as date of death, was obtained from the Social Security Administration. Hospitals submit bills to HCFA's fiscal intermediaries (which handle claims for the inpatient care provided to Medicare beneficiaries) which, in turn, submit this information to HCFA. The file is updated on a quarterly basis. Our analysis was based on information available following the June 1991 update of the MEDPAR file. It is estimated that by that time (nine months after the close of the fiscal year), 98 percent of all Medicare discharges in FY 1990 are included in the file.

### *Possible Limitations Of The Data*

In any large-scale data base, such as the one dealing with Medicare hospitalizations, there will be gaps or inaccuracies. For example, last year some hospitals had not accurately reported the source or type of admission, and thus erroneous information was included in the analysis for those hospitals. However, the fact that the files contain information on about 10 million hospital admissions to nearly 6,000 hospitals for each year provides some assurance that, for purposes of the statistical analysis conducted here, the information that might be



missing or inaccurate is such a small portion of the total that it would have little effect on the results for national estimates. Nevertheless, it may substantially affect an individual hospital if it were the source of the inaccurate information.

While we feel that the information used in this analysis is thorough and complete, there are a few points to keep in mind as you review the mortality information.

The information used is billing data; it is only as good as the information submitted by hospitals as part of the payment process. Although there is always a possibility that coding errors are included, we assume that, given the link to payment, hospitals have an incentive to submit bills accurately and promptly. We do know, however, that some hospitals submitted incomplete or erroneous data.

For example, following last year's public release of the hospital mortality data, several hospitals wrote to HCFA indicating that they had submitted incorrect data. Furthermore, they stated that if they had given us the correct information, their predicted mortality rates would have been higher than those presented in HCFA's report. Therefore, in this year's report we have annotated those hospitals' data pages with a footnote stating: "This hospital says that it submitted inaccurate data to Medicare and claims that its predicted mortality rate should be higher than that presented above." At this point, however, HCFA cannot confirm the validity of those hospitals' claims. The analysis results might very well be different if the data on which they were based were submitted accurately by those hospitals.

In our previous analysis of mortality data, we discovered that some States had zero admissions from a skilled nursing facility. While some of these problems were corrected on the MEDPAR files used for this analysis, at the time this study was initiated we found empirical evidence that some of the files still contained suspect information. The suspect data were identified by noting those months (date of discharge) and fiscal intermediaries for which the type and source of admission fields appeared to be interchanged. Based on our findings, we reversed these fields to at least partially correct the remaining discrepancies. The following list shows the specific instances for which the fields were reversed for this analysis.

#### TYPE AND SOURCE OF ADMISSION FLIPPED

| <u>FI No.</u> | <u>FI Name</u>         | <u>Dates</u>        |
|---------------|------------------------|---------------------|
| 00030         | Arizona Blue Cross     | 10/01/86 — 12/31/88 |
| 00080         | Maryland Blue Cross/DC | 06/01/87 — 09/30/87 |
| 00190         | Maryland Blue Cross    | 06/22/87 — 12/31/88 |
| 00400         | Texas Blue Cross       | 12/07/87 — 12/31/88 |

## HOW TO USE THIS INFORMATION

There are several key points to remember about the use of this information. **First, it is important to understand that the difference between the hospitals' mortality rates and the predicted rates in the tables in this report may not be a direct measure of the quality of care rendered in the hospitals.**

Second, the usefulness of this information depends upon the accuracy with which mortality rates can be predicted. We do not currently have any direct measurement tool with which we can fully adjust for severity of patient illness differences among hospitals. For instance, two hospitals may have very different death rates for patients admitted for stroke, even after we have adjusted for age, sex, and several other factors. This might happen because one hospital's stroke patients may consist of a significant number who are admitted in a coma (and are thus more likely to die), whereas another hospital's patient population may represent a broader spectrum of patients with cerebrovascular problems, or because these two hospitals, in fact, do provide different levels of quality of care. In addition, other factors affecting the probability of death in a particular case (e.g., family status/support, overall health status of the patient, etc.) are not included in the predictive model because information on them is not readily available.

Nevertheless, we believe that the information presented in this publication is an important contribution to the health care community and should be helpful to a wide range of individuals and organizations including consumers, hospital administrators, physicians, PROs, and researchers.

### *Use By Consumers — Some Key Questions*

Consumers should read carefully the explanations of the uses and limitations of the information. Listed below are some questions that we recommend a consumer think about before choosing a hospital. Please keep in mind that this is not a comprehensive list, but it should serve to illustrate the types of questions that are important to consider.

- Why are the hospital's observed mortality rates for "All Causes" consistently and significantly above the predicted rates for FY 1990?
- Why are the hospital's observed mortality rates for the condition for which I need treatment or the procedure I will undergo consistently and significantly above the predicted rates for FY 1990?
- How does this hospital's pattern of mortality compare with that of other hospitals in the State and Nation?



- Is the number of cases too small to present a satisfactory picture of the hospital?
- Does the hospital treat a large number of cases in the category for which I need treatment?
- Does the hospital treat a large number of patients who have several co-existing illnesses or who otherwise are likely to be “sicker” than average?

### *Other Users Of This Publication*

Among other users of this publication, we expect that the hospital administrator (in consultation with medical staff) will find the information most useful as a screening tool to evaluate a hospital's strengths and weaknesses. We know that some hospitals and their medical staffs, using established and newly emerging quality assessment techniques, are seeking information that will result in improved health care delivery.

### *Outside Assistance In Developing This Publication*

The development and presentation of the Medicare Hospital Information report continues to be an important part of HCFA's responsibilities in the health care community. To make the information as accurate and useful as possible, over the past several years we have discussed the theoretical framework and statistical approach with a number of nationally recognized technical experts in appropriate fields. Based on their recommendations, we believe that the models used in these analyses continue to be reasonable and appropriate.

In the past, we have conducted validation studies of our methodology. In general, these studies have found correlation between poor quality care and hospitals whose observed mortality rates significantly exceed the rates that would have been predicted. However, we have also found that detailed clinical data which more thoroughly characterize the severity of patient's illness, while they do not materially affect results describing the general pattern of mortality, do, in specific instances, alter our assessment of the comparison of the observed to the predicted mortality rates.

The format for presentation, the process for sharing the information with individual hospitals, and the statistical methodology have been discussed at various meetings with leaders of organizations representing Medicare beneficiaries, physicians, and hospitals. Also, we have spent many months reviewing the comments received from the hospitals regarding their patient-specific data for earlier years and our previous mortality information reports. Many suggestions from these sources have been incorporated into this report.



We have carefully investigated comments from individual hospitals on apparent discrepancies or errors generated in previous years. These discrepancies rarely had an effect on a hospital's overall mortality rate. Most of these instances fell into the following two broad categories.

- **Inaccurate Date of Death** — We found that inpatient billing coding errors (e.g., a hospital bill indicating that the patient's status at time of discharge was “expired” when the patient had, in fact, left the hospital alive) created many of these errors. We now have mechanisms in place that allow a continuous update of HCFA's master file, thereby enabling us to make corrections.
- **Discrepant Case Counts** — Our analysis counts only one acute care discharge in a fiscal year; normally, hospitals count each discharge. Thus, a patient admitted three times in a year would count three times for the hospital, but only once for the purpose of analyzing Medicare hospital mortality data presented in this report.

*We believe it is important for consumers of health care to have access to as much information about hospitals as possible when making health care choices. Along with hospital characteristics information, we have added this year information about the origin and length of stay of Medicare admissions. This information is presented for comparative purposes only and was not used in calculating a hospital's predicted mortality rates. These data were not part of the analyses, and any errors or discrepancies in them do not affect the predicted mortality rates.*

## ORIGIN OF MEDICARE ADMISSIONS

Data on the geographic origin of each hospital's patients are presented in this year's report. We obtained from the Health Insurance Master file the State and county of residence for each Medicare beneficiary discharged from a Medicare-certified, acute care hospital during FY 1990. We then compared that information with the location of the hospital to determine the percentage of all discharges where the patient lived within the same city/county as the hospital location, within the State where the hospital is located, or outside the State. The percentages are derived by dividing the number of discharges of beneficiaries in a geographic category by the total number of Medicare discharges from the hospital. Please note that these are percentages of total Medicare discharges, not of the mortality sample alone.

## MEDICARE AVERAGE LENGTH OF STAY

We obtained from the MEDPAR file the total days of care—both Medicare covered and noncovered—and divided that total by the number of discharges from each hospital. Total, rather than covered, days were used because, under the Prospective Payment System (PPS), if a Medicare patient has at least one day of hospital coverage available to him in the current spell of illness, the hospital will be paid the full diagnosis related group (DRG) amount plus any approved outlier amount, regardless of the number of days actually used.

Example: Hospital A had 2,513 Medicare discharges with a total of 24,379 days.

Calculation: 
$$\frac{24,379}{2,513} = 9.7 \text{ days}$$

The Medicare average length of stay is 9.7 days.

## HOSPITAL CHARACTERISTICS

As noted previously, we have again included information on selected hospital characteristics such as the number of beds, occupancy rate, ownership, staffing, and specialty services. This information was obtained from the American Hospital Association's (AHA) 1990 Annual Survey of Hospitals, with the exception of the case mix index (CMI), which was derived from HCFA billing data. This file consists of information voluntarily reported by hospitals to the AHA. In instances where AHA data were unavailable, for example for hospitals that did not respond to the AHA survey, we derived the information from HCFA's Online Survey, Certification and Reporting system (OSCAR). The hospital characteristics and the specific special services listed were selected with the concurrence of the AHA as being those most meaningful to the Medicare population. Information on these specific data elements follows.

### *AHA Definitions (except for CMI)*

**Survey and Year** — AHA 1990. Source is the American Hospital Association's 1990 Annual Survey of Hospital files.

### **Profile**

***Total beds (#)*** — Number of beds (including subacute beds), cribs, and pediatric and neonatal bassinets regularly maintained (set up, staffed, and ready for use) for inpatients as of the close of the reporting period; does not include bassinets for normal newborn infants.

***Occupancy rate (percent)*** — Ratio of average daily census to the average number of beds (statistical beds) maintained during the 12-month reporting period. (NOTE: The number of these "statistical beds" may differ from the bed count at the close of the reporting period.)

***Ownership/control*** — State government, local government, district/authority, church, private nonprofit, private for profit, or Federal Government.

***Medicare discharges*** — The total number of inpatient discharges for Medicare patients for those hospitals selected for the mortality calculations, including all discharges for persons with more than one hospitalization during the year. (The mortality data include only one randomly selected discharge for each hospitalized enrollee. Therefore, this figure may reflect more discharges than the actual number of cases randomly selected for the mortality study.)



***Case mix index (CMI)*** — A measure of the overall complexity of the Medicare cases treated by a given hospital compared to the complexity of the national average case mix. The CMI represents the relative costliness of each hospital's mix of cases compared to the national average mix of cases. A CMI of greater than one means that a hospital treats more complex cases than average. A CMI of less than one means that a hospital treats less complex cases than average. The CMI for each hospital is calculated on an annual basis. In this report, the CMI presented for each hospital is calculated based on its discharges in FY 1990.

A hospital's CMI is calculated by multiplying the number of cases in each DRG by the relative weight of that DRG, summing the products, and dividing the sum by the total number of cases for the year. For calculating the FY 1990 CMI, use the DRG relative weights published in the *Federal Register*, Volume 54, Number 169, pages 36468 ff., dated September 1, 1989.

## **Staffing (all AHA counts are as of 9/30/90)**

***Total number of physicians*** — Total active and associate medical staff.

***Percent of physicians who are board-certified specialists*** — Physicians who have passed an examination given by a medical specialty board and have been certified by that board as a specialist.

***Medical residents/interns*** — Full-time equivalent (FTE) medical residents or interns.

***Registered nurses*** — Full-time equivalent (FTE) registered nurses.

***Licensed practical nurses*** — Full-time equivalent (FTE) licensed practical nurses.

## **Specialty Services**

***Burn Unit*** — Provides more intensive care to severely burned patients than the usual acute nursing care provided in medical and surgical units. Beds must be set up and staffed in a unit specifically designated for this service.

***Cardiac Intensive Care*** — Provides patient care of a more specialized nature than the usual medical and surgical care, on the basis of physicians' orders and approved nursing care plans. The unit is staffed with specially trained nursing personnel, and contains monitoring and specialized support or treatment equipment for patients who, because of heart seizure,

open-heart surgery, or other life-threatening conditions, require intensified, comprehensive observation and care. May include myocardial infarction, pulmonary care, and heart transplant units. Beds must be set up and staffed in a unit(s) specifically designated for this service.

***Comprehensive Geriatric*** — Provides diagnostic and evaluation services that determine elderly patients' long-term care needs. It includes the assessment of medical conditions, functional activities, and mental and emotional conditions, and incorporates these into a treatment plan which includes family and financial concerns as well as medical needs.

***Hospice Care*** — A program providing primarily medical relief of pain and support services to terminally ill patients and assistance to their families in adjusting to the patients' illness and death.

***Medical/Surgical Intensive Care*** — Provides nursing care to adult and/or pediatric patients of a more intensive nature than the usual medical, surgical, pediatric, and/or psychiatric care on the basis of physicians' orders and approved nursing care plans. Included are medical-surgical, pediatric, and psychiatric (isolation) units. These units are staffed with specially trained nursing personnel, and contain monitoring and specialized support equipment for patients who, because of shock, trauma, or life-threatening conditions, require intensified, comprehensive observation and care. These units may also include cardiac care when such services are not approved in a distinct cardiac care unit. This category is called "intensive care unit" in OSCAR.

***Organ/Tissue Transplant*** — The hospital has the necessary staff and equipment to perform the surgical removal of a viable human organ or tissue from a donor, either living or deceased, and the surgical grafting of the organ/tissue to a suitably evaluated and prepared patient.

***Other Intensive Care*** — Provides nursing care to adult and/or pediatric patients with a specialized disease or condition of a more intensive nature than the usual medical, surgical, pediatric, and/or psychiatric care on the basis of physicians' orders and approved nursing care plans. Examples reported include oncology or spinal cord injuries. These units are staffed with specially trained nursing personnel and contain monitoring and specialized support equipment appropriate for the patients' specialized conditions.

***Trauma Center*** — Provides emergency and specialized intensive care to critically injured patients.



## Other Specialty/Hospital-Based Services

***Alcohol/Drug*** — Hospital services for the medical care and/or rehabilitative treatment of outpatients whose primary diagnosis is alcoholism or other chemical dependency.

***Rehabilitation*** — A unit having designated beds and providing a comprehensive array of multidisciplinary medical rehabilitation services.

***Psychiatric*** — Care provided to emotionally disturbed, chronically mentally ill, mentally disordered, or other mentally incompetent patients on the basis of physicians' orders and approved nursing care plans. Beds must be set up and staffed in units specifically designated for this service.

***Medicare Swing Beds*** — The hospital is certified by Medicare to provide “swing bed” services; that is, some acute care beds can be used for skilled nursing facility type care in the hospital for Medicare purposes.

## *OSCAR Definitions (except for CMI)*

**Survey and Year** — HCFA, most recent year. Data were derived from the Online Survey, Certification and Reporting System (OSCAR).

## Profile

***Total beds (#)*** — Total number of operational beds eligible for Medicare payment.

***Ownership/control*** — Church; private, nonprofit; other nonprofit; proprietary; Federal Government; State government; local government; and hospital district or authority.

***Case mix index (CMI)*** — See definition shown in AHA “Profile” section.

## Staffing

***Medical residents/interns*** — Full-time equivalent (FTE) medical residents or interns.

***Registered nurses*** — Full-time equivalent (FTE) registered nurses.

***Licensed practical nurses*** — Full-time equivalent (FTE) licensed practical nurses.

## Specialty Services

**NOTE:** There are no specific definitions of specialty services in OSCAR. Characteristics are self-reported by each hospital at initial Medicare certification and recertification, and are generally understood to parallel the explicit AHA definitions (above). The AHA categories “comprehensive geriatric” and “other intensive care” are not available in OSCAR. However, they may be included in the OSCAR category of other specialty services (not shown in table).

***Coronary Care*** — See definition shown in AHA “Specialty Services” section.

***Intensive Care Unit*** — See definition shown in AHA “Specialty Services” section. These units may also include other intensive care units in OSCAR reporting.

***Organ Transplant*** — See definition shown in AHA “Organ/Tissue Transplant” section. May include tissue transplants because there is not a separate field in OSCAR for these services.

# TECHNICAL INFORMATION

## DATA SOURCES

The data analyzed in this report are obtained from the Medicare Provider Analysis and Review (MEDPAR) file for the fiscal years 1987-1990, which contains information on the hospital stays of Medicare beneficiaries. The principal sources of data for this file are the bills (known as HCFA-1450 or UB-82) submitted by the hospitals to HCFA through fiscal intermediaries. The MEDPAR file also contains data about the beneficiaries, such as age, sex, and date of death, which are obtained from the Social Security Administration, the Railroad Retirement Board, or the Office of Personnel Management.

Hospital stays with discharges in fiscal years 1988, 1989, and 1990 were used in these analyses. Hospital stays in 1987 were used only to characterize the prior admissions of the patients in the 1987 cohort. Only acute care hospital stays in short-term (general and specialty) hospitals were selected. These hospitals have a "0" in the third position of their Medicare provider number. Hospital stays in institutions (designated by a "9" in the fourth position of the provider number) and hospital stays in psychiatric units, rehabilitation units, swing-beds and alcohol/drug units (with "special unit codes" of S, T, U and V, respectively, in the third position) were excluded.

## THE MORTALITY MODEL

For each beneficiary in each year one hospitalization was selected at random. Choosing a specific hospitalization is necessary to avoid multiple counting of the same death for that year. Selecting a random hospitalization instead of the first or last in the year produces mortality rates that are more representative of the rates that a hospital might calculate for its patients. Also, the mortality rates based on this random selection process reflect an intermediate position between the rates produced by the alternatives.

The selected hospital stays were analyzed separately by analytical category. The analytical categories were created by grouping ICD-9-CM diagnosis codes that had similar mortality patterns. The procedures for creating the analytical categories and the groups of ICD-9-CM diagnosis codes that defined them are detailed in the Technical Supplement.

The mortality experience of the patients was evaluated as a function of time within 365 days of the admission. The factors included in the mortality model used to evaluate each patient's probabilities of death are given in Table 3. They consist of demographic characteristics (age and sex), major comorbidities (chronic diseases likely to have been present at admission and believed to



complicate management and increase the likelihood of an adverse outcome), prior admissions (grouped into five risk or severity levels) within the 6 months preceding the admission evaluated, admission type (emergent, elective, etc.), and admission source (referral from the physician's office, the nursing facility, etc.). The specific reason for the admission (the principal diagnosis) and the performance of selected surgical procedures were additional factors used in the estimation of the predicted probability of death (see below).

The observed mortality rate for a hospital was calculated by means of the lifetable method ("The LIFETEST Procedure," Chapter 22, SAS User's Guide: Statistics, Version 5 Edition, pages 529-557).

## ANALYTIC TECHNIQUES

A time-to-event or survival model with explanatory or concomitant variables was used to ascertain the influence of the patient characteristics listed above on the probability of death. A feature of such a model is allowance for "right censored" observations. Generally, these are events or outcomes which would have occurred but for some interference that prevents further observation. In the present analysis, "right censoring" occurs when a patient is withdrawn alive from the study April 1, 1991 or at the end of the followup period of 365 days.

The survival function,  $S(t)$ , is one of several equivalent ways of expressing the model. Another form uses the cumulative distribution function or the mortality function

$$F(t) = 1 - S(t).$$

Another useful formulation of these models is the hazard function,  $h(t)$ , also known as the force of mortality or risk function. The hazard is the rate of decrease in the number of survivors relative to the number of survivors at a specific time. Mathematically, the hazard function is

$$h(t) = - \frac{1}{S(t)} \frac{dS(t)}{dt} = - \frac{d \ln(S(t))}{dt}.$$

The probability density function,  $f(t)$ , commonly used in statistical texts can be expressed as follows:

$$f(t) = \frac{dF(t)}{dt} = h(t)S(t).$$

The area under the survival curve is the expected value for  $t$ . In some cases, the area under the survival curve is restricted to an interval  $0-t_1$  where  $t_1$  might be one year, for example.

The specific time-to-event or survival model used in the present analysis is Bailey's modification of the Makeham model. The survival function for the Bailey-Makeham model is

$$S(t) = \exp\left\{-\delta t - \left(\frac{\alpha}{\gamma}\right)(1 - \exp(-\gamma t))\right\}$$

where

$$\alpha = \exp(\alpha_0 + \alpha_1 x_1 + \dots + \alpha_i x_i + \dots + \alpha_k x_k)$$

$$\gamma = \exp(\gamma_0 + \gamma_1 x_1 + \dots + \gamma_i x_i + \dots + \gamma_k x_k)$$

$$\delta = \exp(\delta_0 + \delta_1 x_1 + \dots + \delta_i x_i + \dots + \delta_k x_k)$$

are the expressions for each of the structural parameters  $\alpha$ ,  $\gamma$ , and  $\delta$  in terms of the  $k$  concomitant variables  $x_i$  and their associated component parameters  $\alpha_i$ ,  $\gamma_i$ , and  $\delta_i$  for  $i=1, 2, \dots, k$  and three intercepts or component parameters  $\alpha_0$ ,  $\gamma_0$ , and  $\delta_0$ . The structural parameter  $\delta$  is the long-term risk which is approached as  $t \rightarrow \infty$ . The structural parameter  $\alpha$  is the initial excess risk which decays with rate constant  $\gamma$ .

For the survival function given above, the risk or hazard function has an especially tractable form of an exponential decay which approaches a long-term risk,  $\delta$ . The hazard function corresponding to the survival function above is

$$h(t) = \alpha \exp(-\gamma t) + \delta .$$

The estimation of the component parameters was carried out in a series of steps in which those covariates which had estimable and statistically significant ( $p < 0.05$ ) influences of the probability of death were identified for inclusion in the model. As the model for each of the 23 risk categories was estimated separately, different lists of covariates were used for the final core models.

This first step was followed by the estimation of the additional contribution of specific principal diagnoses in each risk category. In these analyses, the effects of the patient characteristics included in the core models were corrected for. Only those principal diagnoses were retained which were estimable and had more than 900 cases (more than 300 for codes identified by year). Similarly, after adjustment for the effects of both the variables in the core model and the principal diagnoses, correction terms were calculated to estimate the additional information about the probability of death associated with the categorization of the patients into the clinical groups used for the presentation of the data in the mortality tables (see below). These correction terms were negligible for the medical categories but substantial for the surgical categories.



Once the component parameters or regression coefficients  $\alpha_i$ ,  $\gamma_i$ , and  $\delta_i$  have been estimated, the predicted probability of patient death at any specified time after admission,  $1-S(t)$ , may be calculated for all individuals. To obtain the predicted mortality rate up to a given time for a hospital, it is then only necessary to average over the predicted probabilities of death of its patients to that time.

The analytical categories are useful for grouping the patients into relatively risk-homogeneous strata for the regressions. However, to gain insights into patterns of practice at hospitals, the data are presented for patients grouped into clinically meaningful medical and surgical categories. The 17 clinical categories used in the mortality tables and defined in Table 1 were identified by the Institute of Medicine as being of particular medical and epidemiologic interest.

## ESTIMATION OF THE STANDARD DEVIATION FOR PREDICTED MORTALITY

The standard deviation of the predicted mortality rate is used to assess how statistically different the observed mortality rate is from the rate predicted by the national experience with like patients. The standard deviation depends, in fact, on the variance of the residual or the difference between the observed,  $P$ , and predicted,  $\hat{\Theta}$ , mortality rates.

The residual has four components  $V_1$ ,  $V_2$ ,  $V_3$ , and  $V_4$  where  $V_1$  is the variance of the estimate of the predicted probability of death. This computationally intensive term was negligible for nearly all cases, compared to other components of variance. Consequently, this term was not included in the present analysis.

$V_2$  is the binomial variance for  $n$  patients

$$V_2 = \frac{\hat{\Theta} (1 - \hat{\Theta})}{n}.$$

$V_3$  is the variation among hospitals not explained by the mortality regression models containing the patient characteristics described above.

$$V_3 = \widehat{\text{Var}}(\hat{\Theta}) = \left(1 - \frac{1}{n}\right) \widehat{M_2}(\hat{\Theta})$$



where

$$\widehat{M_2(\Theta)} = \left\{ \left( \begin{array}{c} \text{Predicted mortality} \\ \text{on basis of} \\ \text{patient characteristics and} \\ \text{adjustment for hospital effects} \end{array} \right) - \left( \begin{array}{c} \text{Predicted mortality} \\ \text{on basis of} \\ \text{patient characteristics,} \\ \text{but omitting the hospital specific effects} \end{array} \right) \right\}^2 \left( \frac{1}{z_p^2} \right)$$

The quantity  $z_p$  corresponds to the statistical significance (p-value) of the hospital-specific effect.

$V_4$  is the variation not explained by the mortality regression models which each include, in addition, an indicator variable for the hospital:

$$V_4 = \left\{ (\text{Observed mortality}) - \left( \begin{array}{c} \text{Predicted mortality} \\ \text{on basis of} \\ \text{patient characteristics, and} \\ \text{adjustment for the hospital specific effects} \end{array} \right) \right\}^2 .$$

(The regression coefficients of the indicator variable for the hospital are a measure of the influence on the probability of patient death of factors not otherwise specified in the model. These factors include severity of illness not adequately reported on by the patient characteristics deduced from the claims data and the hospital's pattern of practice; i.e., performance.)

The standard deviation given in the mortality tables is just

$$SD = \sqrt{V_2 + V_3 + V_4}.$$

## STANDARDIZED MORTALITY RATIO (SMR)

Another method of evaluating a hospital's performance—the Standardized Mortality Ratio (SMR)—is obtained by dividing the observed mortality rate by the predicted mortality rate. An SMR of one means the observed and predicted mortality are equal. A ratio greater than one means the observed mortality exceeds the predicted. A ratio less than one means the observed mortality is less than expected. The more extreme the ratio (significantly greater than one indicating unusually high mortality and significantly less than one indicating unusually low mortality), the greater the attention which should be paid to the results of this mortality report.

For each of the conditions and procedures, selected percentiles for the observed distribution of the SMR are displayed in Table 4. The selected percentiles provide benchmarks for comparison. For example, for a hospital

with 300 cases in the “All Causes” category, with observed mortality of 12.2 percent and predicted probability of 10.0 percent at 30 days, the standardized mortality ratio is

$$\text{SMR} = 12.2/10.0 = 1.22.$$

Note that an SMR of one means the observed and predicted mortality are equal, while a ratio greater than one means the observed mortality exceeds the predicted, and a ratio less than one means the observed mortality is less than expected. There will be greater interest in the more extreme ratios, either greater than one — excessively high mortality — or less than one — extremely low mortality.

From Table 4 for FY 1990, we find that the ratio is just below the 75th percentile of 1.23. Hence, slightly under 75 percent of the hospitals have an SMR less than that found at this hospital.

However, for a hospital with 900 cases in the “All Causes” category, with observed mortality of 19.3 percent and predicted probability of 10.0 percent at 30 days, the standardized mortality ratio is

$$\text{SMR} = 19.3/10.0 = 1.93.$$

Since the SMR of 1.93 is greater than the 97.5 percentile of 1.35 (Table 4 for 750 or more cases), there is cause for concern. To further assess this, we examine the displayed data in terms of the measure of uncertainty, the standard deviation.

## MEASURES OF UNCERTAINTY

In principle, to use the standard normal approximations to determine prediction intervals, an adjustment must be applied for the skewness and kurtosis inherent in a mortality rate when the rate is considerably less than 50 percent and the number of cases is small. Table 5 presents the multiplicative factors, based on the binomial distribution, for the standard deviation needed to construct prediction intervals for the mortality rates at confidence levels of 75, 95 and 99 percent. Because of the approximations involved in the estimation of the skewness and kurtosis corrections, their precision decreases as the number of cases and the mortality rate decrease; i.e., as the value of the correction increases. In addition, because of simplifications and approximations in the estimation of the standard deviation, the precision of the multiplicative factors given in Table 5 exceeds the precision of the estimate of the standard deviation. Hence, the following rule-of-thumb represents an adequate approximation to the factors in Table 5 and an adequate guide to the statistical meaningfulness of the difference between the observed and the predicted mortality rates.



To illustrate the use of Table 5, consider a hospital with 75 cases and a predicted mortality of 13.0 percent with a standard deviation of 5.0 percent. Overall, for hospitals with patients with characteristics similar to those of this hospital, we would expect the actual or observed mortality rate to lie, 95 percent of the time, either between 13.0 percent and 22.9 percent if the actual is larger than the predicted, or between 3.3 percent and 13.0 percent if the actual is less than the predicted. That is because  $22.9 \text{ percent} = 13.0 \text{ percent} + 1.98 \times 5.0 \text{ percent}$ , the factor 1.98 having been read from the section of Table 5 with the heading “95 Percent Prediction Interval” and “Factor for Upper Bound,” the row “75” for the number of cases, and, by interpolation, between the “10 percent” and the “20 percent” predicted mortality rate columns. Similarly,  $3.3 \text{ percent} = 13.0 \text{ percent} - 1.94 \times 5.0 \text{ percent}$ , the factor -1.94 having been read from the section of Table 5 with the heading “95 Percent Prediction Interval” and “Factor for Lower Bound” and the corresponding row and columns.

Therefore, in comparing the actual and predicted rates, more attention should be given to the hospital whose observed mortality rate lies beyond the bounds calculated for the 99 percent prediction interval than to the hospital whose observed mortality rate lies only beyond the bounds calculated for the 95 percent prediction interval. Likewise, more attention should be given to that hospital than to the hospital whose observed mortality rate lies only beyond the bounds calculated for the 75 percent prediction interval.

For the graphs, the observed mortality and an approximate 95 percent prediction interval are displayed. The prediction interval has bounds at the predicted mortality plus 2 times the standard deviation and at the predicted minus 2 times the standard deviation.

In the mortality rate tables, the observed and predicted mortality rates and the standard deviation as a measure for statistical importance of the difference are displayed for the overall and each of the conditions and procedures.



## HOW TO OBTAIN MEDICARE HOSPITAL INFORMATION

The publication has been widely distributed to State health organizations and hospital and medical associations. The publication is available to the public for purchase in 55 volumes, with each volume being sold separately through the Government Printing Office (GPO). More detailed information about the purchase of this publication may be obtained by contacting:

Superintendent of Documents  
Government Printing Office  
Washington, D.C. 20402  
Telephone: (202) 783-3238

As in prior years, the information appearing in the Medicare Hospital Information report is available in machine-readable/electronic format (tape and diskette). The Medicare Hospital Information public use file provides the published information as contained in the 55-volume hardcopy publication, except that the AHA's hospital characteristics are not on this file. Hospital characteristics from HCFA files (OSCAR) are provided instead. The files contain additional information which is useful for supplemental analyses: averages by hospital, MSA, and State for each of the variables used in the model, mortality rates for 15, 30, 60, 90 and 180 days, and cross-reference files which relate State, MSA, and ICD-9-CM codes used to a name. These data should allow analysts to assess an individual hospital's performance in comparison to all hospitals in the State or applicable MSA.

Also available to hospitals in machine-readable format is their patient-specific data that were used in the report. These data include the patient variables used in the analysis (e.g., the number and severity level of prior hospitalizations considered by the methodology, admission source and type, etc.) and the predicted probability of death at each time interval for each individual included in the study. With these data it is possible for hospitals to better understand their statistics. Due to confidentiality considerations, requests for patient-specific data must be forwarded on hospital letterhead, must include the institution's Medicare provider number, and must be signed by the hospital administrator.

For information about obtaining Medicare Hospital Information electronic media data, please contact HCFA's Bureau of Data Management and Strategy at:

Health Care Financing Administration  
Bureau of Data Management and Strategy  
Office of Statistics and Data Management  
3-A-10 Security Office Park Building  
6325 Security Boulevard  
Baltimore, Maryland 21207  
Telephone: (410) 597-5151

## Table 1

### DIAGNOSTIC AND PROCEDURE CATEGORIES

The following lists the ICD-9-CM diagnostic and procedure codes used to classify and group patients for presentation

#### CONDITION/PROCEDURE

#### ICD-9-CM CODES

(D)=Diagnosis code

(P)=Procedure code

#### Heart Disorders/Procedures

Acute Myocardial Infarction  
(AMI)

All of 410 (D) (on 10/1/89 exclude 410 with 5th digit of a 2)

*Note: For code 410 a 5th digit was added on October 1, 1989.*

Congestive Heart Failure  
(CHF)

398.91, 402.01, 402.11, 402.91, 428.0, 428.1, 428.9 (all D)

Angioplasty  
(ANGPLSTY)

All of 36.0 (P) excluding 36.00, 36.03, 36.04, 36.09 (all P)

*Note: Code 36.0 had a 4th digit added on October 1, 1986. Code 36.0 got digits of 0, 1, 2, 3, and 9, and code 36.04 got some previously coded cases of 39.97. On October 1, 1987, code 36.01 was divided into 36.01 and 36.05, and some cases from 36.02 were put into 36.05.*

Coronary Artery Bypass Graft  
(CABG)

All of 36.1(P) and not Angioplasty (see above)

Pacemaker Insertion, Initial  
(PACE)

37.73, 37.74, 37.75, 37.77 (after 10/1/87 use 37.70 through 37.73) (all P)

*Note: Code 37.70 was restructured on October 1, 1987. Previously the code contained both leads and devices. On October 1 these were separated and devices were coded as 37.80 through 37.83, and codes for the leads were changed into various 37.70 codes.*

**CONDITION/PROCEDURE****ICD-9-CM CODES***(D)=Diagnosis code**(P)=Procedure code***Pulmonary Disorders****Pneumonia/Influenza  
(PNU)**All of 480, all of 481, 482.2, 482.3,  
482.9, 483, 485, 486, 487.0 (all D)**Chronic Obstructive Pulmonary  
(COPD)**All of 491, all of 492, all of 494, Disease  
all of 496; and 466.0, 518.82, 518.5,  
and 786.09 when there is a secondary  
diagnosis of any 496 (all D)

*Note: Code 518.8 got a 5th digit on October 1, 1987. Some  
cases from 799.1 were put into codes 518.81 and  
518.82.*

**Cerebrovascular Disorders/Procedures****Transient Cerebral Ischemia  
(TCI)**433.1, 433.3, 435 (D) and exclude those  
patients with an endarterectomy at the  
time of admission—38.12(P)**Stroke  
(STK)**

431, 434 through 434.9, 436 (all D)

**Carotid Endarterectomy  
(ENDART)**38.12 (P) with 433.1 (D); 433.3 (D) or  
435(D) as a principal diagnosis**Musculoskeletal Disorders/Procedures****Fracture of Neck of Femur  
(FXHIP)**

All of 820 (D)

**Hip Replacement/Revision  
(HIPREP)**81.5, 81.6 (exclude 81.69) (all P). On  
10/1/89 code 81.51 (P) through 81.53  
(P) with same diagnoses.**Open Reduction of Fractured Femur  
(OPRDUX)**79.35(P) on condition of 820 (D) as  
principal diagnosis



**CONDITION/PROCEDURE****ICD-9-CM CODES***(D)=Diagnosis code**(P)=Procedure code***Genitourinary Disorders/Procedures**Prostatectomy  
(PROS)

60.2, 60.3 through 60.69 (all P)

Hysterectomy  
(HYS)

68.3 through 68.7 (P)

**Gastrointestinal Disorders/Procedures**Cholecystectomy  
(CHOLOTMY)

51.22 (P)

**Sepsis**

Sepsis

003.1, 020.2, 022.3, 036.2, 036.3,  
036.89, 036.9, 038.0, 038.1, 038.2,  
038.3, 038.40, 038.41, 038.42, 038.43,  
038.44, 038.49, 038.8, 038.9, 054.5

**Table 2**

**COMORBIDITY CONDITIONS**

(all are D codes)

| <b>COMORBIDITY</b>             | <b>ICD-9-CM CODES</b>                                                                      |
|--------------------------------|--------------------------------------------------------------------------------------------|
| Cancer                         | 141-160.9, 162-172.9, 174-208.91                                                           |
| Chronic cardiovascular disease | 412-414.9, 426-429.1                                                                       |
| Chronic liver disease          | 571-572.8                                                                                  |
| Chronic renal disease          | 582-583.9, 585-587, 403.01, 403.11, 403.91, 404.02, 404.03, 404.12, 404.13, 404.92, 404.93 |
| Chronic diabetes               | 250.01, 250.1-250.91                                                                       |
| Chronic pulmonary disease      | 491-493.91, 496                                                                            |
| Cerebrovascular degeneration   | 290-290.9, 294-299.9                                                                       |

# Table 3

## EXPLANATORY VARIABLES FOR THE MORTALITY MODEL

Generally the same variables are used for all diagnostic categories.

### Demographics

SXFM                      An indicator variable: = 1 if Female, 0 otherwise

AGEFM = AGESP if SXFM = 1, 0 otherwise

AGEML = AGESP if SXFM = 0, 0 otherwise

where

$$\text{AGESP} = \text{sign}(W-65) \left( \left| \frac{W-65}{65} \right| \right)^{1.44}$$

and

$$W = \begin{cases} 23 & \text{if AGE} \leq 23 \\ \text{AGE} & \text{if } 23 < \text{AGE} < 100 \\ 100 & \text{if } 100 \leq \text{AGE} \end{cases}$$

### Comorbidities

### ICD-9-CM Codes

(Indicator variables = 1 if comorbidity present on current or prior admission with discharge within 6 months prior to current admission, 0 otherwise)

|     |                                |                                                                                            |
|-----|--------------------------------|--------------------------------------------------------------------------------------------|
| CCA | Cancer                         | 141-160.9, 162-172.9, 174-208.91                                                           |
| CCV | Chronic cardiovascular disease | 412-414.9, 426-429.1                                                                       |
| CLV | Chronic liver disease          | 571-572.8                                                                                  |
| CRN | Chronic renal disease          | 582-583.9, 585-587, 403.01, 403.11, 403.91, 404.02, 404.03, 404.12, 404.13, 404.92, 404.93 |
| CDI | Chronic diabetes               | 250.01, 250.1-250.91                                                                       |
| COP | Chronic pulmonary disease      | 491-493.91, 496                                                                            |
| CCE | Cerebrovascular degeneration   | 290-290.9, 294-299.9                                                                       |



## Co Occurrence of Comorbidities

|         |                                       |
|---------|---------------------------------------|
| COP_CCV | 1 if COP = 1 and CCV = 1, 0 otherwise |
| CCA_CCV | 1 if CCA = 1 and CCV = 1, 0 otherwise |
| COP_CCA | 1 if COP = 1 and CCA = 1, 0 otherwise |
| CCE_CCV | 1 if CCE = 1 and CCV = 1, 0 otherwise |
| CRN_CCV | 1 if CRN = 1 and CCV = 1, 0 otherwise |

## Admission Sources and Types

(Indicator variables = 1 if source or type present, 0 otherwise)

|       |                                                   |
|-------|---------------------------------------------------|
| PREF  | Patient referred by personal or HMO physician     |
| TRSNF | Patient transferred from skilled nursing facility |
| ELCT  | Patient admitted for elective procedure           |
| EMRG  | Patient admitted for emergency                    |

## Co-Occurrence of Admission Source and Type

PREF\_ELEC = 1 if PREF = 1 and ELCT = 1, 0 otherwise

## Previous Hospitalizations

|         |                                                                                                             |
|---------|-------------------------------------------------------------------------------------------------------------|
| P_RISK1 | Number at 1st risk level with 3 or more set to 3                                                            |
| P_RISK2 | Number at 2nd risk level with 3 or more set to 3                                                            |
| P_RISK3 | Number at 3rd risk level with 3 or more set to 3                                                            |
| P_RISK4 | Number at 4th risk level with 4 or more set to 4                                                            |
| P_RISK5 | Number at 5th risk level with 3 or more set to 3                                                            |
| F(T)    | Probability of death from previous admission if discharge within 182 days of current admission, 0 otherwise |

## Time Trend

|        |                                                                                   |
|--------|-----------------------------------------------------------------------------------|
| FLAG89 | 1 if discharge in FY1989, 0 otherwise                                             |
| FLAG90 | 1 if discharge in FY1990, 0 otherwise                                             |
| INYEAR | Difference between current admission date and April 1 of fiscal year of discharge |

TABLE 4  
SMR DISTRIBUTION FOR HOSPITALS WITH GREATER THAN 50 CASES  
1990 STUDY, FY1990

| CONDITIONS/PROCEDURES    | NUMBER<br>OF<br>HOSPITALS | 30 DAYS |       |       |       |       | 90 DAYS |       |       |       |       | 180 DAYS |       |       |       |       |
|--------------------------|---------------------------|---------|-------|-------|-------|-------|---------|-------|-------|-------|-------|----------|-------|-------|-------|-------|
|                          |                           | 2.5%    | 25%   | 50%   | 75%   | 97.5% | 2.5%    | 25%   | 50%   | 75%   | 97.5% | 2.5%     | 25%   | 50%   | 75%   | 97.5% |
|                          |                           | -----   | ----- | ----- | ----- | ----- | -----   | ----- | ----- | ----- | ----- | -----    | ----- | ----- | ----- | ----- |
| OVERALL( < 750 CASES )   | 2645                      | 0.45    | 0.88  | 1.04  | 1.23  | 1.72  | 0.56    | 0.90  | 1.03  | 1.17  | 1.54  | 0.61     | 0.90  | 1.02  | 1.15  | 1.46  |
| OVERALL( >= 750 CASES)   | 2684                      | 0.73    | 0.91  | 0.99  | 1.09  | 1.35  | 0.79    | 0.94  | 1.01  | 1.09  | 1.28  | 0.82     | 0.94  | 1.01  | 1.08  | 1.24  |
| CONDITIONS               |                           |         |       |       |       |       |         |       |       |       |       |          |       |       |       |       |
| -----                    |                           |         |       |       |       |       |         |       |       |       |       |          |       |       |       |       |
| AMI                      | 1405                      | 0.54    | 0.80  | 0.95  | 1.11  | 1.42  | 0.62    | 0.86  | 0.99  | 1.14  | 1.44  | 0.63     | 0.86  | 0.99  | 1.13  | 1.39  |
| CHF                      | 2335                      | 0.43    | 0.79  | 0.98  | 1.17  | 1.64  | 0.60    | 0.85  | 0.99  | 1.13  | 1.49  | 0.66     | 0.89  | 1.00  | 1.13  | 1.41  |
| PNEUMONIA/INFLUENZA      | 2428                      | 0.41    | 0.78  | 0.97  | 1.18  | 1.68  | 0.53    | 0.84  | 1.00  | 1.17  | 1.55  | 0.57     | 0.86  | 1.01  | 1.16  | 1.50  |
| COPD                     | 435                       | 0.00    | 0.63  | 0.97  | 1.34  | 2.06  | 0.30    | 0.78  | 1.02  | 1.26  | 1.74  | 0.40     | 0.82  | 1.01  | 1.24  | 1.69  |
| TRANS. CEREBRAL ISCHEMIA | 404                       | 0.00    | 0.00  | 0.83  | 1.34  | 3.20  | 0.00    | 0.48  | 0.85  | 1.31  | 2.27  | 0.21     | 0.60  | 0.90  | 1.21  | 2.05  |
| STROKE                   | 1789                      | 0.53    | 0.79  | 0.95  | 1.13  | 1.56  | 0.61    | 0.84  | 0.98  | 1.13  | 1.47  | 0.65     | 0.87  | 0.99  | 1.12  | 1.42  |
| HIP FRACTURE             | 1199                      | 0.21    | 0.67  | 0.93  | 1.27  | 2.10  | 0.40    | 0.76  | 0.94  | 1.19  | 1.80  | 0.47     | 0.78  | 0.97  | 1.16  | 1.64  |
| SEPSIS                   | 254                       | 0.51    | 0.79  | 0.96  | 1.12  | 1.50  | 0.65    | 0.86  | 0.99  | 1.13  | 1.47  | 0.69     | 0.89  | 1.01  | 1.15  | 1.44  |
| PROCEDURES               |                           |         |       |       |       |       |         |       |       |       |       |          |       |       |       |       |
| -----                    |                           |         |       |       |       |       |         |       |       |       |       |          |       |       |       |       |
| ANGIOPLASTY              | 425                       | 0.00    | 0.49  | 0.89  | 1.33  | 2.66  | 0.00    | 0.60  | 0.93  | 1.36  | 2.34  | 0.00     | 0.63  | 0.97  | 1.34  | 2.14  |
| CABG                     | 556                       | 0.20    | 0.68  | 1.03  | 1.39  | 2.45  | 0.28    | 0.73  | 1.00  | 1.32  | 2.09  | 0.28     | 0.73  | 1.01  | 1.30  | 2.10  |
| PACEMAKER                | 112                       | 0.00    | 0.41  | 0.72  | 1.37  | 3.25  | 0.20    | 0.61  | 0.90  | 1.21  | 2.17  | 0.21     | 0.65  | 0.84  | 1.16  | 1.87  |
| CAROTID ENDARTERECTOMY   | 73                        | 0.00    | 0.00  | 0.85  | 1.33  | 2.90  | 0.00    | 0.14  | 0.74  | 1.28  | 2.43  | 0.00     | 0.42  | 0.86  | 1.38  | 2.86  |
| HIP REPLACEMENT          | 763                       | 0.00    | 0.53  | 0.94  | 1.44  | 2.77  | 0.19    | 0.67  | 0.96  | 1.31  | 2.12  | 0.26     | 0.71  | 0.94  | 1.26  | 1.91  |
| REDUCT. OF HIP FRACTURE  | 276                       | 0.00    | 0.56  | 0.86  | 1.22  | 2.05  | 0.31    | 0.68  | 0.92  | 1.19  | 1.76  | 0.38     | 0.77  | 0.96  | 1.12  | 1.58  |
| PROSTATECTOMY            | 1576                      | 0.00    | 0.00  | 0.73  | 1.57  | 3.56  | 0.00    | 0.49  | 0.91  | 1.40  | 2.63  | 0.00     | 0.57  | 0.92  | 1.29  | 2.21  |
| CHOLECYSTECTOMY          | 714                       | 0.00    | 0.49  | 0.95  | 1.54  | 2.68  | 0.00    | 0.62  | 0.93  | 1.37  | 2.22  | 0.22     | 0.67  | 0.98  | 1.27  | 1.93  |
| HYSTERECTOMY             | 113                       | 0.00    | 0.00  | 0.00  | 2.00  | 6.69  | 0.00    | 0.00  | 0.76  | 1.70  | 3.59  | 0.00     | 0.24  | 0.75  | 1.27  | 2.91  |

TABLE 4  
SMR DISTRIBUTION FOR HOSPITALS WITH GREATER THAN 50 CASES  
1990 STUDY, FY1989

| CONDITIONS/PROCEDURES    | NUMBER<br>OF<br>HOSPITALS | 30 DAYS |      |      |      |       | 90 DAYS |      |      |      |       | 180 DAYS |      |      |      |       |
|--------------------------|---------------------------|---------|------|------|------|-------|---------|------|------|------|-------|----------|------|------|------|-------|
|                          |                           | -----   |      |      |      |       | -----   |      |      |      |       | -----    |      |      |      |       |
|                          |                           | 2.5%    | 25%  | 50%  | 75%  | 97.5% | 2.5%    | 25%  | 50%  | 75%  | 97.5% | 2.5%     | 25%  | 50%  | 75%  | 97.5% |
| OVERALL( < 750 CASES )   | 2746                      | 0.50    | 0.87 | 1.04 | 1.23 | 1.73  | 0.58    | 0.89 | 1.03 | 1.17 | 1.54  | 0.61     | 0.89 | 1.01 | 1.14 | 1.44  |
| OVERALL( >= 750 CASES)   | 2669                      | 0.71    | 0.90 | 1.00 | 1.09 | 1.35  | 0.79    | 0.94 | 1.01 | 1.08 | 1.28  | 0.82     | 0.95 | 1.01 | 1.07 | 1.24  |
| CONDITIONS               |                           | -----   |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| AMI                      | 1412                      | 0.53    | 0.81 | 0.96 | 1.12 | 1.47  | 0.59    | 0.86 | 1.01 | 1.15 | 1.47  | 0.63     | 0.87 | 1.00 | 1.14 | 1.43  |
| CHF                      | 2293                      | 0.47    | 0.80 | 0.97 | 1.18 | 1.69  | 0.58    | 0.86 | 1.00 | 1.14 | 1.48  | 0.66     | 0.89 | 1.02 | 1.14 | 1.40  |
| PNEUMONIA/INFLUENZA      | 2179                      | 0.45    | 0.77 | 0.97 | 1.19 | 1.67  | 0.54    | 0.85 | 1.01 | 1.18 | 1.55  | 0.60     | 0.86 | 1.02 | 1.18 | 1.51  |
| COPD                     | 324                       | 0.21    | 0.68 | 0.99 | 1.32 | 2.13  | 0.44    | 0.78 | 1.04 | 1.27 | 1.91  | 0.49     | 0.84 | 1.04 | 1.24 | 1.66  |
| TRANS. CEREBRAL ISCHEMIA | 420                       | 0.00    | 0.00 | 0.79 | 1.41 | 3.26  | 0.00    | 0.46 | 0.88 | 1.33 | 2.36  | 0.18     | 0.60 | 0.92 | 1.25 | 1.97  |
| STROKE                   | 1728                      | 0.53    | 0.80 | 0.95 | 1.12 | 1.56  | 0.62    | 0.85 | 0.97 | 1.11 | 1.46  | 0.67     | 0.88 | 0.99 | 1.13 | 1.40  |
| HIP FRACTURE             | 1126                      | 0.24    | 0.67 | 0.95 | 1.30 | 2.04  | 0.39    | 0.75 | 0.98 | 1.21 | 1.71  | 0.46     | 0.78 | 0.97 | 1.18 | 1.59  |
| SEPSIS                   | 174                       | 0.52    | 0.79 | 0.94 | 1.10 | 1.52  | 0.63    | 0.88 | 1.02 | 1.15 | 1.46  | 0.68     | 0.93 | 1.05 | 1.16 | 1.43  |
| PROCEDURES               |                           | -----   |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| ANGIOPLASTY              | 370                       | 0.00    | 0.46 | 0.84 | 1.35 | 2.55  | 0.00    | 0.55 | 0.88 | 1.33 | 2.52  | 0.00     | 0.61 | 0.94 | 1.32 | 2.44  |
| CABG                     | 501                       | 0.21    | 0.65 | 1.00 | 1.47 | 2.57  | 0.23    | 0.69 | 1.00 | 1.33 | 2.29  | 0.32     | 0.74 | 1.01 | 1.33 | 2.21  |
| PACEMAKER                | 91                        | 0.00    | 0.52 | 0.74 | 1.12 | 2.31  | 0.00    | 0.56 | 0.83 | 1.15 | 2.14  | 0.20     | 0.68 | 0.81 | 1.16 | 1.87  |
| CAROTID ENDARTERECTOMY   | 55                        | 0.00    | 0.00 | 0.82 | 1.51 | 5.01  | 0.00    | 0.47 | 0.86 | 1.31 | 4.00  | 0.00     | 0.43 | 0.85 | 1.28 | 3.12  |
| HIP REPLACEMENT          | 686                       | 0.00    | 0.52 | 0.92 | 1.44 | 2.46  | 0.00    | 0.65 | 0.94 | 1.27 | 1.95  | 0.21     | 0.67 | 0.94 | 1.19 | 1.75  |
| REDUCT. OF HIP FRACTURE  | 246                       | 0.19    | 0.57 | 0.91 | 1.23 | 1.96  | 0.31    | 0.71 | 0.96 | 1.19 | 1.74  | 0.41     | 0.78 | 0.96 | 1.13 | 1.53  |
| PROSTATECTOMY            | 1570                      | 0.00    | 0.00 | 0.67 | 1.50 | 3.46  | 0.00    | 0.47 | 0.86 | 1.36 | 2.67  | 0.00     | 0.58 | 0.93 | 1.28 | 2.15  |
| CHOLECYSTECTOMY          | 680                       | 0.00    | 0.53 | 0.94 | 1.53 | 2.90  | 0.00    | 0.62 | 0.97 | 1.36 | 2.15  | 0.22     | 0.66 | 0.95 | 1.26 | 1.98  |
| HYSTERECTOMY             | 101                       | 0.00    | 0.00 | 0.00 | 1.80 | 5.44  | 0.00    | 0.00 | 0.78 | 1.60 | 4.21  | 0.00     | 0.00 | 0.91 | 1.38 | 2.99  |



TABLE 4  
SMR DISTRIBUTION FOR HOSPITALS WITH GREATER THAN 50 CASES  
1990 STUDY, FY1988

| CONDITIONS/PROCEDURES    | NUMBER<br>OF<br>HOSPITALS | 30 DAYS |      |      |      |       | 90 DAYS |      |      |      |       | 180 DAYS |      |      |      |       |
|--------------------------|---------------------------|---------|------|------|------|-------|---------|------|------|------|-------|----------|------|------|------|-------|
|                          |                           | -----   |      |      |      |       | -----   |      |      |      |       | -----    |      |      |      |       |
|                          |                           | 2.5%    | 25%  | 50%  | 75%  | 97.5% | 2.5%    | 25%  | 50%  | 75%  | 97.5% | 2.5%     | 25%  | 50%  | 75%  | 97.5% |
| OVERALL( < 750 CASES )   | 2838                      | 0.46    | 0.89 | 1.05 | 1.23 | 1.75  | 0.54    | 0.90 | 1.03 | 1.16 | 1.57  | 0.59     | 0.90 | 1.02 | 1.14 | 1.45  |
| OVERALL( >= 750 CASES)   | 2693                      | 0.73    | 0.90 | 1.00 | 1.10 | 1.35  | 0.79    | 0.94 | 1.01 | 1.09 | 1.27  | 0.82     | 0.95 | 1.01 | 1.08 | 1.24  |
| CONDITIONS               |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| -----                    |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| AMI                      | 1414                      | 0.56    | 0.82 | 0.96 | 1.12 | 1.41  | 0.63    | 0.87 | 1.01 | 1.14 | 1.42  | 0.65     | 0.89 | 1.00 | 1.13 | 1.39  |
| CHF                      | 2246                      | 0.45    | 0.79 | 0.97 | 1.18 | 1.61  | 0.60    | 0.86 | 1.00 | 1.14 | 1.43  | 0.68     | 0.90 | 1.02 | 1.13 | 1.37  |
| PNEUMONIA/INFLUENZA      | 2069                      | 0.44    | 0.79 | 0.97 | 1.17 | 1.68  | 0.57    | 0.85 | 1.01 | 1.17 | 1.59  | 0.61     | 0.87 | 1.01 | 1.16 | 1.53  |
| COPD                     | 310                       | 0.21    | 0.67 | 0.92 | 1.30 | 2.17  | 0.39    | 0.79 | 0.98 | 1.20 | 1.81  | 0.51     | 0.82 | 0.99 | 1.19 | 1.59  |
| TRANS. CEREBRAL ISCHEMIA | 495                       | 0.00    | 0.00 | 0.84 | 1.48 | 2.94  | 0.00    | 0.48 | 0.92 | 1.39 | 2.28  | 0.21     | 0.60 | 0.92 | 1.27 | 1.92  |
| STROKE                   | 1726                      | 0.51    | 0.79 | 0.95 | 1.12 | 1.56  | 0.60    | 0.84 | 0.98 | 1.13 | 1.44  | 0.64     | 0.88 | 1.00 | 1.13 | 1.42  |
| HIP FRACTURE             | 1119                      | 0.24    | 0.65 | 0.96 | 1.27 | 2.07  | 0.40    | 0.78 | 0.98 | 1.21 | 1.77  | 0.47     | 0.80 | 0.98 | 1.17 | 1.64  |
| SEPSIS                   | 133                       | 0.58    | 0.77 | 0.92 | 1.08 | 1.64  | 0.56    | 0.86 | 1.00 | 1.13 | 1.54  | 0.67     | 0.88 | 1.02 | 1.14 | 1.53  |
| PROCEDURES               |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| -----                    |                           |         |      |      |      |       |         |      |      |      |       |          |      |      |      |       |
| ANGIOPLASTY              | 297                       | 0.00    | 0.50 | 0.87 | 1.35 | 2.60  | 0.00    | 0.59 | 0.91 | 1.34 | 2.50  | 0.00     | 0.65 | 0.95 | 1.31 | 2.25  |
| CABG                     | 478                       | 0.21    | 0.68 | 0.98 | 1.39 | 2.40  | 0.32    | 0.73 | 1.00 | 1.36 | 2.12  | 0.38     | 0.75 | 1.01 | 1.31 | 2.04  |
| PACEMAKER                | 83                        | 0.00    | 0.34 | 0.65 | 1.04 | 1.75  | 0.01    | 0.54 | 0.85 | 1.03 | 1.70  | 0.23     | 0.69 | 0.87 | 1.10 | 1.57  |
| CAROTID ENDARTERECTOMY   | 69                        | 0.00    | 0.00 | 0.60 | 1.23 | 3.30  | 0.00    | 0.33 | 0.62 | 1.09 | 2.50  | 0.00     | 0.44 | 0.68 | 1.16 | 1.87  |
| HIP REPLACEMENT          | 670                       | 0.00    | 0.49 | 0.95 | 1.40 | 2.65  | 0.00    | 0.66 | 1.01 | 1.31 | 2.15  | 0.24     | 0.70 | 0.96 | 1.24 | 1.87  |
| REDUCT. OF HIP FRACTURE  | 259                       | 0.00    | 0.61 | 0.91 | 1.26 | 2.16  | 0.38    | 0.74 | 0.96 | 1.21 | 1.94  | 0.44     | 0.77 | 0.96 | 1.16 | 1.79  |
| PROSTATECTOMY            | 1619                      | 0.00    | 0.00 | 0.78 | 1.53 | 3.69  | 0.00    | 0.54 | 0.92 | 1.39 | 2.57  | 0.00     | 0.61 | 0.93 | 1.30 | 2.21  |
| CHOLECYSTECTOMY          | 642                       | 0.00    | 0.50 | 0.96 | 1.44 | 3.04  | 0.00    | 0.61 | 0.96 | 1.36 | 2.26  | 0.25     | 0.66 | 0.96 | 1.27 | 2.01  |
| HYSTERECTOMY             | 90                        | 0.00    | 0.00 | 0.00 | 1.57 | 5.00  | 0.00    | 0.00 | 0.68 | 1.43 | 2.83  | 0.00     | 0.28 | 0.67 | 1.15 | 2.88  |

TABLE 5: MULTIPLICATIVE FACTORS FOR THE CALCULATION OF THE BOUNDS FOR PREDICTION INTERVALS

(n is the number of cases at your hospital and p is the predicted mortality rate)

| p | n    | 99% Prediction Interval |       |       |       |       | 95% Prediction Interval |       |       |       |       | 75% Prediction Interval |       |       |       |       |
|---|------|-------------------------|-------|-------|-------|-------|-------------------------|-------|-------|-------|-------|-------------------------|-------|-------|-------|-------|
|   |      | Factor for Upper Bound  |       |       |       |       | Factor for Upper Bound  |       |       |       |       | Factor for Upper Bound  |       |       |       |       |
|   |      | 1%                      | 5%    | 10%   | 20%   | 40%   | 1%                      | 5%    | 10%   | 20%   | 40%   | 1%                      | 5%    | 10%   | 20%   | 40%   |
|   | 25   | 2.95                    | 2.73  | 2.68  | 2.63  | 2.59  | 2.15                    | 2.04  | 2.01  | 1.99  | 1.97  | 1.17                    | 1.16  | 1.16  | 1.15  | 1.15  |
|   | 50   | 2.76                    | 2.65  | 2.63  | 2.60  | 2.58  | 2.05                    | 2.00  | 1.99  | 1.97  | 1.96  | 1.16                    | 1.15  | 1.15  | 1.15  | 1.15  |
|   | 75   | 2.70                    | 2.63  | 2.61  | 2.59  | 2.58  | 2.02                    | 1.99  | 1.98  | 1.97  | 1.96  | 1.16                    | 1.15  | 1.15  | 1.15  | 1.15  |
|   | 100  | 2.67                    | 2.61  | 2.60  | 2.59  | 2.58  | 2.01                    | 1.98  | 1.97  | 1.97  | 1.96  | 1.16                    | 1.15  | 1.15  | 1.15  | 1.15  |
|   | 150  | 2.64                    | 2.60  | 2.59  | 2.59  | 2.58  | 1.99                    | 1.97  | 1.97  | 1.96  | 1.96  | 1.15                    | 1.15  | 1.15  | 1.15  | 1.15  |
|   | 200  | 2.62                    | 2.60  | 2.59  | 2.58  | 2.58  | 1.98                    | 1.97  | 1.97  | 1.96  | 1.96  | 1.15                    | 1.15  | 1.15  | 1.15  | 1.15  |
|   | 300  | 2.61                    | 2.59  | 2.58  | 2.58  | 2.58  | 1.98                    | 1.97  | 1.96  | 1.96  | 1.96  | 1.15                    | 1.15  | 1.15  | 1.15  | 1.15  |
|   | 400  | 2.60                    | 2.59  | 2.58  | 2.58  | 2.58  | 1.97                    | 1.96  | 1.96  | 1.96  | 1.96  | 1.15                    | 1.15  | 1.15  | 1.15  | 1.15  |
|   | 500  | 2.59                    | 2.58  | 2.58  | 2.58  | 2.58  | 1.97                    | 1.96  | 1.96  | 1.96  | 1.96  | 1.15                    | 1.15  | 1.15  | 1.15  | 1.15  |
|   | 750  | 2.59                    | 2.58  | 2.58  | 2.58  | 2.58  | 1.97                    | 1.96  | 1.96  | 1.96  | 1.96  | 1.15                    | 1.15  | 1.15  | 1.15  | 1.15  |
|   | 1000 | 2.59                    | 2.58  | 2.58  | 2.58  | 2.58  | 1.96                    | 1.96  | 1.96  | 1.96  | 1.96  | 1.15                    | 1.15  | 1.15  | 1.15  | 1.15  |
|   | 2000 | 2.58                    | 2.58  | 2.58  | 2.58  | 2.58  | 1.96                    | 1.96  | 1.96  | 1.96  | 1.96  | 1.15                    | 1.15  | 1.15  | 1.15  | 1.15  |
|   | 5000 | 2.58                    | 2.58  | 2.58  | 2.58  | 2.58  | 1.96                    | 1.96  | 1.96  | 1.96  | 1.96  | 1.15                    | 1.15  | 1.15  | 1.15  | 1.15  |
|   |      |                         |       |       |       |       |                         |       |       |       |       |                         |       |       |       |       |
| p | n    | Factor for Lower Bound  |       |       |       |       | Factor for Lower Bound  |       |       |       |       | Factor for Lower Bound  |       |       |       |       |
|   |      | Factor for Lower Bound  |       |       |       |       | Factor for Lower Bound  |       |       |       |       | Factor for Lower Bound  |       |       |       |       |
|   |      | 1%                      | 5%    | 10%   | 20%   | 40%   | 1%                      | 5%    | 10%   | 20%   | 40%   | 1%                      | 5%    | 10%   | 20%   | 40%   |
|   | 25   | -2.21                   | -2.42 | -2.48 | -2.52 | -2.56 | -1.77                   | -1.88 | -1.91 | -1.93 | -1.95 | -1.13                   | -1.14 | -1.14 | -1.15 | -1.15 |
|   | 50   | -2.39                   | -2.50 | -2.53 | -2.55 | -2.57 | -1.87                   | -1.92 | -1.93 | -1.95 | -1.96 | -1.14                   | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 75   | -2.45                   | -2.52 | -2.54 | -2.56 | -2.57 | -1.90                   | -1.93 | -1.94 | -1.95 | -1.96 | -1.14                   | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 100  | -2.48                   | -2.54 | -2.55 | -2.56 | -2.57 | -1.91                   | -1.94 | -1.95 | -1.95 | -1.96 | -1.15                   | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 150  | -2.51                   | -2.55 | -2.56 | -2.57 | -2.57 | -1.93                   | -1.95 | -1.95 | -1.96 | -1.96 | -1.15                   | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 200  | -2.53                   | -2.56 | -2.56 | -2.57 | -2.57 | -1.94                   | -1.95 | -1.95 | -1.96 | -1.96 | -1.15                   | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 300  | -2.54                   | -2.56 | -2.57 | -2.57 | -2.57 | -1.94                   | -1.95 | -1.96 | -1.96 | -1.96 | -1.15                   | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 400  | -2.55                   | -2.57 | -2.57 | -2.57 | -2.57 | -1.95                   | -1.96 | -1.96 | -1.96 | -1.96 | -1.15                   | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 500  | -2.56                   | -2.57 | -2.57 | -2.57 | -2.58 | -1.95                   | -1.96 | -1.96 | -1.96 | -1.96 | -1.15                   | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 750  | -2.56                   | -2.57 | -2.57 | -2.57 | -2.58 | -1.95                   | -1.96 | -1.96 | -1.96 | -1.96 | -1.15                   | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 1000 | -2.57                   | -2.57 | -2.57 | -2.57 | -2.58 | -1.96                   | -1.96 | -1.96 | -1.96 | -1.96 | -1.15                   | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 2000 | -2.57                   | -2.57 | -2.57 | -2.57 | -2.58 | -1.96                   | -1.96 | -1.96 | -1.96 | -1.96 | -1.15                   | -1.15 | -1.15 | -1.15 | -1.15 |
|   | 5000 | -2.57                   | -2.58 | -2.58 | -2.58 | -2.58 | -1.96                   | -1.96 | -1.96 | -1.96 | -1.96 | -1.15                   | -1.15 | -1.15 | -1.15 | -1.15 |

# **Medicare Hospital Information**



# ABERDEEN MONROE COUNTY HOSPITAL


400 S CHESTNUT ST  
ABERDEEN, MS 39730  
Medicare Provider Number: 250008

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 229                | 19.7                | 10.6 | 3.6   | 24.5    | 16.6 | 3.4   | 29.7     | 20.8 | 4.1   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 3                  | 33.3                | 15.9 | ----- | 33.3    | 17.9 | ----- | 33.3     | 19.9 | ----- |
| Congestive Heart Failure.....              | 16                 | 37.5                | 14.8 | ----- | 37.5    | 23.5 | ----- | 43.8     | 29.2 | ----- |
| Pneumonia/Influenza.....                   | 18                 | 27.8                | 19.4 | ----- | 27.8    | 27.9 | ----- | 27.8     | 32.5 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 4                  | 25.0                | 7.3  | ----- | 25.0    | 13.5 | ----- | 50.0     | 17.9 | ----- |
| Transient Cerebral Ischemia.....           | 2                  | 0.0                 | 2.7  | ----- | 0.0     | 7.1  | ----- | 0.0      | 12.8 | ----- |
| Stroke.....                                | 15                 | 33.3                | 21.0 | ----- | 33.3    | 27.8 | ----- | 40.0     | 32.1 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 5                  | 40.0                | 32.9 | ----- | 60.0    | 45.4 | ----- | 60.0     | 51.1 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# ABERDEEN MONROE COUNTY HOSPITAL

Medicare Provider Number: 250008

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.3 years  
Proportion female..... 66.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 38.9 %  
Transferred from skilled nursing facility..... 14.8 %  
Admitted for elective procedure..... 0.9 %  
Admitted for emergency..... 3.1 %

### COMORBIDITIES:

Cancer..... 2.6 %  
Chronic cardiovascular disease..... 33.6 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 1.3 %  
Chronic pulmonary disease..... 10.5 %  
Cerebrovascular degeneration..... 5.7 %  
Diabetes mellitus..... 12.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 85.8%  
State ..... 13.4%  
Outside State ..... 0.8%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.3 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 49  
Occupancy Rate ..... 28.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 61.9 %  
Case Mix Index (CMI) ..... 0.9474

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists ..... 66.7 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 12  
Licensed Practical Nurses ..... 10

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# AMI GARDEN PARK COMMUNITY HOSPITAL


1501 45 AVE  
GULFPORT, MS 39501  
Medicare Provider Number: 250123

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 613             | 7.7                 | 7.2  | 1.3   | 11.9    | 11.3 | 1.7   | 15.0     | 14.3 | 1.9   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 13              | 61.5                | 33.2 | ----- | 69.2    | 36.7 | ----- | 69.2     | 39.6 | ----- |
| Congestive Heart Failure.....              | 34              | 8.8                 | 12.1 | ----- | 14.7    | 20.0 | ----- | 26.5     | 26.0 | ----- |
| Pneumonia/Influenza.....                   | 37              | 18.9                | 14.9 | ----- | 21.6    | 20.4 | ----- | 27.0     | 23.9 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 9               | 11.1                | 7.8  | ----- | 22.2    | 12.3 | ----- | 22.2     | 15.7 | ----- |
| Transient Cerebral Ischemia.....           | 6               | 0.0                 | 1.7  | ----- | 16.7    | 3.9  | ----- | 33.3     | 6.3  | ----- |
| Stroke.....                                | 13              | 7.7                 | 15.4 | ----- | 15.4    | 21.4 | ----- | 15.4     | 24.8 | ----- |
| Hip Fracture.....                          | 11              | 9.1                 | 3.8  | ----- | 9.1     | 6.6  | ----- | 9.1      | 8.8  | ----- |
| Sepsis.....                                | 4               | 25.0                | 17.1 | ----- | 25.0    | 25.6 | ----- | 25.0     | 29.5 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 7               | 14.3                | 3.5  | ----- | 14.3    | 6.7  | ----- | 28.6     | 9.7  | ----- |
| Carotid Endarterectomy.....                | 9               | 0.0                 | 1.6  | ----- | 0.0     | 3.2  | ----- | 0.0      | 4.8  | ----- |
| Hip Replacement/Reconstruction.....        | 8               | 0.0                 | 3.0  | ----- | 0.0     | 5.6  | ----- | 0.0      | 7.7  | ----- |
| Open Reduction of Hip Fracture.....        | 5               | 20.0                | 3.5  | ----- | 20.0    | 6.1  | ----- | 20.0     | 7.7  | ----- |
| Prostatectomy.....                         | 10              | 0.0                 | 1.4  | ----- | 0.0     | 3.6  | ----- | 0.0      | 6.5  | ----- |
| Cholecystectomy.....                       | 15              | 0.0                 | 0.7  | ----- | 0.0     | 1.4  | ----- | 0.0      | 2.0  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# AMI GARDEN PARK COMMUNITY HOSPITAL

Medicare Provider Number: 250123

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 72.3 years  
Proportion female..... 61.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 53.5 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 32.0 %  
Admitted for emergency..... 42.6 %

### COMORBIDITIES:

Cancer..... 5.9 %  
Chronic cardiovascular disease..... 26.9 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 2.1 %  
Chronic pulmonary disease..... 15.0 %  
Cerebrovascular degeneration..... 3.9 %  
Diabetes mellitus..... 10.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 82.5%  
State ..... 13.3%  
Outside State ..... 4.2%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.5 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 120  
Occupancy Rate ..... 30.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges ..... 46.3 %  
Case Mix Index (CMI) ..... 1.1250

### STAFFING:

Total Number of Physicians..... 98  
Percent of Physicians Board  
Certified Specialists ..... 68.4 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 74  
Licensed Practical Nurses ..... 20

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# BALDWIN SATELLITE HOSPITAL


HIGHWAY 45 NORTH  
BALDWIN, MS 38824  
Medicare Provider Number: 250137

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 224                | 9.4                 | 8.9  | 3.2   | 13.4    | 13.6 | 2.8   | 17.0     | 17.1 | 2.8   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 8                  | 12.5                | 22.7 | ----- | 12.5    | 26.4 | ----- | 12.5     | 29.3 | ----- |
| Congestive Heart Failure.....              | 10                 | 30.0                | 15.3 | ----- | 40.0    | 25.6 | ----- | 50.0     | 31.8 | ----- |
| Pneumonia/Influenza.....                   | 37                 | 13.5                | 12.6 | ----- | 13.5    | 17.7 | ----- | 16.2     | 21.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 9                  | 11.1                | 5.7  | ----- | 11.1    | 10.1 | ----- | 11.1     | 13.7 | ----- |
| Transient Cerebral Ischemia.....           | 8                  | 0.0                 | 1.6  | ----- | 0.0     | 3.5  | ----- | 12.5     | 5.7  | ----- |
| Stroke.....                                | 13                 | 7.7                 | 15.5 | ----- | 23.1    | 21.9 | ----- | 23.1     | 25.6 | ----- |
| Hip Fracture.....                          | 1                  | 0.0                 | 13.0 | ----- | 0.0     | 26.3 | ----- | 0.0      | 36.2 | ----- |
| Sepsis.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# BALDWIN SATELLITE HOSPITAL

Medicare Provider Number: 250137

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.1 years  
Proportion female..... 58.9 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 67.4 %  
Transferred from skilled nursing facility..... 3.6 %  
Admitted for elective procedure..... 19.2 %  
Admitted for emergency..... 10.3 %

### COMORBIDITIES:

Cancer..... 3.1 %  
Chronic cardiovascular disease..... 28.1 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 4.9 %  
Chronic pulmonary disease..... 20.5 %  
Cerebrovascular degeneration..... 8.0 %  
Diabetes mellitus..... 4.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 48.0%  
State ..... 50.9%  
Outside State ..... 1.1%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.1 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 41  
Ownership/Control..... Private, Non-Profit  
Case Mix Index (CMI) ..... 0.9220

### STAFFING:

Medical Residents/Interns ..... 0  
Registered Nurses..... 13  
Licensed Practical Nurses ..... 9

### SPECIALTY SERVICES:

Burn Unit ..... No  
Coronary Care Unit ..... No  
Hospice Care ..... Yes  
Intensive Care Unit ..... No  
Organ Transplant ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... Yes  
Psychiatric ..... Yes  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# BAPTIST HOSPITAL DESOTO

7601 SOUTHCREST DR  
SOUTHAVEN, MS 38671  
Medicare Provider Number: 250141

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 455                | 9.0                 | 9.9  | 1.6   | 14.9    | 14.8 | 2.1   | 18.5     | 18.2 | 2.5   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 6                  | 33.3                | 20.4 | ----- | 50.0    | 22.5 | ----- | 50.0     | 25.0 | ----- |
| Congestive Heart Failure.....              | 15                 | 6.7                 | 13.4 | ----- | 33.3    | 20.8 | ----- | 53.3     | 26.6 | ----- |
| Pneumonia/Influenza.....                   | 13                 | 7.7                 | 16.7 | ----- | 23.1    | 23.1 | ----- | 23.1     | 27.0 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 3                  | 0.0                 | 4.5  | ----- | 0.0     | 8.2  | ----- | 0.0      | 11.4 | ----- |
| Transient Cerebral Ischemia.....           | 8                  | 0.0                 | 1.2  | ----- | 0.0     | 2.7  | ----- | 0.0      | 4.4  | ----- |
| Stroke.....                                | 20                 | 30.0                | 19.3 | ----- | 40.0    | 30.0 | ----- | 40.0     | 35.0 | ----- |
| Hip Fracture.....                          | 23                 | 13.0                | 6.6  | ----- | 13.0    | 11.9 | ----- | 17.4     | 15.4 | ----- |
| Sepsis.....                                | 7                  | 57.1                | 29.5 | ----- | 57.1    | 38.2 | ----- | 57.1     | 42.7 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 2                  | 0.0                 | 2.6  | ----- | 0.0     | 6.0  | ----- | 0.0      | 9.3  | ----- |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 19                 | 5.3                 | 2.7  | ----- | 10.5    | 5.2  | ----- | 15.8     | 7.1  | ----- |
| Open Reduction of Hip Fracture.....        | 4                  | 25.0                | 9.6  | ----- | 25.0    | 17.7 | ----- | 25.0     | 22.8 | ----- |
| Prostatectomy.....                         | 14                 | 0.0                 | 1.1  | ----- | 0.0     | 2.4  | ----- | 0.0      | 4.1  | ----- |
| Cholecystectomy.....                       | 17                 | 11.8                | 2.8  | ----- | 11.8    | 5.4  | ----- | 11.8     | 7.3  | ----- |
| Hysterectomy.....                          | 3                  | 0.0                 | 0.3  | ----- | 0.0     | 0.9  | ----- | 0.0      | 1.6  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)

# BAPTIST HOSPITAL DESOTO

Medicare Provider Number: 250141

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.5 years  
Proportion female..... 58.9 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 15.8 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 6.8 %  
Admitted for emergency..... 63.3 %

### COMORBIDITIES:

Cancer..... 7.7 %  
Chronic cardiovascular disease..... 24.8 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 1.8 %  
Chronic pulmonary disease..... 10.1 %  
Cerebrovascular degeneration..... 2.9 %  
Diabetes mellitus..... 9.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 46.6%  
State..... 40.5%  
Outside State..... 12.9%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 8.9 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 130  
Occupancy Rate..... 33.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges..... 30.3 %  
Case Mix Index (CMI)..... 1.3098

### STAFFING:

Total Number of Physicians..... 47  
Percent of Physicians Board  
Certified Specialists..... 70.2 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 71  
Licensed Practical Nurses..... 20

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... Yes  
Psychiatric..... No  
Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# BAPTIST MEM HOSPITAL-NORTH MISSISSIPPI


HWY 7 S, BOX 946  
 OXFORD, MS 38655  
 Medicare Provider Number: 250034

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1608               | 8.7                 | 8.0  | 0.9   | 13.0    | 12.4 | 1.0   | 15.7     | 15.5 | 0.9   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 49                 | 22.4                | 23.3 | ----- | 22.4    | 25.9 | ----- | 22.4     | 28.1 | ----- |
| Congestive Heart Failure.....              | 88                 | 17.0                | 14.0 | 6.2   | 26.1    | 22.4 | 6.5   | 28.4     | 28.3 | 5.5   |
| Pneumonia/Influenza.....                   | 60                 | 13.3                | 13.7 | 4.4   | 20.0    | 18.8 | 5.4   | 25.0     | 21.9 | 6.0   |
| Chronic Obstructive Pulmonary Disease..... | 29                 | 10.3                | 6.9  | ----- | 13.8    | 12.5 | ----- | 20.7     | 16.8 | ----- |
| Transient Cerebral Ischemia.....           | 27                 | 3.7                 | 1.7  | ----- | 3.7     | 3.8  | ----- | 3.7      | 6.3  | ----- |
| Stroke.....                                | 38                 | 36.8                | 20.3 | ----- | 44.7    | 27.2 | ----- | 47.4     | 31.1 | ----- |
| Hip Fracture.....                          | 77                 | 10.4                | 5.4  | 3.8   | 13.0    | 9.7  | 3.9   | 13.0     | 12.6 | 4.4   |
| Sepsis.....                                | 24                 | 8.3                 | 31.2 | ----- | 25.0    | 39.6 | ----- | 25.0     | 44.0 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 19                 | 0.0                 | 5.8  | ----- | 0.0     | 6.9  | ----- | 0.0      | 7.7  | ----- |
| Coronary Artery Bypass Graft.....          | 33                 | 3.0                 | 5.4  | ----- | 3.0     | 7.0  | ----- | 6.1      | 7.8  | ----- |
| Initial Pacemaker Insertion.....           | 13                 | 0.0                 | 2.0  | ----- | 7.7     | 4.4  | ----- | 7.7      | 6.8  | ----- |
| Carotid Endarterectomy.....                | 19                 | 0.0                 | 1.5  | ----- | 0.0     | 2.9  | ----- | 0.0      | 4.5  | ----- |
| Hip Replacement/Reconstruction.....        | 38                 | 0.0                 | 2.8  | ----- | 0.0     | 5.2  | ----- | 0.0      | 7.1  | ----- |
| Open Reduction of Hip Fracture.....        | 41                 | 9.8                 | 4.2  | ----- | 12.2    | 7.8  | ----- | 12.2     | 10.6 | ----- |
| Prostatectomy.....                         | 50                 | 0.0                 | 1.2  | ----- | 2.0     | 2.8  | ----- | 2.0      | 4.8  | ----- |
| Cholecystectomy.....                       | 22                 | 9.1                 | 1.7  | ----- | 9.1     | 3.1  | ----- | 9.1      | 4.0  | ----- |
| Hysterectomy.....                          | 20                 | 0.0                 | 1.3  | ----- | 0.0     | 2.7  | ----- | 0.0      | 3.9  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# BAPTIST MEM HOSPITAL-NORTH MISSISSIPPI

Medicare Provider Number: 250034

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.8 years  
Proportion female..... 56.5 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 44.1 %  
Transferred from skilled nursing facility..... 4.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 7.6 %

### COMORBIDITIES:

Cancer..... 5.3 %  
Chronic cardiovascular disease..... 35.8 %  
Chronic liver disease..... 0.1 %  
Chronic renal disease..... 3.2 %  
Chronic pulmonary disease..... 14.4 %  
Cerebrovascular degeneration..... 2.1 %  
Diabetes mellitus..... 9.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 35.2%  
State ..... 63.0%  
Outside State ..... 1.8%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.0 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 150  
Ownership/Control..... Church  
Case Mix Index (CMI) ..... 1.4205

### STAFFING:

Medical Residents/Interns ..... 0  
Registered Nurses..... 70  
Licensed Practical Nurses..... 46

### SPECIALTY SERVICES:

Burn Unit ..... No  
Coronary Care Unit ..... Yes  
Hospice Care ..... No  
Intensive Care Unit ..... Yes  
Organ Transplant ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... Yes  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# BAPTIST MEMORIAL HOSPITAL BOONEVILLE


2ND AT WASHINGTON ST  
BOONEVILLE, MS 38829  
Medicare Provider Number: 250044

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 679                | 7.1                 | 8.6  | 1.2   | 11.5    | 13.1 | 1.4   | 14.0     | 16.4 | 1.6   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 15                 | 46.7                | 27.2 | ----- | 53.3    | 30.9 | ----- | 53.3     | 33.6 | ----- |
| Congestive Heart Failure.....              | 37                 | 16.2                | 16.0 | ----- | 27.0    | 25.6 | ----- | 37.8     | 32.2 | ----- |
| Pneumonia/Influenza.....                   | 47                 | 4.3                 | 15.2 | ----- | 6.4     | 20.7 | ----- | 8.5      | 24.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 65                 | 0.0                 | 5.5  | 4.0   | 6.2     | 10.1 | 5.0   | 9.2      | 13.9 | 5.7   |
| Transient Cerebral Ischemia.....           | 5                  | 0.0                 | 2.2  | ----- | 0.0     | 4.9  | ----- | 0.0      | 7.7  | ----- |
| Stroke.....                                | 23                 | 13.0                | 18.6 | ----- | 17.4    | 26.8 | ----- | 26.1     | 31.1 | ----- |
| Hip Fracture.....                          | 1                  | 0.0                 | 2.3  | ----- | 0.0     | 4.3  | ----- | 0.0      | 5.5  | ----- |
| Sepsis.....                                | 9                  | 66.7                | 30.6 | ----- | 66.7    | 39.4 | ----- | 77.8     | 44.3 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 3                  | 0.0                 | 4.8  | ----- | 0.0     | 9.8  | ----- | 33.3     | 13.5 | ----- |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 13                 | 0.0                 | 1.6  | ----- | 0.0     | 2.9  | ----- | 7.7      | 4.0  | ----- |
| Hysterectomy.....                          | 5                  | 0.0                 | 0.1  | ----- | 0.0     | 0.3  | ----- | 0.0      | 0.5  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# BAPTIST MEMORIAL HOSPITAL BOONEVILLE

Medicare Provider Number: 250044

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.1 years  
Proportion female..... 57.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 40.6 %  
Transferred from skilled nursing facility..... 0.6 %  
Admitted for elective procedure..... 3.2 %  
Admitted for emergency..... 66.3 %

### COMORBIDITIES:

Cancer..... 3.5 %  
Chronic cardiovascular disease..... 37.8 %  
Chronic liver disease..... 1.3 %  
Chronic renal disease..... 2.2 %  
Chronic pulmonary disease..... 32.1 %  
Cerebrovascular degeneration..... 1.3 %  
Diabetes mellitus..... 5.6 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 75.7%  
State ..... 22.3%  
Outside State ..... 2.0%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.7 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 78  
Occupancy Rate ..... 64.0 %  
Ownership/Control..... Church  
Medicare Discharges ..... 47.2 %  
Case Mix Index (CMI) ..... 1.0855

### STAFFING:

Total Number of Physicians..... 14  
Percent of Physicians Board  
Certified Specialists..... 50.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 46  
Licensed Practical Nurses ..... 27

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... Yes  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# BAPTIST MEMORIAL HOSPITAL-UNION COUNTY


HIGHWAY 30 W  
NEW ALBANY, MS 38652  
Medicare Provider Number: 250006

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1058            | 11.0                | 7.8  | 1.3   | 14.1    | 12.1 | 1.1   | 17.2     | 15.3 | 1.4   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 35              | 37.1                | 30.6 | ----- | 40.0    | 33.7 | ----- | 45.7     | 36.8 | ----- |
| Congestive Heart Failure.....              | 59              | 18.6                | 15.3 | 5.1   | 25.4    | 24.4 | 6.2   | 30.5     | 30.8 | 7.6   |
| Pneumonia/Influenza.....                   | 79              | 16.5                | 12.9 | 6.0   | 21.5    | 17.8 | 7.0   | 27.8     | 21.0 | 8.3   |
| Chronic Obstructive Pulmonary Disease..... | 38              | 2.6                 | 4.9  | ----- | 2.6     | 9.5  | ----- | 2.6      | 13.1 | ----- |
| Transient Cerebral Ischemia.....           | 16              | 0.0                 | 1.5  | ----- | 6.3     | 3.6  | ----- | 6.3      | 6.1  | ----- |
| Stroke.....                                | 28              | 35.7                | 15.0 | ----- | 39.3    | 19.8 | ----- | 53.6     | 23.2 | ----- |
| Hip Fracture.....                          | 9               | 22.2                | 7.3  | ----- | 33.3    | 12.5 | ----- | 33.3     | 15.7 | ----- |
| Sepsis.....                                | 9               | 66.7                | 28.5 | ----- | 66.7    | 35.9 | ----- | 66.7     | 40.3 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 7               | 0.0                 | 3.4  | ----- | 0.0     | 6.4  | ----- | 0.0      | 8.9  | ----- |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 9               | 22.2                | 6.5  | ----- | 33.3    | 11.7 | ----- | 33.3     | 14.8 | ----- |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 28              | 7.1                 | 2.1  | ----- | 14.3    | 4.1  | ----- | 17.9     | 5.6  | ----- |
| Hysterectomy.....                          | 11              | 0.0                 | 0.4  | ----- | 0.0     | 0.8  | ----- | 0.0      | 1.1  | ----- |

\* The Standard Deviation (SD) Is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# BAPTIST MEMORIAL HOSPITAL-UNION COUNTY

Medicare Provider Number: 250006

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

|                               |            |
|-------------------------------|------------|
| Average age at admission..... | 73.3 years |
| Proportion female.....        | 60.3 %     |

### ADMISSION SOURCES/TYPES:

|                                                |        |
|------------------------------------------------|--------|
| Referred by personal or HMO physician.....     | 78.0 % |
| Transferred from skilled nursing facility..... | 0.1 %  |
| Admitted for elective procedure.....           | 4.6 %  |
| Admitted for emergency.....                    | 47.2 % |

### COMORBIDITIES:

|                                     |        |
|-------------------------------------|--------|
| Cancer.....                         | 5.1 %  |
| Chronic cardiovascular disease..... | 29.2 % |
| Chronic liver disease.....          | 0.7 %  |
| Chronic renal disease.....          | 6.1 %  |
| Chronic pulmonary disease.....      | 12.3 % |
| Cerebrovascular degeneration.....   | 2.4 %  |
| Diabetes mellitus.....              | 7.9 %  |

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

|                     |        |
|---------------------|--------|
| County/City .....   | 60.5%  |
| State .....         | 37.9%  |
| Outside State ..... | 1.6%   |
| Total .....         | 100.0% |

### MEDICARE AVERAGE LENGTH OF STAY:

|                |          |
|----------------|----------|
| Hospital ..... | 6.3 Days |
| State .....    | 7.7 Days |
| National ..... | 8.6 Days |

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

|                            |        |
|----------------------------|--------|
| Total Beds .....           | 153    |
| Occupancy Rate .....       | 48.0 % |
| Ownership/Control.....     | Church |
| Medicare Discharges .....  | 30.4 % |
| Case Mix Index (CMI) ..... | 1.0557 |

### STAFFING:

|                                                           |        |
|-----------------------------------------------------------|--------|
| Total Number of Physicians.....                           | 19     |
| Percent of Physicians Board<br>Certified Specialists..... | 73.7 % |
| Medical Residents/Interns .....                           | 0      |
| Registered Nurses.....                                    | 63     |
| Licensed Practical Nurses.....                            | 23     |

### SPECIALTY SERVICES:

|                                       |     |
|---------------------------------------|-----|
| Burn Unit .....                       | No  |
| Cardiac Intensive Care .....          | No  |
| Comprehensive Geriatric .....         | No  |
| Hospice Care .....                    | No  |
| Medical/Surgical Intensive Care ..... | Yes |
| Organ/Tissue Transplant .....         | No  |
| Other Intensive Care .....            | No  |
| Trauma Center .....                   | No  |

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

|                           |    |
|---------------------------|----|
| Alcohol/Drug .....        | No |
| Rehabilitation.....       | No |
| Psychiatric .....         | No |
| Medicare Swing Beds ..... | No |

\*\* Except for CMI

\* Not used in calculating mortality rates

# BEACHAM MEMORIAL HOSPITAL


203 N CHERRY ST  
MAGNOLIA, MS 39652  
Medicare Provider Number: 250049

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 345                | 6.1                 | 9.4  | 2.5   | 11.3    | 14.0 | 2.7   | 14.8     | 17.3 | 2.8   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 20                 | 10.0                | 20.1 | ----- | 15.0    | 23.9 | ----- | 20.0     | 27.0 | ----- |
| Congestive Heart Failure.....              | 21                 | 23.8                | 14.6 | ----- | 28.6    | 22.7 | ----- | 33.3     | 28.7 | ----- |
| Pneumonia/Influenza.....                   | 32                 | 9.4                 | 16.7 | ----- | 15.6    | 23.2 | ----- | 21.9     | 27.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 10                 | 0.0                 | 8.7  | ----- | 0.0     | 15.9 | ----- | 0.0      | 20.7 | ----- |
| Transient Cerebral Ischemia.....           | 10                 | 0.0                 | 1.1  | ----- | 0.0     | 2.5  | ----- | 0.0      | 3.9  | ----- |
| Stroke.....                                | 24                 | 16.7                | 19.8 | ----- | 25.0    | 26.4 | ----- | 29.2     | 30.7 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 1                  | 0.0                 | 82.7 | ----- | 0.0     | 90.8 | ----- | 0.0      | 92.9 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 1                  | 0.0                 | 1.3  | ----- | 0.0     | 2.4  | ----- | 0.0      | 3.0  | ----- |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# BEACHAM MEMORIAL HOSPITAL

Medicare Provider Number: 250049

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

|                               |            |
|-------------------------------|------------|
| Average age at admission..... | 73.9 years |
| Proportion female.....        | 57.4 %     |

### ADMISSION SOURCES/TYPES:

|                                                |        |
|------------------------------------------------|--------|
| Referred by personal or HMO physician.....     | 47.2 % |
| Transferred from skilled nursing facility..... | 7.0 %  |
| Admitted for elective procedure.....           | 0.9 %  |
| Admitted for emergency.....                    | 73.6 % |

### COMORBIDITIES:

|                                     |        |
|-------------------------------------|--------|
| Cancer.....                         | 4.1 %  |
| Chronic cardiovascular disease..... | 42.3 % |
| Chronic liver disease.....          | 0.6 %  |
| Chronic renal disease.....          | 1.2 %  |
| Chronic pulmonary disease.....      | 19.1 % |
| Cerebrovascular degeneration.....   | 2.9 %  |
| Diabetes mellitus.....              | 2.6 %  |

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

|                     |        |
|---------------------|--------|
| County/City.....    | 80.7%  |
| State .....         | 7.2%   |
| Outside State ..... | 12.1%  |
| Total .....         | 100.0% |

### MEDICARE AVERAGE LENGTH OF STAY:

|                |          |
|----------------|----------|
| Hospital ..... | 7.7 Days |
| State .....    | 7.7 Days |
| National ..... | 8.6 Days |

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

|                            |                     |
|----------------------------|---------------------|
| Total Beds .....           | 37                  |
| Occupancy Rate .....       | 51.0 %              |
| Ownership/Control.....     | Private, Non-Profit |
| Medicare Discharges .....  | 64.4 %              |
| Case Mix Index (CMI) ..... | 0.9497              |

### STAFFING:

|                                                            |         |
|------------------------------------------------------------|---------|
| Total Number of Physicians.....                            | 8       |
| Percent of Physicians Board<br>Certified Specialists ..... | 100.0 % |
| Medical Residents/Interns .....                            | 0       |
| Registered Nurses.....                                     | 9       |
| Licensed Practical Nurses.....                             | 14      |

### SPECIALTY SERVICES:

|                                       |    |
|---------------------------------------|----|
| Burn Unit .....                       | No |
| Cardiac Intensive Care .....          | No |
| Comprehensive Geriatric .....         | No |
| Hospice Care .....                    | No |
| Medical/Surgical Intensive Care ..... | No |
| Organ/Tissue Transplant .....         | No |
| Other Intensive Care .....            | No |
| Trauma Center .....                   | No |

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

|                           |    |
|---------------------------|----|
| Alcohol/Drug .....        | No |
| Rehabilitation.....       | No |
| Psychiatric .....         | No |
| Medicare Swing Beds ..... | No |

\*\* Except for CMI

\* Not used in calculating mortality rates

# BILOXI REGIONAL MEDICAL CENTER


1550 LAFAYETTE ST  
BILOXI, MS 39530  
Medicare Provider Number: 250007

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 1357            | 7.0                 | 7.8  | 1.0  | 12.5    | 12.3 | 1.2  | 14.8     | 15.6 | 1.3  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 22              | 27.3                | 23.8 | ---- | 27.3    | 26.9 | ---- | 31.8     | 29.5 | ---- |
| Congestive Heart Failure.....              | 77              | 15.6                | 15.3 | 5.9  | 27.3    | 24.9 | 6.0  | 32.5     | 31.6 | 6.2  |
| Pneumonia/Influenza.....                   | 44              | 6.8                 | 13.7 | ---- | 13.6    | 18.7 | ---- | 13.6     | 22.3 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 25              | 0.0                 | 7.4  | ---- | 12.0    | 14.1 | ---- | 16.0     | 19.1 | ---- |
| Transient Cerebral Ischemia.....           | 20              | 0.0                 | 2.0  | ---- | 0.0     | 4.4  | ---- | 10.0     | 6.9  | ---- |
| Stroke.....                                | 51              | 13.7                | 20.2 | 9.9  | 21.6    | 27.4 | 9.4  | 27.5     | 31.8 | 9.4  |
| Hip Fracture.....                          | 18              | 5.6                 | 6.1  | ---- | 11.1    | 11.4 | ---- | 11.1     | 14.8 | ---- |
| Sepsis.....                                | 14              | 7.1                 | 21.2 | ---- | 42.9    | 29.0 | ---- | 42.9     | 33.4 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 16              | 0.0                 | 3.5  | ---- | 12.5    | 6.9  | ---- | 12.5     | 9.6  | ---- |
| Carotid Endarterectomy.....                | 3               | 0.0                 | 1.1  | ---- | 0.0     | 2.1  | ---- | 0.0      | 2.8  | ---- |
| Hip Replacement/Reconstruction.....        | 14              | 7.1                 | 4.3  | ---- | 21.4    | 8.7  | ---- | 21.4     | 11.9 | ---- |
| Open Reduction of Hip Fracture.....        | 5               | 0.0                 | 6.5  | ---- | 0.0     | 12.0 | ---- | 0.0      | 15.5 | ---- |
| Prostatectomy.....                         | 25              | 0.0                 | 0.8  | ---- | 0.0     | 1.9  | ---- | 4.0      | 3.0  | ---- |
| Cholecystectomy.....                       | 21              | 0.0                 | 2.5  | ---- | 4.8     | 4.1  | ---- | 4.8      | 5.0  | ---- |
| Hysterectomy.....                          | 10              | 0.0                 | 0.2  | ---- | 0.0     | 0.6  | ---- | 0.0      | 0.9  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# BILOXI REGIONAL MEDICAL CENTER

Medicare Provider Number: 250007

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.4 years  
Proportion female..... 63.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 38.8 %  
Transferred from skilled nursing facility..... 0.1 %  
Admitted for elective procedure..... 29.1 %  
Admitted for emergency..... 61.5 %

### COMORBIDITIES:

Cancer..... 6.2 %  
Chronic cardiovascular disease..... 31.4 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 2.2 %  
Chronic pulmonary disease..... 17.4 %  
Cerebrovascular degeneration..... 6.3 %  
Diabetes mellitus..... 8.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 83.2%  
State ..... 14.3%  
Outside State ..... 2.5%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.9 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 153  
Occupancy Rate ..... 68.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges ..... 43.3 %  
Case Mix Index (CMI) ..... 1.1200

### STAFFING:

Total Number of Physicians..... 82  
Percent of Physicians Board  
Certified Specialists..... 79.3 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 141  
Licensed Practical Nurses..... 46

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates



# BOLIVAR COUNTY HOSPITAL


HIGHWAY 8 EAST  
CLEVELAND, MS 38732  
Medicare Provider Number: 250093

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 967             | 10.2                | 9.7  | 1.1   | 15.3    | 15.0 | 1.2   | 19.4     | 18.9 | 1.4   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 19              | 31.6                | 32.1 | ----- | 31.6    | 35.4 | ----- | 31.6     | 38.5 | ----- |
| Congestive Heart Failure.....              | 78              | 12.8                | 12.9 | 3.8   | 23.1    | 21.3 | 5.1   | 34.6     | 27.6 | 6.8   |
| Pneumonia/Influenza.....                   | 64              | 14.1                | 14.3 | 4.4   | 15.6    | 19.7 | 6.1   | 18.8     | 23.1 | 6.9   |
| Chronic Obstructive Pulmonary Disease..... | 30              | 6.7                 | 5.8  | ----- | 13.3    | 11.2 | ----- | 20.0     | 15.5 | ----- |
| Transient Cerebral Ischemia.....           | 23              | 4.3                 | 2.1  | ----- | 4.3     | 4.7  | ----- | 4.3      | 7.8  | ----- |
| Stroke.....                                | 41              | 19.5                | 21.2 | ----- | 31.7    | 26.5 | ----- | 34.1     | 30.1 | ----- |
| Hip Fracture.....                          | 23              | 0.0                 | 5.5  | ----- | 4.3     | 10.0 | ----- | 4.3      | 13.0 | ----- |
| Sepsis.....                                | 7               | 14.3                | 22.2 | ----- | 42.9    | 30.8 | ----- | 42.9     | 36.2 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 13              | 0.0                 | 3.5  | ----- | 7.7     | 6.2  | ----- | 7.7      | 8.5  | ----- |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 13              | 0.0                 | 4.9  | ----- | 0.0     | 9.4  | ----- | 0.0      | 12.5 | ----- |
| Open Reduction of Hip Fracture.....        | 9               | 0.0                 | 5.3  | ----- | 11.1    | 9.7  | ----- | 11.1     | 12.6 | ----- |
| Prostatectomy.....                         | 8               | 0.0                 | 0.8  | ----- | 0.0     | 1.8  | ----- | 12.5     | 3.1  | ----- |
| Cholecystectomy.....                       | 18              | 5.6                 | 2.1  | ----- | 11.1    | 4.2  | ----- | 11.1     | 5.7  | ----- |
| Hysterectomy.....                          | 4               | 0.0                 | 0.2  | ----- | 0.0     | 0.4  | ----- | 0.0      | 0.7  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# BOLIVAR COUNTY HOSPITAL

Medicare Provider Number: 250093

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.5 years  
Proportion female..... 60.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 39.1 %  
Transferred from skilled nursing facility..... 0.7 %  
Admitted for elective procedure..... 37.2 %  
Admitted for emergency..... 19.9 %

### COMORBIDITIES:

Cancer..... 7.8 %  
Chronic cardiovascular disease..... 35.1 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 5.9 %  
Chronic pulmonary disease..... 12.2 %  
Cerebrovascular degeneration..... 2.3 %  
Diabetes mellitus..... 9.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 82.0%  
State ..... 16.5%  
Outside State ..... 1.5%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.9 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 188  
Occupancy Rate ..... 61.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 33.3 %  
Case Mix Index (CMI) ..... 1.1717

### STAFFING:

Total Number of Physicians..... 20  
Percent of Physicians Board  
Certified Specialists ..... 50.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 71  
Licensed Practical Nurses ..... 52

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# CHOCTAW COUNTY HOSPITAL


148 CHERRY ST, BOX 417  
ACKERMAN, MS 39735  
Medicare Provider Number: 250047

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 227                | 9.7                 | 8.2  | 2.7   | 15.9    | 12.7 | 3.8   | 19.4     | 16.2 | 3.7   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 8                  | 25.0                | 26.5 | ----- | 37.5    | 29.0 | ----- | 37.5     | 31.1 | ----- |
| Congestive Heart Failure.....              | 19                 | 21.1                | 13.8 | ----- | 26.3    | 22.3 | ----- | 36.8     | 28.7 | ----- |
| Pneumonia/Influenza.....                   | 25                 | 12.0                | 15.9 | ----- | 20.0    | 21.6 | ----- | 24.0     | 25.5 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 5                  | 0.0                 | 2.9  | ----- | 20.0    | 6.0  | ----- | 20.0     | 8.7  | ----- |
| Transient Cerebral Ischemia.....           | 2                  | 0.0                 | 1.3  | ----- | 0.0     | 3.2  | ----- | 0.0      | 5.5  | ----- |
| Stroke.....                                | 4                  | 50.0                | 12.6 | ----- | 50.0    | 17.8 | ----- | 50.0     | 20.7 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 1                  | 0.0                 | 0.2  | ----- | 0.0     | 0.4  | ----- | 0.0      | 0.8  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# CHOCTAW COUNTY HOSPITAL

Medicare Provider Number: 250047

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.3 years  
Proportion female..... 61.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 54.6 %  
Transferred from skilled nursing facility..... 3.5 %  
Admitted for elective procedure..... 0.9 %  
Admitted for emergency..... 42.7 %

### COMORBIDITIES:

Cancer..... 3.1 %  
Chronic cardiovascular disease..... 30.8 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 3.1 %  
Chronic pulmonary disease..... 16.7 %  
Cerebrovascular degeneration..... 7.0 %  
Diabetes mellitus..... 4.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 65.8 %  
State ..... 32.6 %  
Outside State ..... 1.6 %  
Total ..... 100.0 %

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.2 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 88  
Occupancy Rate ..... 85.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 29.9 %  
Case Mix Index (CMI) ..... 0.9189

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists ..... 25.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 15  
Licensed Practical Nurses..... 4

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# CHOCTAW HEALTH CENTER

ROUTE 7, BOX R50  
PHILADELPHIA, MS 39350  
Medicare Provider Number: 250127

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 30                 | 3.3                 | 7.5  | ----- | 10.0    | 12.4 | ----- | 13.3     | 16.5 | ----- |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Congestive Heart Failure.....              | 2                  | 0.0                 | 3.7  | ----- | 0.0     | 6.8  | ----- | 0.0      | 9.3  | ----- |
| Pneumonia/Influenza.....                   | 6                  | 0.0                 | 19.4 | ----- | 0.0     | 26.0 | ----- | 0.0      | 30.3 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 0                  |                     |      |       |         |      |       |          |      |       |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Stroke.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)

# CHOCTAW HEALTH CENTER

Medicare Provider Number: 250127

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 69.6 years  
 Proportion female..... 50.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 0.0 %  
 Transferred from skilled nursing facility..... 0.0 %  
 Admitted for elective procedure..... 0.0 %  
 Admitted for emergency..... 26.7 %

### COMORBIDITIES:

Cancer..... 3.3 %  
 Chronic cardiovascular disease..... 16.7 %  
 Chronic liver disease..... 3.3 %  
 Chronic renal disease..... 20.0 %  
 Chronic pulmonary disease..... 0.0 %  
 Cerebrovascular degeneration..... 0.0 %  
 Diabetes mellitus..... 26.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 67.9%  
 State ..... 29.5%  
 Outside State ..... 2.6%  
 Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.5 Days  
 State ..... 7.7 Days  
 National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1985

### PROFILE:

Total Beds ..... 40  
 Ownership/Control..... Federal Government  
 Case Mix Index (CMI) ..... 0.8593

### STAFFING:

Medical Residents/Interns ..... 5  
 Registered Nurses..... 16  
 Licensed Practical Nurses ..... 2

### SPECIALTY SERVICES:

Burn Unit ..... No  
 Coronary Care Unit ..... Yes  
 Hospice Care ..... No  
 Intensive Care Unit ..... Yes  
 Organ Transplant ..... No  
 Trauma Center ..... Yes

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
 Rehabilitation..... Yes  
 Psychiatric ..... Yes  
 Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates



# CLAIBORNE COUNTY HOSPITAL


123 MCCOMB AVE  
PORT GIBSON, MS 39150  
Medicare Provider Number: 250068

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 121             | 5.8                 | 6.3  | 2.4  | 7.4     | 10.6 | 3.5  | 9.9      | 14.2 | 4.2  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 1               | 0.0                 | 30.5 | ---- | 0.0     | 32.8 | ---- | 0.0      | 35.3 | ---- |
| Congestive Heart Failure.....              | 13              | 7.7                 | 12.3 | ---- | 15.4    | 20.8 | ---- | 15.4     | 27.5 | ---- |
| Pneumonia/Influenza.....                   | 4               | 25.0                | 10.0 | ---- | 25.0    | 15.0 | ---- | 25.0     | 17.8 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 0               |                     |      |      |         |      |      |          |      |      |
| Transient Cerebral Ischemia.....           | 4               | 0.0                 | 1.0  | ---- | 0.0     | 2.6  | ---- | 0.0      | 4.8  | ---- |
| Stroke.....                                | 6               | 16.7                | 13.4 | ---- | 16.7    | 17.4 | ---- | 16.7     | 20.4 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 0               |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0               |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# CLAIBORNE COUNTY HOSPITAL

Medicare Provider Number: 250068

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.1 years  
Proportion female..... 58.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 95.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 59.5 %  
Admitted for emergency..... 36.4 %

### COMORBIDITIES:

Cancer..... 5.8 %  
Chronic cardiovascular disease..... 19.0 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 4.1 %  
Chronic pulmonary disease..... 11.6 %  
Cerebrovascular degeneration..... 0.8 %  
Diabetes mellitus..... 11.6 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 82.8%  
State..... 16.3%  
Outside State..... 0.9%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.8 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 32  
Occupancy Rate..... 46.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 36.4 %  
Case Mix Index (CMI)..... 0.8525

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists..... (Not Available)  
Medical Residents/Interns..... 0  
Registered Nurses..... 4  
Licensed Practical Nurses..... 8

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# CLAY COUNTY MEDICAL CENTER


835 MEDICAL CENTER DR  
WEST POINT, MS 39773  
Medicare Provider Number: 250067

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 498                | 14.3                | 10.3 | 2.3   | 17.7    | 15.2 | 2.1   | 21.9     | 18.8 | 2.3   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 14                 | 14.3                | 23.7 | ----- | 14.3    | 28.2 | ----- | 21.4     | 32.0 | ----- |
| Congestive Heart Failure.....              | 23                 | 17.4                | 14.0 | ----- | 21.7    | 21.8 | ----- | 34.8     | 27.6 | ----- |
| Pneumonia/Influenza.....                   | 39                 | 10.3                | 11.0 | ----- | 15.4    | 15.3 | ----- | 15.4     | 18.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 5                  | 60.0                | 8.6  | ----- | 80.0    | 15.5 | ----- | 80.0     | 21.0 | ----- |
| Transient Cerebral Ischemia.....           | 6                  | 0.0                 | 1.2  | ----- | 16.7    | 3.0  | ----- | 16.7     | 5.4  | ----- |
| Stroke.....                                | 24                 | 25.0                | 20.4 | ----- | 29.2    | 26.0 | ----- | 41.7     | 29.9 | ----- |
| Hip Fracture.....                          | 8                  | 37.5                | 8.2  | ----- | 37.5    | 14.5 | ----- | 37.5     | 18.4 | ----- |
| Sepsis.....                                | 2                  | 50.0                | 17.5 | ----- | 50.0    | 22.8 | ----- | 50.0     | 27.2 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 2                  | 0.0                 | 3.5  | ----- | 0.0     | 8.3  | ----- | 0.0      | 13.7 | ----- |
| Open Reduction of Hip Fracture.....        | 6                  | 33.3                | 8.6  | ----- | 33.3    | 15.6 | ----- | 33.3     | 19.8 | ----- |
| Prostatectomy.....                         | 3                  | 0.0                 | 0.4  | ----- | 0.0     | 1.0  | ----- | 0.0      | 1.8  | ----- |
| Cholecystectomy.....                       | 3                  | 0.0                 | 1.4  | ----- | 0.0     | 2.4  | ----- | 0.0      | 3.0  | ----- |
| Hysterectomy.....                          | 2                  | 0.0                 | 1.0  | ----- | 0.0     | 2.2  | ----- | 0.0      | 3.4  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# CLAY COUNTY MEDICAL CENTER

Medicare Provider Number: 250067

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.4 years  
Proportion female..... 59.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 65.3 %  
Transferred from skilled nursing facility..... 1.0 %  
Admitted for elective procedure..... 12.2 %  
Admitted for emergency..... 30.7 %

### COMORBIDITIES:

Cancer..... 4.0 %  
Chronic cardiovascular disease..... 29.7 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 3.2 %  
Chronic pulmonary disease..... 8.4 %  
Cerebrovascular degeneration..... 7.0 %  
Diabetes mellitus..... 3.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 79.1%  
State ..... 19.0%  
Outside State ..... 1.9%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.4 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 60  
Occupancy Rate ..... 56.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 36.2 %  
Case Mix Index (CMI) ..... 1.0037

### STAFFING:

Total Number of Physicians..... 21  
Percent of Physicians Board  
Certified Specialists..... 81.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 32  
Licensed Practical Nurses..... 17

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# COMMUNITY HOSPITAL OF CALHOUN COUNTY


PO BOX 128  
PITTSBORO, MS 38951  
Medicare Provider Number: 250016

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 100             | 5.0                 | 6.2  | 2.8   | 8.0     | 10.3 | 3.5   | 11.0     | 13.4 | 3.9   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Congestive Heart Failure.....              | 7               | 0.0                 | 12.5 | ----- | 0.0     | 20.5 | ----- | 14.3     | 26.9 | ----- |
| Pneumonia/Influenza.....                   | 4               | 0.0                 | 9.5  | ----- | 0.0     | 12.7 | ----- | 0.0      | 15.7 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 6               | 0.0                 | 5.6  | ----- | 0.0     | 11.0 | ----- | 0.0      | 15.3 | ----- |
| Transient Cerebral Ischemia.....           | 3               | 0.0                 | 1.2  | ----- | 0.0     | 2.7  | ----- | 0.0      | 4.6  | ----- |
| Stroke.....                                | 3               | 33.3                | 26.2 | ----- | 33.3    | 33.6 | ----- | 33.3     | 37.7 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 2               | 0.0                 | 28.8 | ----- | 0.0     | 37.2 | ----- | 50.0     | 41.8 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# COMMUNITY HOSPITAL OF CALHOUN COUNTY

Medicare Provider Number: 250016

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.7 years  
Proportion female..... 64.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 60.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 1.0 %  
Admitted for emergency..... 42.0 %

### COMORBIDITIES:

Cancer..... 4.0 %  
Chronic cardiovascular disease..... 20.0 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 1.0 %  
Chronic pulmonary disease..... 18.0 %  
Cerebrovascular degeneration..... 1.0 %  
Diabetes mellitus..... 7.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 86.5%  
State..... 12.4%  
Outside State..... 1.1%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 4.3 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 49  
Occupancy Rate..... 8.2 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges..... 46.9 %  
Case Mix Index (CMI)..... 0.8447

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 8  
Licensed Practical Nurses..... 9

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates



# COVINGTON COUNTY HOSPITAL


PO BOX 386  
COLLINS, MS 39428  
Medicare Provider Number: 250105

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 292                | 10.3                | 9.1  | 3.0   | 15.4    | 13.8 | 2.4   | 18.8     | 17.4 | 2.4   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 6                  | 83.3                | 23.3 | ----- | 83.3    | 27.0 | ----- | 83.3     | 30.1 | ----- |
| Congestive Heart Failure.....              | 23                 | 17.4                | 15.4 | ----- | 30.4    | 24.1 | ----- | 34.8     | 30.0 | ----- |
| Pneumonia/Influenza.....                   | 33                 | 12.1                | 12.8 | ----- | 12.1    | 17.4 | ----- | 15.2     | 20.6 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 11                 | 0.0                 | 9.3  | ----- | 0.0     | 15.5 | ----- | 0.0      | 20.2 | ----- |
| Transient Cerebral Ischemia.....           | 7                  | 0.0                 | 1.3  | ----- | 0.0     | 3.2  | ----- | 0.0      | 5.5  | ----- |
| Stroke.....                                | 17                 | 47.1                | 26.1 | ----- | 52.9    | 32.0 | ----- | 52.9     | 35.6 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 6                  | 33.3                | 21.8 | ----- | 50.0    | 28.0 | ----- | 66.7     | 32.4 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 2                  | 0.0                 | 5.7  | ----- | 0.0     | 11.5 | ----- | 50.0     | 14.8 | ----- |
| Hysterectomy.....                          | 1                  | 0.0                 | 0.7  | ----- | 0.0     | 1.6  | ----- | 0.0      | 2.8  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# COVINGTON COUNTY HOSPITAL

Medicare Provider Number: 250105

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.9 years  
Proportion female..... 59.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 44.2 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 13.7 %  
Admitted for emergency..... 57.5 %

### COMORBIDITIES:

Cancer..... 4.5 %  
Chronic cardiovascular disease..... 39.0 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 1.0 %  
Chronic pulmonary disease..... 18.8 %  
Cerebrovascular degeneration..... 2.1 %  
Diabetes mellitus..... 7.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 81.4%  
State ..... 17.6%  
Outside State ..... 1.0%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.0 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 82  
Occupancy Rate ..... 34.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 31.1 %  
Case Mix Index (CMI) ..... 0.9268

### STAFFING:

Total Number of Physicians..... 6  
Percent of Physicians Board  
Certified Specialists ..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 19  
Licensed Practical Nurses ..... 11

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... Yes  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# DELTA MEDICAL CENTER


1400 E UNION ST  
GREENVILLE, MS 38704  
Medicare Provider Number: 250082

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1428               | 14.5                | 11.0 | 1.2   | 20.6    | 17.0 | 1.3   | 24.7     | 21.2 | 1.4   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 36                 | 36.1                | 28.5 | ----- | 41.7    | 32.3 | ----- | 41.7     | 35.5 | ----- |
| Congestive Heart Failure.....              | 109                | 14.7                | 14.0 | 3.4   | 18.3    | 23.0 | 5.0   | 28.4     | 29.5 | 4.5   |
| Pneumonia/Influenza.....                   | 51                 | 21.6                | 17.0 | 10.6  | 33.3    | 23.8 | 12.2  | 37.3     | 27.4 | 12.3  |
| Chronic Obstructive Pulmonary Disease..... | 37                 | 24.3                | 6.6  | ----- | 32.4    | 11.9 | ----- | 35.1     | 16.2 | ----- |
| Transient Cerebral Ischemia.....           | 29                 | 6.9                 | 1.9  | ----- | 13.8    | 4.5  | ----- | 13.8     | 7.4  | ----- |
| Stroke.....                                | 74                 | 27.0                | 19.8 | 9.2   | 33.8    | 27.1 | 10.0  | 41.9     | 31.4 | 11.2  |
| Hip Fracture.....                          | 30                 | 13.3                | 6.0  | ----- | 16.7    | 11.0 | ----- | 23.3     | 14.5 | ----- |
| Sepsis.....                                | 51                 | 33.3                | 28.6 | 8.3   | 49.0    | 40.4 | 9.6   | 51.0     | 46.6 | 10.8  |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 7                  | 14.3                | 4.9  | ----- | 14.3    | 9.5  | ----- | 14.3     | 13.9 | ----- |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 1                  | 0.0                 | 6.9  | ----- | 0.0     | 13.4 | ----- | 100.0    | 18.1 | ----- |
| Open Reduction of Hip Fracture.....        | 27                 | 14.8                | 4.3  | ----- | 18.5    | 8.5  | ----- | 22.2     | 11.8 | ----- |
| Prostatectomy.....                         | 36                 | 0.0                 | 1.2  | ----- | 0.0     | 2.8  | ----- | 2.8      | 4.7  | ----- |
| Cholecystectomy.....                       | 16                 | 0.0                 | 2.4  | ----- | 12.5    | 4.3  | ----- | 12.5     | 5.8  | ----- |
| Hysterectomy.....                          | 1                  | 0.0                 | 0.1  | ----- | 0.0     | 0.2  | ----- | 0.0      | 0.3  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# DELTA MEDICAL CENTER

Medicare Provider Number: 250082

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 72.5 years  
Proportion female..... 51.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 95.7 %  
Transferred from skilled nursing facility..... 1.8 %  
Admitted for elective procedure..... 11.4 %  
Admitted for emergency..... 58.1 %

### COMORBIDITIES:

Cancer..... 11.1 %  
Chronic cardiovascular disease..... 34.4 %  
Chronic liver disease..... 1.2 %  
Chronic renal disease..... 9.4 %  
Chronic pulmonary disease..... 15.8 %  
Cerebrovascular degeneration..... 5.0 %  
Diabetes mellitus..... 9.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 76.6%  
State ..... 17.0%  
Outside State ..... 6.4%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.4 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 268  
Occupancy Rate ..... 42.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 42.6 %  
Case Mix Index (CMI) ..... 1.2022

### STAFFING:

Total Number of Physicians..... 54  
Percent of Physicians Board  
Certified Specialists ..... 59.3 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 107  
Licensed Practical Nurses ..... 59

### SPECIALTY SERVICES:

Burn Unit ..... Yes  
Cardiac Intensive Care ..... Yes  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... No  
Psychiatric ..... Yes  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# DISTRICT 2 COMMUNITY HOSPITAL


603 N WEST AVE  
DURANT, MS 39063  
Medicare Provider Number: 250101

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 169             | 10.7                | 9.4  | 2.8  | 16.6    | 14.6 | 4.1  | 21.3     | 18.5 | 4.3  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 2               | 50.0                | 26.3 | ---- | 50.0    | 28.7 | ---- | 50.0     | 31.1 | ---- |
| Congestive Heart Failure.....              | 11              | 27.3                | 12.0 | ---- | 36.4    | 19.8 | ---- | 54.5     | 25.9 | ---- |
| Pneumonia/Influenza.....                   | 9               | 11.1                | 9.3  | ---- | 22.2    | 13.2 | ---- | 22.2     | 16.5 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 7               | 0.0                 | 7.1  | ---- | 0.0     | 12.8 | ---- | 0.0      | 17.2 | ---- |
| Transient Cerebral Ischemia.....           | 4               | 0.0                 | 0.6  | ---- | 0.0     | 1.6  | ---- | 0.0      | 2.7  | ---- |
| Stroke.....                                | 4               | 0.0                 | 16.1 | ---- | 25.0    | 21.7 | ---- | 50.0     | 25.2 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 2               | 0.0                 | 45.5 | ---- | 50.0    | 55.5 | ---- | 50.0     | 59.0 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0               |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) Is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



## DISTRICT 2 COMMUNITY HOSPITAL

Medicare Provider Number: 250101

### FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

#### DEMOGRAPHICS:

Average age at admission..... 77.9 years  
Proportion female..... 67.1 %

#### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 97.1 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.6 %  
Admitted for emergency..... 0.0 %

#### COMORBIDITIES:

Cancer..... 5.9 %  
Chronic cardiovascular disease..... 30.0 %  
Chronic liver disease..... 0.6 %  
Chronic renal disease..... 2.4 %  
Chronic pulmonary disease..... 9.4 %  
Cerebrovascular degeneration..... 3.5 %  
Diabetes mellitus..... 8.8 %

### ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

#### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 76.5%  
State ..... 20.5%  
Outside State ..... 3.0%  
Total ..... 100.0%

#### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.6 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

### HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

#### PROFILE:

Total Beds ..... 29  
Occupancy Rate ..... 48.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 53.8 %  
Case Mix Index (CMI) ..... 0.8892

#### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists..... 50.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 4  
Licensed Practical Nurses ..... 6

#### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

#### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# F G RILEY MEMORIAL HOSPITAL


1102 21ST AVE  
MERIDIAN, MS 39301  
Medicare Provider Number: 250081

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1941            | 7.3                 | 8.1  | 0.7   | 11.4    | 12.9 | 0.9   | 14.5     | 16.6 | 1.1   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 34              | 14.7                | 27.4 | ----- | 20.6    | 30.2 | ----- | 20.6     | 32.8 | ----- |
| Congestive Heart Failure.....              | 92              | 15.2                | 14.3 | 4.3   | 25.0    | 22.8 | 4.7   | 30.4     | 28.7 | 5.1   |
| Pneumonia/Influenza.....                   | 139             | 16.5                | 15.4 | 4.1   | 19.4    | 21.3 | 3.9   | 24.5     | 25.0 | 3.7   |
| Chronic Obstructive Pulmonary Disease..... | 53              | 7.5                 | 6.0  | 3.4   | 11.3    | 11.4 | 4.8   | 11.3     | 15.9 | 5.7   |
| Transient Cerebral Ischemia.....           | 37              | 0.0                 | 1.7  | ----- | 2.7     | 3.9  | ----- | 2.7      | 6.2  | ----- |
| Stroke.....                                | 68              | 27.9                | 21.7 | 5.4   | 30.9    | 27.5 | 5.6   | 30.9     | 31.2 | 5.6   |
| Hip Fracture.....                          | 46              | 4.3                 | 7.0  | ----- | 4.3     | 12.4 | ----- | 8.7      | 16.1 | ----- |
| Sepsis.....                                | 19              | 5.3                 | 27.2 | ----- | 15.8    | 36.3 | ----- | 15.8     | 41.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 13              | 0.0                 | 4.3  | ----- | 0.0     | 8.8  | ----- | 7.7      | 12.7 | ----- |
| Carotid Endarterectomy.....                | 8               | 0.0                 | 1.3  | ----- | 0.0     | 2.5  | ----- | 0.0      | 3.7  | ----- |
| Hip Replacement/Reconstruction.....        | 27              | 3.7                 | 6.0  | ----- | 3.7     | 11.0 | ----- | 11.1     | 14.4 | ----- |
| Open Reduction of Hip Fracture.....        | 22              | 0.0                 | 5.1  | ----- | 0.0     | 9.5  | ----- | 0.0      | 12.6 | ----- |
| Prostatectomy.....                         | 33              | 0.0                 | 2.0  | ----- | 6.1     | 5.0  | ----- | 12.1     | 8.4  | ----- |
| Cholecystectomy.....                       | 21              | 4.8                 | 2.1  | ----- | 9.5     | 3.9  | ----- | 14.3     | 5.2  | ----- |
| Hysterectomy.....                          | 8               | 0.0                 | 0.1  | ----- | 0.0     | 0.3  | ----- | 0.0      | 0.6  | ----- |

\* The Standard Deviation (SD) Is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# F G RILEY MEMORIAL HOSPITAL

Medicare Provider Number: 250081

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.2 years  
Proportion female..... 59.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 39.1 %  
Transferred from skilled nursing facility..... 4.4 %  
Admitted for elective procedure..... 38.8 %  
Admitted for emergency..... 59.0 %

### COMORBIDITIES:

Cancer..... 8.8 %  
Chronic cardiovascular disease..... 31.2 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 7.3 %  
Chronic pulmonary disease..... 24.9 %  
Cerebrovascular degeneration..... 4.1 %  
Diabetes mellitus..... 10.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 50.0%  
State..... 39.0%  
Outside State..... 11.0%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 7.8 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 170  
Occupancy Rate..... 75.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges..... 50.3 %  
Case Mix Index (CMI)..... 1.1687

### STAFFING:

Total Number of Physicians..... 70  
Percent of Physicians Board  
Certified Specialists..... 68.6 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 155  
Licensed Practical Nurses..... 38

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... Yes  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# FIELD MEMORIAL HOSPITAL


PO BOX 639  
CENTREVILLE, MS 39631  
Medicare Provider Number: 250088

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 400                | 10.7                | 11.4 | 1.9   | 14.7    | 16.3 | 2.6   | 18.8     | 19.8 | 3.0   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 17                 | 11.8                | 28.5 | ----- | 23.5    | 31.2 | ----- | 23.5     | 33.9 | ----- |
| Congestive Heart Failure.....              | 15                 | 6.7                 | 20.6 | ----- | 13.3    | 30.3 | ----- | 20.0     | 37.1 | ----- |
| Pneumonia/Influenza.....                   | 28                 | 21.4                | 23.4 | ----- | 25.0    | 31.4 | ----- | 32.1     | 35.3 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 3                  | 33.3                | 8.9  | ----- | 33.3    | 18.5 | ----- | 33.3     | 27.2 | ----- |
| Transient Cerebral Ischemia.....           | 7                  | 0.0                 | 1.5  | ----- | 0.0     | 3.6  | ----- | 0.0      | 5.8  | ----- |
| Stroke.....                                | 20                 | 25.0                | 19.6 | ----- | 30.0    | 25.4 | ----- | 30.0     | 29.0 | ----- |
| Hip Fracture.....                          | 8                  | 0.0                 | 8.3  | ----- | 0.0     | 14.4 | ----- | 0.0      | 18.5 | ----- |
| Sepsis.....                                | 8                  | 25.0                | 34.8 | ----- | 25.0    | 40.0 | ----- | 37.5     | 44.4 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 3                  | 0.0                 | 3.9  | ----- | 0.0     | 7.8  | ----- | 0.0      | 10.6 | ----- |
| Open Reduction of Hip Fracture.....        | 3                  | 0.0                 | 11.9 | ----- | 0.0     | 20.5 | ----- | 0.0      | 26.4 | ----- |
| Prostatectomy.....                         | 7                  | 0.0                 | 0.6  | ----- | 0.0     | 1.3  | ----- | 0.0      | 2.2  | ----- |
| Cholecystectomy.....                       | 8                  | 0.0                 | 0.8  | ----- | 0.0     | 1.5  | ----- | 0.0      | 2.0  | ----- |
| Hysterectomy.....                          | 3                  | 0.0                 | 0.1  | ----- | 0.0     | 0.3  | ----- | 0.0      | 0.6  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# FIELD MEMORIAL HOSPITAL

Medicare Provider Number: 250088

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.6 years  
Proportion female..... 55.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 52.3 %  
Transferred from skilled nursing facility..... 7.8 %  
Admitted for elective procedure..... 2.0 %  
Admitted for emergency..... 42.0 %

### COMORBIDITIES:

Cancer..... 5.5 %  
Chronic cardiovascular disease..... 33.0 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 2.3 %  
Chronic pulmonary disease..... 12.0 %  
Cerebrovascular degeneration..... 4.0 %  
Diabetes mellitus..... 8.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 56.5%  
State ..... 34.1%  
Outside State ..... 9.4%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.8 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 66  
Occupancy Rate ..... 31.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 39.7 %  
Case Mix Index (CMI) ..... 1.0298

### STAFFING:

Total Number of Physicians..... 11  
Percent of Physicians Board  
Certified Specialists..... 90.9 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 19  
Licensed Practical Nurses ..... 7

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# FORREST GENERAL HOSPITAL


400 S 28TH AVE  
HATTIESBURG, MS 39401  
Medicare Provider Number: 250078

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 3525            | 8.0                 | 7.9  | 0.6   | 12.7    | 12.4 | 0.8   | 15.4     | 15.7 | 0.7   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 97              | 28.9                | 27.7 | 4.8   | 35.1    | 30.6 | 5.1   | 36.1     | 33.5 | 4.9   |
| Congestive Heart Failure.....              | 120             | 12.5                | 12.8 | 3.1   | 24.2    | 21.0 | 5.0   | 28.3     | 27.0 | 4.4   |
| Pneumonia/Influenza.....                   | 129             | 14.7                | 12.8 | 4.4   | 19.4    | 17.9 | 4.7   | 22.5     | 21.1 | 3.9   |
| Chronic Obstructive Pulmonary Disease..... | 58              | 5.2                 | 6.3  | 3.4   | 13.8    | 11.7 | 4.6   | 15.5     | 16.2 | 6.2   |
| Transient Cerebral Ischemia.....           | 54              | 3.7                 | 1.8  | 2.4   | 5.6     | 3.9  | 4.2   | 9.3      | 6.4  | 5.8   |
| Stroke.....                                | 87              | 18.4                | 17.6 | 4.2   | 23.0    | 22.6 | 4.5   | 28.7     | 25.8 | 5.2   |
| Hip Fracture.....                          | 54              | 9.3                 | 7.9  | 6.7   | 18.5    | 14.1 | 8.1   | 24.1     | 18.2 | 9.5   |
| Sepsis.....                                | 45              | 28.9                | 25.4 | ----- | 44.4    | 33.5 | ----- | 48.9     | 38.4 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 46              | 2.2                 | 2.6  | ----- | 4.3     | 3.3  | ----- | 4.3      | 4.2  | ----- |
| Coronary Artery Bypass Graft.....          | 69              | 8.7                 | 6.2  | 3.9   | 10.1    | 8.2  | 4.3   | 10.1     | 9.2  | 4.2   |
| Initial Pacemaker Insertion.....           | 36              | 13.9                | 4.0  | ----- | 22.2    | 7.6  | ----- | 22.2     | 10.3 | ----- |
| Carotid Endarterectomy.....                | 17              | 5.9                 | 1.4  | ----- | 5.9     | 2.5  | ----- | 5.9      | 3.5  | ----- |
| Hip Replacement/Reconstruction.....        | 46              | 2.2                 | 3.3  | ----- | 6.5     | 6.2  | ----- | 13.0     | 8.3  | ----- |
| Open Reduction of Hip Fracture.....        | 24              | 12.5                | 9.5  | ----- | 25.0    | 17.7 | ----- | 25.0     | 23.1 | ----- |
| Prostatectomy.....                         | 173             | 2.3                 | 1.1  | 1.3   | 4.6     | 2.5  | 2.1   | 6.9      | 4.3  | 2.7   |
| Cholecystectomy.....                       | 62              | 3.2                 | 3.3  | 2.7   | 6.5     | 6.2  | 3.4   | 8.1      | 8.3  | 3.5   |
| Hysterectomy.....                          | 33              | 3.0                 | 0.7  | ----- | 3.0     | 1.6  | ----- | 3.0      | 2.3  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# FORREST GENERAL HOSPITAL

Medicare Provider Number: 250078

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 70.4 years  
Proportion female..... 52.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 97.9 %  
Transferred from skilled nursing facility..... 0.9 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 56.2 %

### COMORBIDITIES:

Cancer..... 8.5 %  
Chronic cardiovascular disease..... 34.6 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 5.8 %  
Chronic pulmonary disease..... 13.5 %  
Cerebrovascular degeneration..... 4.4 %  
Diabetes mellitus..... 9.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 39.0%  
State ..... 58.3%  
Outside State ..... 2.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.0 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 416  
Occupancy Rate ..... 79.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 33.9 %  
Case Mix Index (CMI) ..... 1.3631

### STAFFING:

Total Number of Physicians..... 188  
Percent of Physicians Board  
Certified Specialists ..... 75.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 467  
Licensed Practical Nurses ..... 116

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... Yes  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... Yes  
Psychiatric ..... Yes  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates



# FRANKLIN COUNTY MEMORIAL HOSPITAL


HWY 84, BOX 428  
MEADVILLE, MS 39653  
Medicare Provider Number: 250035

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 156                | 12.8                | 9.3  | 3.3   | 17.9    | 14.5 | 3.2   | 20.5     | 18.2 | 3.3   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 1                  | 100.0               | 59.5 | ----- | 100.0   | 68.6 | ----- | 100.0    | 72.7 | ----- |
| Congestive Heart Failure.....              | 12                 | 16.7                | 9.2  | ----- | 25.0    | 15.3 | ----- | 33.3     | 19.7 | ----- |
| Pneumonia/Influenza.....                   | 15                 | 20.0                | 12.1 | ----- | 20.0    | 17.0 | ----- | 20.0     | 20.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 5                  | 20.0                | 5.8  | ----- | 20.0    | 11.1 | ----- | 20.0     | 15.2 | ----- |
| Transient Cerebral Ischemia.....           | 6                  | 0.0                 | 2.3  | ----- | 0.0     | 5.4  | ----- | 0.0      | 9.0  | ----- |
| Stroke.....                                | 14                 | 35.7                | 24.4 | ----- | 42.9    | 34.0 | ----- | 50.0     | 39.5 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# FRANKLIN COUNTY MEMORIAL HOSPITAL

Medicare Provider Number: 250035

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.5 years  
Proportion female..... 59.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 99.4 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 1.3 %  
Admitted for emergency..... 1.3 %

### COMORBIDITIES:

Cancer..... 7.7 %  
Chronic cardiovascular disease..... 39.7 %  
Chronic liver disease..... 0.6 %  
Chronic renal disease..... 3.2 %  
Chronic pulmonary disease..... 16.0 %  
Cerebrovascular degeneration..... 0.6 %  
Diabetes mellitus..... 10.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 75.1%  
State ..... 24.9%  
Outside State ..... 0.0%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.1 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 53  
Occupancy Rate ..... 17.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 60.4 %  
Case Mix Index (CMI) ..... 0.8593

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists..... 66.7 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 11  
Licensed Practical Nurses ..... 3

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# GEORGE COUNTY HOSPITAL


305 S WINTER ST  
LUCEDALE, MS 39452  
Medicare Provider Number: 250036

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 341                | 7.9                 | 10.2 | 2.3   | 12.0    | 15.1 | 2.9   | 15.5     | 18.6 | 3.3   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 9                  | 22.2                | 36.0 | ----- | 22.2    | 38.8 | ----- | 22.2     | 42.5 | ----- |
| Congestive Heart Failure.....              | 25                 | 12.0                | 14.6 | ----- | 16.0    | 21.9 | ----- | 20.0     | 27.7 | ----- |
| Pneumonia/Influenza.....                   | 25                 | 20.0                | 17.1 | ----- | 20.0    | 23.0 | ----- | 24.0     | 27.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 9                  | 0.0                 | 4.0  | ----- | 0.0     | 7.5  | ----- | 11.1     | 10.8 | ----- |
| Transient Cerebral Ischemia.....           | 1                  | 0.0                 | 1.2  | ----- | 0.0     | 2.9  | ----- | 0.0      | 5.0  | ----- |
| Stroke.....                                | 8                  | 12.5                | 24.4 | ----- | 12.5    | 30.7 | ----- | 25.0     | 34.3 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 4                  | 25.0                | 34.1 | ----- | 50.0    | 39.7 | ----- | 50.0     | 43.8 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 4                  | 25.0                | 16.8 | ----- | 25.0    | 24.8 | ----- | 25.0     | 28.0 | ----- |
| Hysterectomy.....                          | 1                  | 0.0                 | 0.2  | ----- | 0.0     | 0.4  | ----- | 0.0      | 0.8  | ----- |

\* The Standard Deviation (SD) Is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# GEORGE COUNTY HOSPITAL

Medicare Provider Number: 250036

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.0 years

Proportion female..... 65.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 43.7 %

Transferred from skilled nursing facility..... 0.0 %

Admitted for elective procedure..... 0.0 %

Admitted for emergency..... 61.9 %

### COMORBIDITIES:

Cancer..... 4.1 %

Chronic cardiovascular disease..... 41.6 %

Chronic liver disease..... 0.3 %

Chronic renal disease..... 1.5 %

Chronic pulmonary disease..... 14.4 %

Cerebrovascular degeneration..... 1.5 %

Diabetes mellitus..... 8.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 81.1%

State..... 14.7%

Outside State..... 4.2%

Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.1 Days

State..... 7.7 Days

National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 57

Occupancy Rate..... 38.0 %

Ownership/Control..... Local Government

Medicare Discharges..... 43.4 %

Case Mix Index (CMI)..... 0.9725

### STAFFING:

Total Number of Physicians..... 5

Percent of Physicians Board  
Certified Specialists..... 20.0 %

Medical Residents/Interns..... 0

Registered Nurses..... 28

Licensed Practical Nurses..... 29

### SPECIALTY SERVICES:

Burn Unit..... No

Cardiac Intensive Care..... No

Comprehensive Geriatric..... No

Hospice Care..... No

Medical/Surgical Intensive Care..... Yes

Organ/Tissue Transplant..... No

Other Intensive Care..... No

Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No

Rehabilitation..... No

Psychiatric..... No

Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# GILMORE MEMORIAL HOSPITAL


S BOULEVARD DR  
AMORY, MS 38821  
Medicare Provider Number: 250025

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 626             | 8.9                 | 9.7  | 1.3   | 13.1    | 14.5 | 1.7   | 16.5     | 17.9 | 2.0   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 17              | 52.9                | 31.3 | ----- | 58.8    | 35.0 | ----- | 64.7     | 37.8 | ----- |
| Congestive Heart Failure.....              | 45              | 17.8                | 14.1 | ----- | 28.9    | 22.3 | ----- | 33.3     | 28.6 | ----- |
| Pneumonia/Influenza.....                   | 57              | 12.3                | 17.4 | 8.1   | 14.0    | 24.2 | 10.3  | 21.1     | 28.4 | 10.6  |
| Chronic Obstructive Pulmonary Disease..... | 13              | 0.0                 | 4.0  | ----- | 7.7     | 7.8  | ----- | 23.1     | 11.1 | ----- |
| Transient Cerebral Ischemia.....           | 16              | 6.3                 | 1.7  | ----- | 6.3     | 3.9  | ----- | 18.8     | 6.3  | ----- |
| Stroke.....                                | 14              | 14.3                | 24.1 | ----- | 28.6    | 29.5 | ----- | 28.6     | 32.7 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 11              | 36.4                | 18.3 | ----- | 36.4    | 24.9 | ----- | 36.4     | 28.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 5               | 0.0                 | 1.2  | ----- | 0.0     | 2.0  | ----- | 0.0      | 2.5  | ----- |
| Hysterectomy.....                          | 12              | 0.0                 | 0.5  | ----- | 0.0     | 1.0  | ----- | 0.0      | 1.6  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# GILMORE MEMORIAL HOSPITAL

Medicare Provider Number: 250025

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.2 years

Proportion female..... 61.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 48.2 %

Transferred from skilled nursing facility..... 0.0 %

Admitted for elective procedure..... 12.9 %

Admitted for emergency..... 82.3 %

### COMORBIDITIES:

Cancer..... 5.1 %

Chronic cardiovascular disease..... 41.1 %

Chronic liver disease..... 0.8 %

Chronic renal disease..... 6.7 %

Chronic pulmonary disease..... 24.1 %

Cerebrovascular degeneration..... 2.4 %

Diabetes mellitus..... 7.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 80.3%

State ..... 13.9%

Outside State ..... 5.8%

Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.8 Days

State ..... 7.7 Days

National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 93

Occupancy Rate ..... 52.0 %

Ownership/Control..... Private, Non-Profit

Medicare Discharges ..... 28.5 %

Case Mix Index (CMI) ..... 1.0225

### STAFFING:

Total Number of Physicians..... 18

Percent of Physicians Board  
Certified Specialists ..... 83.3 %

Medical Residents/Interns ..... 0

Registered Nurses..... 59

Licensed Practical Nurses ..... 78

### SPECIALTY SERVICES:

Burn Unit ..... No

Cardiac Intensive Care ..... Yes

Comprehensive Geriatric ..... No

Hospice Care ..... No

Medical/Surgical Intensive Care ..... Yes

Organ/Tissue Transplant ..... No

Other Intensive Care ..... No

Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No

Rehabilitation..... No

Psychiatric ..... No

Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates



# GOLDEN TRIANGLE REGIONAL MEDICAL CENTER


2520 5TH ST N  
COLUMBUS, MS 39701  
Medicare Provider Number: 250100

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1875            | 8.5                 | 9.0  | 0.7   | 12.3    | 13.6 | 0.9   | 15.7     | 16.9 | 1.2   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 47              | 25.5                | 26.9 | ----- | 25.5    | 29.6 | ----- | 29.8     | 32.6 | ----- |
| Congestive Heart Failure.....              | 87              | 21.8                | 15.0 | 6.2   | 27.6    | 23.4 | 5.8   | 32.2     | 29.1 | 5.7   |
| Pneumonia/Influenza.....                   | 59              | 11.9                | 15.7 | 5.1   | 16.9    | 21.5 | 5.9   | 18.6     | 25.0 | 7.0   |
| Chronic Obstructive Pulmonary Disease..... | 41              | 7.3                 | 6.2  | ----- | 9.8     | 10.6 | ----- | 12.2     | 13.9 | ----- |
| Transient Cerebral Ischemia.....           | 29              | 0.0                 | 1.9  | ----- | 0.0     | 4.5  | ----- | 3.4      | 7.4  | ----- |
| Stroke.....                                | 54              | 22.2                | 23.6 | 5.9   | 31.5    | 29.1 | 7.6   | 35.2     | 32.6 | 7.0   |
| Hip Fracture.....                          | 61              | 8.2                 | 7.1  | 4.1   | 14.8    | 12.4 | 5.0   | 16.4     | 15.9 | 4.7   |
| Sepsis.....                                | 18              | 33.3                | 23.2 | ----- | 44.4    | 31.8 | ----- | 44.4     | 37.0 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 14              | 0.0                 | 2.0  | ----- | 7.1     | 4.2  | ----- | 21.4     | 6.3  | ----- |
| Carotid Endarterectomy.....                | 5               | 0.0                 | 1.1  | ----- | 0.0     | 2.1  | ----- | 0.0      | 3.1  | ----- |
| Hip Replacement/Reconstruction.....        | 31              | 3.2                 | 4.7  | ----- | 3.2     | 8.8  | ----- | 6.5      | 12.0 | ----- |
| Open Reduction of Hip Fracture.....        | 30              | 10.0                | 6.4  | ----- | 16.7    | 11.7 | ----- | 16.7     | 15.2 | ----- |
| Prostatectomy.....                         | 83              | 1.2                 | 1.3  | 1.4   | 2.4     | 3.0  | 2.2   | 4.8      | 5.0  | 3.0   |
| Cholecystectomy.....                       | 55              | 0.0                 | 1.9  | 2.8   | 1.8     | 3.5  | 4.0   | 1.8      | 4.7  | 4.4   |
| Hysterectomy.....                          | 10              | 10.0                | 2.4  | ----- | 10.0    | 4.7  | ----- | 10.0     | 6.3  | ----- |

\* The Standard Deviation (SD) Is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# GOLDEN TRIANGLE REGIONAL MEDICAL CENTER

Medicare Provider Number: 250100

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.4 years  
Proportion female..... 56.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 35.5 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 1.1 %  
Admitted for emergency..... 64.0 %

### COMORBIDITIES:

Cancer..... 7.6 %  
Chronic cardiovascular disease..... 33.2 %  
Chronic liver disease..... 0.8 %  
Chronic renal disease..... 3.4 %  
Chronic pulmonary disease..... 13.9 %  
Cerebrovascular degeneration..... 2.9 %  
Diabetes mellitus..... 8.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 63.6%  
State..... 26.5%  
Outside State..... 9.9%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 7.5 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 326  
Occupancy Rate..... 43.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 35.1 %  
Case Mix Index (CMI)..... 1.1442

### STAFFING:

Total Number of Physicians..... 79  
Percent of Physicians Board  
Certified Specialists..... 55.7 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 174  
Licensed Practical Nurses..... 45

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... Yes  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... Yes  
Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# GREEN COUNTY HOSPITAL

PO BOX 39  
LEAKESVILLE, MS 39451  
Medicare Provider Number: 250142

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 60                 | 18.3                | 11.6 | 6.5   | 21.7    | 15.5 | 6.9   | 21.7     | 18.5 | 7.2   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 1                  | 100.0               | 45.8 | ----- | 100.0   | 49.7 | ----- | 100.0    | 54.7 | ----- |
| Congestive Heart Failure.....              | 4                  | 25.0                | 12.6 | ----- | 25.0    | 20.5 | ----- | 25.0     | 26.1 | ----- |
| Pneumonia/Influenza.....                   | 4                  | 100.0               | 16.4 | ----- | 100.0   | 23.2 | ----- | 100.0    | 26.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 0                  |                     |      |       |         |      |       |          |      |       |
| Transient Cerebral Ischemia.....           | 3                  | 0.0                 | 2.1  | ----- | 33.3    | 4.7  | ----- | 33.3     | 8.0  | ----- |
| Stroke.....                                | 1                  | 0.0                 | 13.2 | ----- | 0.0     | 18.7 | ----- | 0.0      | 22.7 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)



# GREEN COUNTY HOSPITAL

Medicare Provider Number: 250142

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.5 years  
Proportion female..... 63.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 55.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 1.7 %  
Admitted for emergency..... 26.7 %

### COMORBIDITIES:

Cancer..... 3.3 %  
Chronic cardiovascular disease..... 38.3 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 1.7 %  
Chronic pulmonary disease..... 15.0 %  
Cerebrovascular degeneration..... 1.7 %  
Diabetes mellitus..... 23.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 84.6%  
State ..... 13.2%  
Outside State ..... 2.2%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.2 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 40  
Occupancy Rate ..... 75.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 44.6 %  
Case Mix Index (CMI) ..... 0.8685

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists..... 66.7 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 5  
Licensed Practical Nurses ..... 3

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# GREENWOOD LEFLORE HOSPITAL


1401 RIVER RD, DRAWER 1410  
GREENWOOD, MS 38930  
Medicare Provider Number: 250099

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1781            | 10.2                | 10.4 | 0.9   | 14.3    | 15.7 | 1.0   | 17.1     | 19.4 | 1.1   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 33              | 33.3                | 34.1 | ----- | 36.4    | 37.1 | ----- | 39.4     | 39.8 | ----- |
| Congestive Heart Failure.....              | 81              | 8.6                 | 16.9 | 5.7   | 18.5    | 25.8 | 6.6   | 27.2     | 31.8 | 6.4   |
| Pneumonia/Influenza.....                   | 72              | 16.7                | 20.0 | 6.7   | 23.6    | 27.7 | 6.2   | 26.4     | 32.1 | 6.8   |
| Chronic Obstructive Pulmonary Disease..... | 41              | 14.6                | 8.9  | ----- | 19.5    | 15.6 | ----- | 19.5     | 20.1 | ----- |
| Transient Cerebral Ischemia.....           | 14              | 0.0                 | 2.0  | ----- | 0.0     | 4.5  | ----- | 0.0      | 7.4  | ----- |
| Stroke.....                                | 65              | 24.6                | 25.3 | 9.8   | 29.2    | 32.2 | 8.0   | 32.3     | 36.5 | 8.4   |
| Hip Fracture.....                          | 59              | 8.5                 | 7.7  | 3.6   | 11.9    | 13.4 | 4.6   | 16.9     | 17.3 | 4.9   |
| Sepsis.....                                | 25              | 40.0                | 33.2 | ----- | 48.0    | 42.5 | ----- | 56.0     | 47.6 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 14              | 7.1                 | 4.4  | ----- | 14.3    | 7.2  | ----- | 14.3     | 9.7  | ----- |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 40              | 7.5                 | 3.8  | ----- | 12.5    | 7.1  | ----- | 15.0     | 9.8  | ----- |
| Open Reduction of Hip Fracture.....        | 29              | 6.9                 | 7.0  | ----- | 10.3    | 12.5 | ----- | 13.8     | 16.2 | ----- |
| Prostatectomy.....                         | 82              | 2.4                 | 1.5  | 1.5   | 3.7     | 3.5  | 2.1   | 6.1      | 5.9  | 2.7   |
| Cholecystectomy.....                       | 48              | 2.1                 | 2.9  | ----- | 8.3     | 5.6  | ----- | 8.3      | 7.5  | ----- |
| Hysterectomy.....                          | 10              | 0.0                 | 0.1  | ----- | 0.0     | 0.3  | ----- | 0.0      | 0.6  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# GREENWOOD LEFLORE HOSPITAL

Medicare Provider Number: 250099

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

|                               |            |
|-------------------------------|------------|
| Average age at admission..... | 74.2 years |
| Proportion female.....        | 56.1 %     |

### ADMISSION SOURCES/TYPES:

|                                                |        |
|------------------------------------------------|--------|
| Referred by personal or HMO physician.....     | 41.3 % |
| Transferred from skilled nursing facility..... | 8.3 %  |
| Admitted for elective procedure.....           | 6.7 %  |
| Admitted for emergency.....                    | 58.7 % |

### COMORBIDITIES:

|                                     |        |
|-------------------------------------|--------|
| Cancer.....                         | 8.5 %  |
| Chronic cardiovascular disease..... | 36.0 % |
| Chronic liver disease.....          | 0.6 %  |
| Chronic renal disease.....          | 7.9 %  |
| Chronic pulmonary disease.....      | 14.1 % |
| Cerebrovascular degeneration.....   | 2.4 %  |
| Diabetes mellitus.....              | 7.1 %  |

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

|                     |        |
|---------------------|--------|
| County/City .....   | 63.5%  |
| State .....         | 35.1%  |
| Outside State ..... | 1.4%   |
| Total .....         | 100.0% |

### MEDICARE AVERAGE LENGTH OF STAY:

|                |          |
|----------------|----------|
| Hospital ..... | 7.4 Days |
| State .....    | 7.7 Days |
| National ..... | 8.6 Days |

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

|                            |                  |
|----------------------------|------------------|
| Total Beds .....           | 260              |
| Occupancy Rate .....       | 39.0 %           |
| Ownership/Control.....     | Local Government |
| Medicare Discharges .....  | 41.5 %           |
| Case Mix Index (CMI) ..... | 1.2575           |

### STAFFING:

|                                                            |        |
|------------------------------------------------------------|--------|
| Total Number of Physicians.....                            | 39     |
| Percent of Physicians Board<br>Certified Specialists ..... | 87.2 % |
| Medical Residents/Interns .....                            | 0      |
| Registered Nurses.....                                     | 80     |
| Licensed Practical Nurses .....                            | 99     |

### SPECIALTY SERVICES:

|                                       |     |
|---------------------------------------|-----|
| Burn Unit .....                       | No  |
| Cardiac Intensive Care .....          | No  |
| Comprehensive Geriatric .....         | No  |
| Hospice Care .....                    | No  |
| Medical/Surgical Intensive Care ..... | Yes |
| Organ/Tissue Transplant .....         | No  |
| Other Intensive Care .....            | No  |
| Trauma Center .....                   | No  |

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

|                           |    |
|---------------------------|----|
| Alcohol/Drug .....        | No |
| Rehabilitation.....       | No |
| Psychiatric .....         | No |
| Medicare Swing Beds ..... | No |

\*\* Except for CMI

\* Not used in calculating mortality rates



# GRENADA LAKE MEDICAL CENTER


960 AVENT DRIVE  
GRENADA, MS 38901  
Medicare Provider Number: 250015

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 928                | 9.7                 | 8.2  | 1.4   | 13.6    | 12.3 | 1.5   | 16.5     | 15.4 | 1.4   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 23                 | 47.8                | 25.9 | ----- | 52.2    | 30.0 | ----- | 52.2     | 32.8 | ----- |
| Congestive Heart Failure.....              | 61                 | 16.4                | 12.4 | 5.3   | 24.6    | 20.2 | 6.1   | 29.5     | 26.1 | 6.6   |
| Pneumonia/Influenza.....                   | 28                 | 10.7                | 16.3 | ----- | 10.7    | 22.1 | ----- | 14.3     | 25.6 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 13                 | 0.0                 | 2.9  | ----- | 7.7     | 5.8  | ----- | 15.4     | 8.8  | ----- |
| Transient Cerebral Ischemia.....           | 45                 | 0.0                 | 1.2  | ----- | 4.4     | 2.9  | ----- | 4.4      | 5.0  | ----- |
| Stroke.....                                | 43                 | 34.9                | 22.0 | ----- | 41.9    | 29.7 | ----- | 44.2     | 34.1 | ----- |
| Hip Fracture.....                          | 21                 | 9.5                 | 6.6  | ----- | 9.5     | 12.1 | ----- | 14.3     | 16.1 | ----- |
| Sepsis.....                                | 18                 | 61.1                | 40.9 | ----- | 66.7    | 51.1 | ----- | 72.2     | 56.2 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 4                  | 0.0                 | 3.7  | ----- | 0.0     | 8.2  | ----- | 0.0      | 12.1 | ----- |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 8                  | 0.0                 | 4.4  | ----- | 0.0     | 8.1  | ----- | 0.0      | 10.5 | ----- |
| Open Reduction of Hip Fracture.....        | 11                 | 18.2                | 7.3  | ----- | 18.2    | 14.2 | ----- | 27.3     | 19.4 | ----- |
| Prostatectomy.....                         | 29                 | 3.4                 | 1.5  | ----- | 3.4     | 3.2  | ----- | 3.4      | 5.2  | ----- |
| Cholecystectomy.....                       | 5                  | 0.0                 | 0.7  | ----- | 0.0     | 1.3  | ----- | 0.0      | 1.9  | ----- |
| Hysterectomy.....                          | 3                  | 0.0                 | 0.1  | ----- | 0.0     | 0.2  | ----- | 0.0      | 0.4  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# GRENADA LAKE MEDICAL CENTER

Medicare Provider Number: 250015

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.9 years

Proportion female..... 56.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 61.4 %

Transferred from skilled nursing facility..... 0.0 %

Admitted for elective procedure..... 17.9 %

Admitted for emergency..... 49.0 %

### COMORBIDITIES:

Cancer..... 5.2 %

Chronic cardiovascular disease..... 38.0 %

Chronic liver disease..... 0.1 %

Chronic renal disease..... 1.8 %

Chronic pulmonary disease..... 12.3 %

Cerebrovascular degeneration..... 1.1 %

Diabetes mellitus..... 9.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 67.4%

State ..... 30.8%

Outside State ..... 1.8%

Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.2 Days

State ..... 7.7 Days

National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 92

Occupancy Rate ..... 67.0 %

Ownership/Control..... Local Government

Medicare Discharges ..... 33.8 %

Case Mix Index (CMI) ..... 1.0641

### STAFFING:

Total Number of Physicians..... 23

Percent of Physicians Board  
Certified Specialists..... 73.9 %

Medical Residents/Interns ..... 0

Registered Nurses..... 84

Licensed Practical Nurses..... 49

### SPECIALTY SERVICES:

Burn Unit ..... No

Cardiac Intensive Care ..... Yes

Comprehensive Geriatric ..... No

Hospice Care ..... No

Medical/Surgical Intensive Care ..... No

Organ/Tissue Transplant ..... No

Other Intensive Care ..... No

Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No

Rehabilitation..... No

Psychiatric ..... No

Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# GULF COAST MEDICAL CENTER


4642 W BEACH BLVD  
BILOXI, MS 39531  
Medicare Provider Number: 250125

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 819             | 7.0                 | 7.4  | 1.1   | 11.5    | 11.7 | 1.5   | 13.2     | 14.8 | 1.9   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 9               | 33.3                | 25.4 | ----- | 33.3    | 28.1 | ----- | 55.6     | 31.6 | ----- |
| Congestive Heart Failure.....              | 54              | 13.0                | 15.3 | 6.1   | 25.9    | 24.6 | 7.4   | 27.8     | 31.1 | 7.1   |
| Pneumonia/Influenza.....                   | 24              | 8.3                 | 16.2 | ----- | 12.5    | 23.4 | ----- | 16.7     | 27.7 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 28              | 0.0                 | 5.0  | ----- | 3.6     | 9.3  | ----- | 7.1      | 13.0 | ----- |
| Transient Cerebral Ischemia.....           | 18              | 0.0                 | 1.4  | ----- | 0.0     | 3.0  | ----- | 0.0      | 5.0  | ----- |
| Stroke.....                                | 14              | 0.0                 | 14.1 | ----- | 7.1     | 19.6 | ----- | 7.1      | 22.7 | ----- |
| Hip Fracture.....                          | 13              | 15.4                | 5.6  | ----- | 15.4    | 10.1 | ----- | 15.4     | 13.1 | ----- |
| Sepsis.....                                | 5               | 60.0                | 47.2 | ----- | 60.0    | 54.2 | ----- | 60.0     | 58.3 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 8               | 12.5                | 4.7  | ----- | 12.5    | 9.0  | ----- | 25.0     | 13.1 | ----- |
| Carotid Endarterectomy.....                | 9               | 0.0                 | 1.2  | ----- | 11.1    | 2.2  | ----- | 11.1     | 3.2  | ----- |
| Hip Replacement/Reconstruction.....        | 16              | 12.5                | 4.3  | ----- | 12.5    | 8.0  | ----- | 12.5     | 10.5 | ----- |
| Open Reduction of Hip Fracture.....        | 2               | 0.0                 | 5.8  | ----- | 0.0     | 11.6 | ----- | 0.0      | 15.3 | ----- |
| Prostatectomy.....                         | 20              | 0.0                 | 0.6  | ----- | 5.0     | 1.4  | ----- | 5.0      | 2.5  | ----- |
| Cholecystectomy.....                       | 7               | 0.0                 | 0.9  | ----- | 0.0     | 1.7  | ----- | 0.0      | 2.2  | ----- |
| Hysterectomy.....                          | 2               | 0.0                 | 0.2  | ----- | 0.0     | 0.4  | ----- | 0.0      | 0.7  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# GULF COAST MEDICAL CENTER

Medicare Provider Number: 250125

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 72.9 years  
Proportion female..... 60.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 57.0 %  
Transferred from skilled nursing facility..... 0.1 %  
Admitted for elective procedure..... 7.9 %  
Admitted for emergency..... 43.3 %

### COMORBIDITIES:

Cancer..... 5.0 %  
Chronic cardiovascular disease..... 32.2 %  
Chronic liver disease..... 0.9 %  
Chronic renal disease..... 1.8 %  
Chronic pulmonary disease..... 24.7 %  
Cerebrovascular degeneration..... 4.4 %  
Diabetes mellitus..... 7.6 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 83.5%  
State ..... 11.2%  
Outside State ..... 5.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.9 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1986

### PROFILE:

Total Beds ..... 144  
Ownership/Control..... Private, For Profit  
Case Mix Index (CMI) ..... 1.1686

### STAFFING:

Medical Residents/Interns ..... 0  
Registered Nurses..... 98  
Licensed Practical Nurses ..... 25

### SPECIALTY SERVICES:

Burn Unit ..... No  
Coronary Care Unit ..... Yes  
Hospice Care ..... Yes  
Intensive Care Unit ..... Yes  
Organ Transplant ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... No  
Psychiatric ..... Yes  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# H C WATKINS MEMORIAL HOSPITAL


605 S ARCHUSA AVE  
QUITMAN, MS 39355  
Medicare Provider Number: 250089

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 394                | 8.9                 | 8.4  | 1.8   | 12.9    | 13.0 | 1.8   | 16.8     | 16.4 | 1.9   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 10                 | 30.0                | 25.3 | ----- | 30.0    | 28.3 | ----- | 30.0     | 30.7 | ----- |
| Congestive Heart Failure.....              | 26                 | 15.4                | 11.9 | ----- | 26.9    | 19.9 | ----- | 34.6     | 26.0 | ----- |
| Pneumonia/Influenza.....                   | 28                 | 7.1                 | 15.6 | ----- | 10.7    | 21.6 | ----- | 10.7     | 25.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 4                  | 0.0                 | 3.1  | ----- | 0.0     | 6.0  | ----- | 0.0      | 8.4  | ----- |
| Transient Cerebral Ischemia.....           | 4                  | 0.0                 | 1.4  | ----- | 0.0     | 3.3  | ----- | 0.0      | 5.6  | ----- |
| Stroke.....                                | 12                 | 25.0                | 19.7 | ----- | 25.0    | 24.5 | ----- | 25.0     | 27.6 | ----- |
| Hip Fracture.....                          | 5                  | 0.0                 | 2.8  | ----- | 0.0     | 5.4  | ----- | 0.0      | 7.5  | ----- |
| Sepsis.....                                | 2                  | 50.0                | 26.0 | ----- | 50.0    | 30.2 | ----- | 50.0     | 35.5 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 3                  | 0.0                 | 7.2  | ----- | 0.0     | 10.8 | ----- | 0.0      | 13.6 | ----- |
| Carotid Endarterectomy.....                | 1                  | 0.0                 | 2.0  | ----- | 0.0     | 4.0  | ----- | 0.0      | 5.6  | ----- |
| Hip Replacement/Reconstruction.....        | 2                  | 0.0                 | 2.6  | ----- | 0.0     | 5.3  | ----- | 0.0      | 7.7  | ----- |
| Open Reduction of Hip Fracture.....        | 1                  | 0.0                 | 2.4  | ----- | 0.0     | 4.4  | ----- | 0.0      | 5.9  | ----- |
| Prostatectomy.....                         | 4                  | 0.0                 | 0.7  | ----- | 0.0     | 1.7  | ----- | 0.0      | 3.1  | ----- |
| Cholecystectomy.....                       | 9                  | 0.0                 | 6.6  | ----- | 0.0     | 11.1 | ----- | 0.0      | 14.5 | ----- |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# H C WATKINS MEMORIAL HOSPITAL

Medicare Provider Number: 250089

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.8 years  
Proportion female..... 60.9 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 99.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.5 %  
Admitted for emergency..... 95.4 %

### COMORBIDITIES:

Cancer..... 3.0 %  
Chronic cardiovascular disease..... 31.7 %  
Chronic liver disease..... 1.3 %  
Chronic renal disease..... 2.0 %  
Chronic pulmonary disease..... 13.2 %  
Cerebrovascular degeneration..... 2.0 %  
Diabetes mellitus..... 10.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 77.3%  
State..... 19.8%  
Outside State..... 2.9%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.9 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds..... 42  
Occupancy Rate..... 82.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges..... 52.1 %  
Case Mix Index (CMI)..... 0.9595

### STAFFING:

Total Number of Physicians..... 6  
Percent of Physicians Board  
Certified Specialists..... 16.7 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 16  
Licensed Practical Nurses..... 18

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# HANCOCK GENERAL HOSPITAL


149 DRINKWATER RD  
BAY SAINT LOUIS, MS 39520  
Medicare Provider Number: 250045

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 640             | 10.6                | 9.3  | 2.1   | 14.7    | 14.4 | 2.2   | 17.8     | 18.1 | 2.3   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 18              | 50.0                | 28.3 | ----- | 50.0    | 31.1 | ----- | 50.0     | 33.7 | ----- |
| Congestive Heart Failure.....              | 51              | 11.8                | 15.4 | 6.0   | 19.6    | 24.6 | 8.4   | 21.6     | 30.8 | 10.7  |
| Pneumonia/Influenza.....                   | 57              | 14.0                | 14.0 | 5.1   | 19.3    | 19.6 | 5.8   | 24.6     | 23.1 | 6.2   |
| Chronic Obstructive Pulmonary Disease..... | 14              | 14.3                | 5.5  | ----- | 14.3    | 10.2 | ----- | 21.4     | 14.3 | ----- |
| Transient Cerebral Ischemia.....           | 12              | 8.3                 | 1.8  | ----- | 8.3     | 4.1  | ----- | 8.3      | 6.8  | ----- |
| Stroke.....                                | 17              | 29.4                | 21.3 | ----- | 35.3    | 27.7 | ----- | 41.2     | 31.5 | ----- |
| Hip Fracture.....                          | 7               | 0.0                 | 3.4  | ----- | 0.0     | 6.0  | ----- | 0.0      | 8.2  | ----- |
| Sepsis.....                                | 10              | 40.0                | 22.1 | ----- | 50.0    | 30.9 | ----- | 60.0     | 35.4 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 6               | 0.0                 | 2.9  | ----- | 0.0     | 5.8  | ----- | 0.0      | 8.3  | ----- |
| Hip Replacement/Reconstruction.....        | 1               | 0.0                 | 2.8  | ----- | 0.0     | 5.0  | ----- | 0.0      | 7.3  | ----- |
| Open Reduction of Hip Fracture.....        | 5               | 0.0                 | 3.4  | ----- | 0.0     | 6.1  | ----- | 0.0      | 8.4  | ----- |
| Prostatectomy.....                         | 12              | 0.0                 | 1.4  | ----- | 0.0     | 3.5  | ----- | 0.0      | 5.9  | ----- |
| Cholecystectomy.....                       | 10              | 0.0                 | 3.0  | ----- | 0.0     | 5.9  | ----- | 0.0      | 7.9  | ----- |
| Hysterectomy.....                          | 3               | 0.0                 | 0.2  | ----- | 0.0     | 0.4  | ----- | 0.0      | 0.7  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# HANCOCK GENERAL HOSPITAL

Medicare Provider Number: 250045

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.2 years  
Proportion female..... 56.9 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 36.1 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 61.9 %

### COMORBIDITIES:

Cancer..... 6.1 %  
Chronic cardiovascular disease..... 27.3 %  
Chronic liver disease..... 0.8 %  
Chronic renal disease..... 2.0 %  
Chronic pulmonary disease..... 12.5 %  
Cerebrovascular degeneration..... 0.6 %  
Diabetes mellitus..... 12.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 76.8%  
State..... 16.9%  
Outside State..... 6.3%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.3 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 60  
Occupancy Rate..... 55.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 45.1 %  
Case Mix Index (CMI)..... 1.1542

### STAFFING:

Total Number of Physicians..... 27  
Percent of Physicians Board  
Certified Specialists..... 70.4 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 48  
Licensed Practical Nurses..... 17

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# HARDY WILSON MEMORIAL HOSPITAL


233 MAGNOLIA  
HAZLEHURST, MS 39083  
Medicare Provider Number: 250039

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 411                | 12.4                | 10.8 | 2.0   | 18.0    | 16.7 | 2.4   | 23.4     | 20.8 | 2.9   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 11                 | 9.1                 | 25.9 | ----- | 18.2    | 29.1 | ----- | 18.2     | 31.8 | ----- |
| Congestive Heart Failure.....              | 26                 | 7.7                 | 12.8 | ----- | 11.5    | 20.7 | ----- | 15.4     | 26.6 | ----- |
| Pneumonia/Influenza.....                   | 42                 | 11.9                | 14.7 | ----- | 16.7    | 20.6 | ----- | 19.0     | 24.3 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 10                 | 10.0                | 7.9  | ----- | 10.0    | 14.3 | ----- | 10.0     | 19.2 | ----- |
| Transient Cerebral Ischemia.....           | 9                  | 0.0                 | 1.5  | ----- | 0.0     | 3.5  | ----- | 0.0      | 5.8  | ----- |
| Stroke.....                                | 23                 | 26.1                | 16.7 | ----- | 26.1    | 21.8 | ----- | 34.8     | 25.7 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 5                  | 20.0                | 35.6 | ----- | 40.0    | 42.0 | ----- | 60.0     | 45.9 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# HARDY WILSON MEMORIAL HOSPITAL

Medicare Provider Number: 250039

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.6 years  
Proportion female..... 61.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 58.4 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 0.7 %

### COMORBIDITIES:

Cancer..... 6.6 %  
Chronic cardiovascular disease..... 41.6 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 4.6 %  
Chronic pulmonary disease..... 21.2 %  
Cerebrovascular degeneration..... 4.9 %  
Diabetes mellitus..... 16.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 90.9%  
State ..... 8.1%  
Outside State ..... 1.0%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.6 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1991

### PROFILE:

Total Beds ..... 49  
Ownership/Control..... Local Government  
Case Mix Index (CMI) ..... 1.0010

### STAFFING:

Medical Residents/Interns ..... 0  
Registered Nurses..... 19  
Licensed Practical Nurses ..... 24

### SPECIALTY SERVICES:

Burn Unit ..... No  
Coronary Care Unit ..... No  
Hospice Care ..... Yes  
Intensive Care Unit ..... No  
Organ Transplant ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# HILLCREST HOSPITAL


PO BOX 770  
CALHOUN CITY, MS 38916  
Medicare Provider Number: 250112

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 349             | 8.6                 | 8.5  | 1.6   | 12.3    | 13.1 | 2.5   | 17.8     | 16.6 | 3.1   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 6               | 50.0                | 31.4 | ----- | 50.0    | 34.5 | ----- | 66.7     | 38.3 | ----- |
| Congestive Heart Failure.....              | 25              | 24.0                | 14.8 | ----- | 32.0    | 24.0 | ----- | 32.0     | 30.0 | ----- |
| Pneumonia/influenza.....                   | 32              | 6.3                 | 13.5 | ----- | 15.6    | 18.9 | ----- | 28.1     | 22.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 21              | 9.5                 | 5.4  | ----- | 9.5     | 10.1 | ----- | 19.0     | 14.1 | ----- |
| Transient Cerebral Ischemia.....           | 4               | 0.0                 | 0.9  | ----- | 0.0     | 2.0  | ----- | 0.0      | 3.3  | ----- |
| Stroke.....                                | 14              | 14.3                | 17.9 | ----- | 28.6    | 23.4 | ----- | 28.6     | 27.6 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 5               | 20.0                | 19.1 | ----- | 20.0    | 29.5 | ----- | 20.0     | 35.5 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# HILLCREST HOSPITAL

Medicare Provider Number: 250112

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.9 years  
Proportion female..... 60.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 56.2 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 1.4 %  
Admitted for emergency..... 42.1 %

### COMORBIDITIES:

Cancer..... 2.9 %  
Chronic cardiovascular disease..... 23.5 %  
Chronic liver disease..... 0.6 %  
Chronic renal disease..... 1.1 %  
Chronic pulmonary disease..... 23.8 %  
Cerebrovascular degeneration..... 3.7 %  
Diabetes mellitus..... 10.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 87.0%  
State..... 12.0%  
Outside State..... 1.0%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 5.0 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 30  
Occupancy Rate..... 56.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 50.6 %  
Case Mix Index (CMI)..... 0.9457

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists..... 50.0 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 10  
Licensed Practical Nurses..... 7

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# HUMANA HOSPITAL NATCHEZ


129 JEFF DAVIS BLVD, BOX 1230  
NATCHEZ, MS 39120  
Medicare Provider Number: 250122

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 541             | 7.6                 | 8.6  | 1.3  | 10.7    | 13.0 | 2.0  | 13.5     | 16.2 | 2.3  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 23              | 34.8                | 30.6 | ---- | 34.8    | 33.3 | ---- | 39.1     | 36.1 | ---- |
| Congestive Heart Failure.....              | 29              | 17.2                | 12.9 | ---- | 20.7    | 21.0 | ---- | 20.7     | 26.9 | ---- |
| Pneumonia/Influenza.....                   | 30              | 20.0                | 13.7 | ---- | 20.0    | 19.2 | ---- | 26.7     | 22.4 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 7               | 0.0                 | 5.6  | ---- | 0.0     | 9.7  | ---- | 0.0      | 13.3 | ---- |
| Transient Cerebral Ischemia.....           | 8               | 0.0                 | 2.0  | ---- | 12.5    | 4.3  | ---- | 25.0     | 6.9  | ---- |
| Stroke.....                                | 17              | 11.8                | 16.0 | ---- | 23.5    | 22.5 | ---- | 23.5     | 26.0 | ---- |
| Hip Fracture.....                          | 4               | 0.0                 | 4.5  | ---- | 0.0     | 8.7  | ---- | 25.0     | 12.9 | ---- |
| Sepsis.....                                | 5               | 0.0                 | 14.2 | ---- | 0.0     | 22.1 | ---- | 0.0      | 25.7 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 6               | 0.0                 | 3.1  | ---- | 16.7    | 6.4  | ---- | 16.7     | 9.5  | ---- |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 4               | 0.0                 | 2.1  | ---- | 0.0     | 4.7  | ---- | 25.0     | 7.4  | ---- |
| Open Reduction of Hip Fracture.....        | 2               | 0.0                 | 4.2  | ---- | 0.0     | 7.6  | ---- | 0.0      | 10.7 | ---- |
| Prostatectomy.....                         | 16              | 0.0                 | 0.7  | ---- | 0.0     | 1.8  | ---- | 0.0      | 3.1  | ---- |
| Cholecystectomy.....                       | 14              | 0.0                 | 2.8  | ---- | 0.0     | 6.2  | ---- | 7.1      | 9.2  | ---- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.0  | ---- | 0.0     | 0.1  | ---- | 0.0      | 0.1  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# HUMANA HOSPITAL NATCHEZ

Medicare Provider Number: 250122

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 72.6 years  
Proportion female..... 59.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 57.7 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 20.0 %  
Admitted for emergency..... 25.0 %

### COMORBIDITIES:

Cancer..... 7.2 %  
Chronic cardiovascular disease..... 32.7 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 3.9 %  
Chronic pulmonary disease..... 11.3 %  
Cerebrovascular degeneration..... 2.0 %  
Diabetes mellitus..... 10.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 62.3%  
State..... 15.1%  
Outside State..... 22.6%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 7.4 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 101  
Occupancy Rate..... 33.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges..... 49.5 %  
Case Mix Index (CMI)..... 1.1892

### STAFFING:

Total Number of Physicians..... 65  
Percent of Physicians Board  
Certified Specialists..... 76.9 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 48  
Licensed Practical Nurses..... 11

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... Yes  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# HUMPHREYS COUNTY MEMORIAL HOSPITAL


500 C C RD  
BELZONI, MS 39038  
Medicare Provider Number: 250098

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 185             | 11.9                | 8.3  | 3.5  | 20.0    | 13.1 | 3.4  | 24.9     | 16.5 | 3.8  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 3               | 100.0               | 29.0 | ---- | 100.0   | 31.5 | ---- | 100.0    | 34.4 | ---- |
| Congestive Heart Failure.....              | 15              | 13.3                | 15.2 | ---- | 33.3    | 24.5 | ---- | 40.0     | 30.3 | ---- |
| Pneumonia/Influenza.....                   | 35              | 20.0                | 12.2 | ---- | 20.0    | 17.1 | ---- | 22.9     | 20.1 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 8               | 0.0                 | 4.8  | ---- | 25.0    | 9.2  | ---- | 25.0     | 13.4 | ---- |
| Transient Cerebral Ischemia.....           | 6               | 0.0                 | 1.1  | ---- | 16.7    | 2.9  | ---- | 33.3     | 5.3  | ---- |
| Stroke.....                                | 10              | 20.0                | 15.1 | ---- | 40.0    | 20.1 | ---- | 40.0     | 23.6 | ---- |
| Hip Fracture.....                          | 1               | 0.0                 | 2.6  | ---- | 0.0     | 4.7  | ---- | 0.0      | 6.9  | ---- |
| Sepsis.....                                | 0               |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0               |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# HUMPHREYS COUNTY MEMORIAL HOSPITAL

Medicare Provider Number: 250098

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.5 years  
Proportion female..... 57.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 96.8 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 51.9 %  
Admitted for emergency..... 47.6 %

### COMORBIDITIES:

Cancer..... 4.3 %  
Chronic cardiovascular disease..... 38.4 %  
Chronic liver disease..... 1.1 %  
Chronic renal disease..... 2.2 %  
Chronic pulmonary disease..... 13.5 %  
Cerebrovascular degeneration..... 2.2 %  
Diabetes mellitus..... 5.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 84.7%  
State ..... 14.7%  
Outside State ..... 0.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.2 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 28  
Occupancy Rate ..... 32.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 51.2 %  
Case Mix Index (CMI) ..... 0.9057

### STAFFING:

Total Number of Physicians..... 2  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 8  
Licensed Practical Nurses ..... 1

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# ITAWAMBA COUNTY HOSPITAL


907 OAK ST  
FULTON, MS 38843  
Medicare Provider Number: 250086

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 209             | 14.8                | 7.5  | 2.8   | 21.1    | 12.3 | 3.3   | 25.4     | 16.0 | 3.7   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 4               | 25.0                | 27.9 | ----- | 25.0    | 31.0 | ----- | 25.0     | 34.4 | ----- |
| Congestive Heart Failure.....              | 7               | 28.6                | 15.2 | ----- | 28.6    | 26.2 | ----- | 57.1     | 33.9 | ----- |
| Pneumonia/Influenza.....                   | 31              | 6.5                 | 11.9 | ----- | 25.8    | 16.9 | ----- | 29.0     | 20.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 5               | 0.0                 | 2.5  | ----- | 0.0     | 5.1  | ----- | 0.0      | 7.3  | ----- |
| Transient Cerebral Ischemia.....           | 11              | 18.2                | 1.0  | ----- | 18.2    | 2.5  | ----- | 18.2     | 4.4  | ----- |
| Stroke.....                                | 13              | 38.5                | 11.4 | ----- | 53.8    | 18.1 | ----- | 61.5     | 22.9 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 1               | 0.0                 | 5.0  | ----- | 0.0     | 8.0  | ----- | 0.0      | 9.5  | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# ITAWAMBA COUNTY HOSPITAL

Medicare Provider Number: 250086

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.9 years

Proportion female..... 60.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 97.1 %

Transferred from skilled nursing facility..... 0.0 %

Admitted for elective procedure..... 94.7 %

Admitted for emergency..... 2.9 %

### COMORBIDITIES:

Cancer..... 5.3 %

Chronic cardiovascular disease..... 28.7 %

Chronic liver disease..... 0.0 %

Chronic renal disease..... 2.4 %

Chronic pulmonary disease..... 13.4 %

Cerebrovascular degeneration..... 8.6 %

Diabetes mellitus..... 2.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 84.7%

State ..... 13.8%

Outside State ..... 1.5%

Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 9.0 Days

State ..... 7.7 Days

National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 62

Occupancy Rate ..... 22.0 %

Ownership/Control..... Private, Non-Profit

Medicare Discharges ..... 63.9 %

Case Mix Index (CMI) ..... 0.9554

### STAFFING:

Total Number of Physicians..... 4

Percent of Physicians Board  
Certified Specialists ..... 25.0 %

Medical Residents/Interns ..... 0

Registered Nurses..... 11

Licensed Practical Nurses ..... 8

### SPECIALTY SERVICES:

Burn Unit ..... No

Cardiac Intensive Care ..... No

Comprehensive Geriatric ..... No

Hospice Care ..... No

Medical/Surgical Intensive Care ..... No

Organ/Tissue Transplant ..... No

Other Intensive Care ..... No

Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No

Rehabilitation..... No

Psychiatric ..... No

Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# JASPER HEALTH CARE INSTITUTION


PO BOX 527  
BAY SPRINGS, MS 39422  
Medicare Provider Number: 250018

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 104                | 14.4                | 10.9 | 3.8   | 19.2    | 16.7 | 3.9   | 21.2     | 20.6 | 4.0   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Congestive Heart Failure.....              | 5                  | 40.0                | 12.9 | ----- | 60.0    | 22.5 | ----- | 60.0     | 29.0 | ----- |
| Pneumonia/Influenza.....                   | 28                 | 10.7                | 13.4 | ----- | 10.7    | 18.5 | ----- | 10.7     | 21.8 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 0                  |                     |      |       |         |      |       |          |      |       |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Stroke.....                                | 4                  | 25.0                | 26.4 | ----- | 25.0    | 36.0 | ----- | 25.0     | 41.0 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 1                  | 100.0               | 71.3 | ----- | 100.0   | 86.2 | ----- | 100.0    | 89.9 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# JASPER HEALTH CARE INSTITUTION

Medicare Provider Number: 250018

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.5 years  
Proportion female..... 61.5 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 59.6 %  
Transferred from skilled nursing facility..... 12.5 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 13.5 %

### COMORBIDITIES:

Cancer..... 3.8 %  
Chronic cardiovascular disease..... 31.7 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 2.9 %  
Chronic pulmonary disease..... 12.5 %  
Cerebrovascular degeneration..... 5.8 %  
Diabetes mellitus..... 12.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 72.8%  
State ..... 24.2%  
Outside State ..... 3.0%  
-----  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 9.0 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 116  
Occupancy Rate ..... 75.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 41.6 %  
Case Mix Index (CMI) ..... 1.0215

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 6  
Licensed Practical Nurses ..... 6

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# JEFF ANDERSON REGIONAL MEDICAL CENTER


2124 14 ST  
MERIDIAN, MS 39301  
Medicare Provider Number: 250104

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1837               | 7.0                 | 9.2  | 0.8   | 12.0    | 14.7 | 1.0   | 15.9     | 18.7 | 1.1   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 39                 | 38.5                | 27.5 | ----- | 43.6    | 30.8 | ----- | 46.2     | 33.6 | ----- |
| Congestive Heart Failure.....              | 83                 | 16.9                | 15.1 | 4.4   | 28.9    | 24.6 | 6.2   | 37.3     | 30.8 | 8.3   |
| Pneumonia/Influenza.....                   | 130                | 5.4                 | 14.9 | 4.6   | 16.9    | 20.6 | 3.7   | 22.3     | 24.3 | 4.0   |
| Chronic Obstructive Pulmonary Disease..... | 46                 | 0.0                 | 6.8  | ----- | 4.3     | 12.8 | ----- | 8.7      | 17.1 | ----- |
| Transient Cerebral Ischemia.....           | 31                 | 0.0                 | 1.4  | ----- | 0.0     | 3.2  | ----- | 0.0      | 5.3  | ----- |
| Stroke.....                                | 53                 | 15.1                | 18.2 | 6.9   | 28.3    | 26.0 | 6.9   | 32.1     | 30.3 | 6.6   |
| Hip Fracture.....                          | 30                 | 13.3                | 8.2  | ----- | 16.7    | 14.5 | ----- | 20.0     | 18.6 | ----- |
| Sepsis.....                                | 32                 | 31.3                | 32.7 | ----- | 37.5    | 40.7 | ----- | 40.6     | 45.3 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 21                 | 9.5                 | 3.5  | ----- | 9.5     | 4.6  | ----- | 9.5      | 5.6  | ----- |
| Coronary Artery Bypass Graft.....          | 49                 | 6.1                 | 4.9  | ----- | 6.1     | 6.9  | ----- | 6.1      | 7.9  | ----- |
| Initial Pacemaker Insertion.....           | 10                 | 0.0                 | 2.7  | ----- | 0.0     | 5.5  | ----- | 10.0     | 8.2  | ----- |
| Carotid Endarterectomy.....                | 6                  | 0.0                 | 1.1  | ----- | 0.0     | 2.2  | ----- | 0.0      | 3.2  | ----- |
| Hip Replacement/Reconstruction.....        | 15                 | 13.3                | 5.6  | ----- | 13.3    | 11.1 | ----- | 13.3     | 15.3 | ----- |
| Open Reduction of Hip Fracture.....        | 18                 | 11.1                | 8.0  | ----- | 16.7    | 14.7 | ----- | 22.2     | 19.4 | ----- |
| Prostatectomy.....                         | 30                 | 0.0                 | 1.3  | ----- | 3.3     | 2.8  | ----- | 3.3      | 4.5  | ----- |
| Cholecystectomy.....                       | 24                 | 0.0                 | 3.8  | ----- | 0.0     | 7.8  | ----- | 0.0      | 10.8 | ----- |
| Hysterectomy.....                          | 9                  | 0.0                 | 0.1  | ----- | 0.0     | 0.3  | ----- | 0.0      | 0.6  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# JEFF ANDERSON REGIONAL MEDICAL CENTER

Medicare Provider Number: 250104

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.0 years

Proportion female..... 56.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 53.4 %

Transferred from skilled nursing facility..... 1.9 %

Admitted for elective procedure..... 23.2 %

Admitted for emergency..... 21.1 %

### COMORBIDITIES:

Cancer..... 12.8 %

Chronic cardiovascular disease..... 37.5 %

Chronic liver disease..... 0.9 %

Chronic renal disease..... 3.4 %

Chronic pulmonary disease..... 34.4 %

Cerebrovascular degeneration..... 2.6 %

Diabetes mellitus..... 8.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 51.4%

State ..... 38.5%

Outside State ..... 10.1%

Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.9 Days

State ..... 7.7 Days

National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 260

Occupancy Rate ..... 55.0 %

Ownership/Control..... Private, Non-Profit

Medicare Discharges ..... 39.6 %

Case Mix Index (CMI) ..... 1.2858

### STAFFING:

Total Number of Physicians..... 88

Percent of Physicians Board  
Certified Specialists..... 86.4 %

Medical Residents/Interns ..... 0

Registered Nurses..... 198

Licensed Practical Nurses ..... 72

### SPECIALTY SERVICES:

Burn Unit ..... No

Cardiac Intensive Care ..... Yes

Comprehensive Geriatric ..... No

Hospice Care ..... No

Medical/Surgical Intensive Care..... Yes

Organ/Tissue Transplant ..... No

Other Intensive Care ..... No

Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No

Rehabilitation..... No

Psychiatric..... No

Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# JEFFERSON COUNTY HOSPITAL


809 S MAIN, BOX 577  
FAYETTE, MS 39069  
Medicare Provider Number: 250060

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 174             | 7.5                 | 4.6  | 3.0  | 12.1    | 8.1  | 4.2  | 12.1     | 11.3 | 4.3  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Congestive Heart Failure.....              | 22              | 9.1                 | 8.6  | ---- | 13.6    | 13.7 | ---- | 13.6     | 18.8 | ---- |
| Pneumonia/Influenza.....                   | 6               | 0.0                 | 10.4 | ---- | 0.0     | 14.0 | ---- | 0.0      | 16.8 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 2               | 50.0                | 3.6  | ---- | 50.0    | 7.1  | ---- | 50.0     | 9.7  | ---- |
| Transient Cerebral Ischemia.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Stroke.....                                | 5               | 40.0                | 16.5 | ---- | 60.0    | 21.9 | ---- | 60.0     | 26.4 | ---- |
| Hip Fracture.....                          | 0               |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 0               |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0               |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# JEFFERSON COUNTY HOSPITAL

Medicare Provider Number: 250060

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 70.0 years  
Proportion female..... 58.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 78.7 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 76.4 %  
Admitted for emergency..... 22.4 %

### COMORBIDITIES:

Cancer..... 2.3 %  
Chronic cardiovascular disease..... 21.3 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 1.7 %  
Chronic pulmonary disease..... 8.0 %  
Cerebrovascular degeneration..... 6.3 %  
Diabetes mellitus..... 17.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 79.2%  
State ..... 19.9%  
Outside State ..... 0.9%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.1 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 30  
Occupancy Rate ..... 46.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 57.6 %  
Case Mix Index (CMI) ..... 0.8052

### STAFFING:

Total Number of Physicians..... 2  
Percent of Physicians Board  
Certified Specialists ..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 6  
Licensed Practical Nurses ..... 5

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# JEFFERSON DAVIS COUNTY HOSPITAL


BERRY ST, DRAWER P  
PRENTISS, MS 39474  
Medicare Provider Number: 250037

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 209                | 9.1                 | 8.4  | 2.0   | 13.9    | 13.2 | 3.1   | 17.2     | 16.8 | 2.7   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 5                  | 40.0                | 32.1 | ----- | 40.0    | 35.6 | ----- | 60.0     | 38.9 | ----- |
| Congestive Heart Failure.....              | 18                 | 11.1                | 14.0 | ----- | 11.1    | 22.3 | ----- | 16.7     | 28.2 | ----- |
| Pneumonia/Influenza.....                   | 14                 | 21.4                | 20.0 | ----- | 35.7    | 27.6 | ----- | 35.7     | 31.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 8                  | 0.0                 | 5.2  | ----- | 12.5    | 10.3 | ----- | 12.5     | 14.6 | ----- |
| Transient Cerebral Ischemia.....           | 9                  | 0.0                 | 1.4  | ----- | 11.1    | 3.4  | ----- | 22.2     | 5.7  | ----- |
| Stroke.....                                | 5                  | 40.0                | 12.9 | ----- | 40.0    | 16.5 | ----- | 40.0     | 19.4 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 6                  | 16.7                | 6.9  | ----- | 16.7    | 9.3  | ----- | 16.7     | 11.8 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# JEFFERSON DAVIS COUNTY HOSPITAL

Medicare Provider Number: 250037

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.8 years  
Proportion female..... 65.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 99.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 99.0 %

### COMORBIDITIES:

Cancer..... 4.8 %  
Chronic cardiovascular disease..... 19.1 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 2.4 %  
Chronic pulmonary disease..... 17.7 %  
Cerebrovascular degeneration..... 1.4 %  
Diabetes mellitus..... 7.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 82.1 %  
State ..... 17.1 %  
Outside State ..... 0.8 %  
Total ..... 100.0 %

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.4 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 101  
Occupancy Rate ..... 69.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 49.8 %  
Case Mix Index (CMI) ..... 0.8975

### STAFFING:

Total Number of Physicians..... 10  
Percent of Physicians Board  
Certified Specialists..... 20.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 10  
Licensed Practical Nurses ..... 11

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# JEFFERSON DAVIS MEMORIAL HOSPITAL


PO BOX 1488  
NATCHEZ, MS 39120  
Medicare Provider Number: 250084

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1073            | 12.5                | 10.1 | 1.3   | 18.1    | 15.1 | 1.5   | 21.5     | 18.7 | 1.5   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 49              | 36.7                | 24.9 | ----- | 40.8    | 27.4 | ----- | 40.8     | 30.0 | ----- |
| Congestive Heart Failure.....              | 59              | 22.0                | 13.6 | 9.0   | 30.5    | 22.0 | 11.3  | 35.6     | 27.8 | 10.5  |
| Pneumonia/Influenza.....                   | 53              | 20.8                | 16.7 | 5.6   | 24.5    | 22.3 | 6.1   | 26.4     | 25.7 | 6.4   |
| Chronic Obstructive Pulmonary Disease..... | 10              | 30.0                | 6.3  | ----- | 30.0    | 11.4 | ----- | 30.0     | 15.4 | ----- |
| Transient Cerebral Ischemia.....           | 8               | 0.0                 | 1.2  | ----- | 0.0     | 2.7  | ----- | 0.0      | 4.5  | ----- |
| Stroke.....                                | 44              | 25.0                | 20.1 | ----- | 29.5    | 25.7 | ----- | 38.6     | 29.4 | ----- |
| Hip Fracture.....                          | 21              | 14.3                | 6.1  | ----- | 19.0    | 10.5 | ----- | 19.0     | 13.5 | ----- |
| Sepsis.....                                | 21              | 28.6                | 27.2 | ----- | 38.1    | 35.5 | ----- | 42.9     | 41.1 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 16              | 0.0                 | 3.4  | ----- | 0.0     | 6.0  | ----- | 6.3      | 8.2  | ----- |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 13              | 15.4                | 3.9  | ----- | 23.1    | 7.3  | ----- | 23.1     | 9.5  | ----- |
| Open Reduction of Hip Fracture.....        | 12              | 8.3                 | 3.7  | ----- | 8.3     | 6.9  | ----- | 8.3      | 9.2  | ----- |
| Prostatectomy.....                         | 43              | 0.0                 | 0.8  | ----- | 2.3     | 1.9  | ----- | 4.7      | 3.2  | ----- |
| Cholecystectomy.....                       | 25              | 4.0                 | 4.2  | ----- | 12.0    | 9.0  | ----- | 20.0     | 12.7 | ----- |
| Hysterectomy.....                          | 6               | 16.7                | 0.8  | ----- | 16.7    | 1.2  | ----- | 16.7     | 1.6  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# JEFFERSON DAVIS MEMORIAL HOSPITAL

Medicare Provider Number: 250084

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.8 years  
Proportion female..... 54.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 80.6 %  
Transferred from skilled nursing facility..... 3.0 %  
Admitted for elective procedure..... 5.5 %  
Admitted for emergency..... 93.9 %

### COMORBIDITIES:

Cancer..... 6.6 %  
Chronic cardiovascular disease..... 30.8 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 6.5 %  
Chronic pulmonary disease..... 10.3 %  
Cerebrovascular degeneration..... 4.0 %  
Diabetes mellitus..... 7.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 60.7%  
State ..... 18.0%  
Outside State ..... 21.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.3 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 205  
Occupancy Rate ..... 41.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 57.0 %  
Case Mix Index (CMI) ..... 1.2016

### STAFFING:

Total Number of Physicians..... 64  
Percent of Physicians Board  
Certified Specialists ..... 68.8 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 142  
Licensed Practical Nurses ..... 11

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... Yes  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# JONES COUNTY COMMUNITY HOSPITAL


1220 JEFFERSON ST, BOX 607  
LAUREL, MS 39440  
Medicare Provider Number: 250058

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 2724            | 8.4                 | 8.9  | 0.6   | 12.4    | 13.3 | 0.9   | 15.2     | 16.5 | 1.0   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 77              | 26.0                | 31.7 | 7.3   | 31.2    | 34.7 | 6.4   | 33.8     | 37.8 | 6.5   |
| Congestive Heart Failure.....              | 169             | 17.8                | 15.5 | 4.2   | 24.3    | 24.7 | 3.7   | 29.6     | 30.9 | 3.6   |
| Pneumonia/Influenza.....                   | 159             | 12.6                | 13.9 | 3.2   | 15.7    | 19.5 | 4.7   | 18.9     | 23.1 | 5.5   |
| Chronic Obstructive Pulmonary Disease..... | 73              | 12.3                | 9.8  | 4.2   | 16.4    | 17.1 | 4.7   | 19.2     | 22.0 | 5.6   |
| Transient Cerebral Ischemia.....           | 63              | 1.6                 | 1.6  | 1.7   | 3.2     | 3.6  | 2.4   | 4.8      | 5.9  | 3.1   |
| Stroke.....                                | 121             | 22.3                | 19.5 | 6.5   | 30.6    | 26.0 | 6.9   | 33.9     | 29.7 | 6.0   |
| Hip Fracture.....                          | 55              | 3.6                 | 5.8  | 3.9   | 9.1     | 10.1 | 5.0   | 12.7     | 13.1 | 5.0   |
| Sepsis.....                                | 27              | 22.2                | 26.3 | ----- | 22.2    | 32.5 | ----- | 22.2     | 37.2 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 48              | 2.1                 | 3.7  | ----- | 2.1     | 7.5  | ----- | 8.3      | 11.0 | ----- |
| Carotid Endarterectomy.....                | 1               | 0.0                 | 1.4  | ----- | 0.0     | 2.8  | ----- | 0.0      | 4.6  | ----- |
| Hip Replacement/Reconstruction.....        | 28              | 3.6                 | 4.8  | ----- | 7.1     | 8.9  | ----- | 10.7     | 11.5 | ----- |
| Open Reduction of Hip Fracture.....        | 15              | 0.0                 | 5.9  | ----- | 13.3    | 11.0 | ----- | 13.3     | 14.5 | ----- |
| Prostatectomy.....                         | 57              | 0.0                 | 1.0  | ----- | 0.0     | 2.3  | ----- | 0.0      | 3.9  | ----- |
| Cholecystectomy.....                       | 63              | 0.0                 | 2.5  | 3.0   | 1.6     | 4.2  | 4.2   | 1.6      | 5.3  | 4.6   |
| Hysterectomy.....                          | 12              | 8.3                 | 1.3  | ----- | 8.3     | 2.7  | ----- | 8.3      | 3.7  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# JONES COUNTY COMMUNITY HOSPITAL

Medicare Provider Number: 250058

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.3 years  
Proportion female..... 55.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 33.0 %  
Transferred from skilled nursing facility..... 2.9 %  
Admitted for elective procedure..... 3.9 %  
Admitted for emergency..... 36.0 %

### COMORBIDITIES:

Cancer..... 5.2 %  
Chronic cardiovascular disease..... 38.3 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 1.9 %  
Chronic pulmonary disease..... 13.7 %  
Cerebrovascular degeneration..... 2.9 %  
Diabetes mellitus..... 9.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 73.2%  
State ..... 25.4%  
Outside State ..... 1.4%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.5 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1985

### PROFILE:

Total Beds ..... 275  
Ownership/Control..... Local Government  
Case Mix Index (CMI) ..... 1.1021

### STAFFING:

Medical Residents/Interns ..... 0  
Registered Nurses..... 195  
Licensed Practical Nurses ..... 128

### SPECIALTY SERVICES:

Burn Unit ..... No  
Coronary Care Unit ..... Yes  
Hospice Care ..... Yes  
Intensive Care Unit ..... Yes  
Organ Transplant ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... Yes  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates



# KEMPER COMMUNITY HOSPITAL


PO BOX 246  
DEKALB, MS 39328  
Medicare Provider Number: 250076

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 122                | 18.0                | 11.1 | 6.3   | 21.3    | 17.2 | 4.9   | 22.1     | 21.4 | 4.4   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 1                  | 0.0                 | 26.5 | ----- | 0.0     | 29.5 | ----- | 0.0      | 33.6 | ----- |
| Congestive Heart Failure.....              | 7                  | 57.1                | 16.0 | ----- | 57.1    | 26.9 | ----- | 57.1     | 34.4 | ----- |
| Pneumonia/Influenza.....                   | 17                 | 29.4                | 21.1 | ----- | 35.3    | 29.2 | ----- | 41.2     | 34.0 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 5                  | 0.0                 | 6.8  | ----- | 20.0    | 13.1 | ----- | 20.0     | 17.9 | ----- |
| Transient Cerebral Ischemia.....           | 1                  | 0.0                 | 2.0  | ----- | 0.0     | 4.9  | ----- | 0.0      | 8.3  | ----- |
| Stroke.....                                | 4                  | 75.0                | 25.6 | ----- | 75.0    | 33.0 | ----- | 75.0     | 37.0 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# KEMPER COMMUNITY HOSPITAL

Medicare Provider Number: 250076

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 79.3 years

Proportion female..... 56.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 23.8 %

Transferred from skilled nursing facility..... 9.8 %

Admitted for elective procedure..... 0.0 %

Admitted for emergency..... 79.5 %

### COMORBIDITIES:

Cancer..... 6.6 %

Chronic cardiovascular disease..... 23.8 %

Chronic liver disease..... 0.8 %

Chronic renal disease..... 2.5 %

Chronic pulmonary disease..... 25.4 %

Cerebrovascular degeneration..... 0.8 %

Diabetes mellitus..... 6.6 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 86.3%

State ..... 12.2%

Outside State ..... 1.5%

Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.7 Days

State ..... 7.7 Days

National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 35

Occupancy Rate ..... 36.0 %

Ownership/Control..... Local Government

Medicare Discharges .....(Not Available)

Case Mix Index (CMI) ..... 0.9618

### STAFFING:

Total Number of Physicians..... 2

Percent of Physicians Board  
Certified Specialists .....(Not Available)

Medical Residents/Interns ..... 0

Registered Nurses..... 12

Licensed Practical Nurses ..... 3

### SPECIALTY SERVICES:

Burn Unit ..... No

Cardiac Intensive Care ..... No

Comprehensive Geriatric ..... Yes

Hospice Care ..... No

Medical/Surgical Intensive Care ..... No

Organ/Tissue Transplant ..... No

Other Intensive Care ..... No

Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No

Rehabilitation..... No

Psychiatric ..... No

Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# KILMICHAEL HOSPITAL


LAMAR ST, BOX 188  
KILMICHAEL, MS 39747  
Medicare Provider Number: 250051

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 165                | 9.7                 | 9.3  | 3.0   | 14.5    | 13.5 | 3.6   | 16.4     | 16.9 | 3.7   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 6                  | 66.7                | 37.7 | ----- | 66.7    | 43.5 | ----- | 66.7     | 47.7 | ----- |
| Congestive Heart Failure.....              | 10                 | 20.0                | 27.3 | ----- | 30.0    | 33.8 | ----- | 30.0     | 39.5 | ----- |
| Pneumonia/Influenza.....                   | 18                 | 5.6                 | 11.9 | ----- | 16.7    | 16.1 | ----- | 22.2     | 19.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 5                  | 0.0                 | 6.5  | ----- | 0.0     | 12.0 | ----- | 0.0      | 16.6 | ----- |
| Transient Cerebral Ischemia.....           | 2                  | 0.0                 | 2.0  | ----- | 0.0     | 4.4  | ----- | 0.0      | 6.6  | ----- |
| Stroke.....                                | 20                 | 15.0                | 16.3 | ----- | 30.0    | 22.1 | ----- | 30.0     | 25.9 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) Is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





**KILMICHAEL HOSPITAL**  
Medicare Provider Number: 250051

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

**DEMOGRAPHICS:**

Average age at admission..... 74.8 years  
Proportion female..... 52.1 %

**ADMISSION SOURCES/TYPES:**

Referred by personal or HMO physician..... 98.8 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 1.2 %  
Admitted for emergency..... 0.6 %

**COMORBIDITIES:**

Cancer..... 3.6 %  
Chronic cardiovascular disease..... 45.5 %  
Chronic liver disease..... 1.2 %  
Chronic renal disease..... 1.8 %  
Chronic pulmonary disease..... 18.8 %  
Cerebrovascular degeneration..... 9.1 %  
Diabetes mellitus..... 10.3 %

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

**ORIGIN OF MEDICARE PATIENT ADMISSION:**

County/City..... 75.5%  
State..... 24.5%  
Outside State..... 0.0%  
Total..... 100.0%

**MEDICARE AVERAGE LENGTH OF STAY:**

Hospital..... 6.2 Days  
State..... 7.7 Days  
National..... 8.6 Days

**HOSPITAL CHARACTERISTICS\***

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

**PROFILE:**

Total Beds..... 19  
Occupancy Rate..... 52.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 54.9 %  
Case Mix Index (CMI)..... 0.9186

**STAFFING:**

Total Number of Physicians..... 2  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 5  
Licensed Practical Nurses..... 5

**SPECIALTY SERVICES:**

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

**OTHER SPECIALTY/HOSPITAL-BASED SERVICES:**

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# KINGS DAUGHTERS HOSPITAL


HIGHWAY 51 N, BOX 984  
BROOKHAVEN, MS 39601  
Medicare Provider Number: 250057

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1029            | 11.5                | 9.4  | 1.7   | 15.6    | 13.9 | 1.7   | 18.9     | 17.3 | 1.6   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 37              | 40.5                | 28.7 | ----- | 43.2    | 31.7 | ----- | 43.2     | 34.7 | ----- |
| Congestive Heart Failure.....              | 70              | 22.9                | 12.0 | 5.2   | 34.3    | 19.3 | 7.7   | 42.9     | 24.7 | 8.0   |
| Pneumonia/Influenza.....                   | 68              | 22.1                | 14.2 | 8.6   | 29.4    | 19.8 | 10.1  | 32.4     | 23.5 | 9.4   |
| Chronic Obstructive Pulmonary Disease..... | 11              | 9.1                 | 10.5 | ----- | 9.1     | 17.1 | ----- | 9.1      | 22.3 | ----- |
| Transient Cerebral Ischemia.....           | 23              | 4.3                 | 1.5  | ----- | 4.3     | 3.4  | ----- | 8.7      | 5.6  | ----- |
| Stroke.....                                | 45              | 13.3                | 17.8 | ----- | 15.6    | 23.4 | ----- | 22.2     | 26.8 | ----- |
| Hip Fracture.....                          | 30              | 10.0                | 6.8  | ----- | 13.3    | 11.9 | ----- | 13.3     | 15.6 | ----- |
| Sepsis.....                                | 22              | 40.9                | 30.9 | ----- | 50.0    | 39.5 | ----- | 54.5     | 43.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 10              | 0.0                 | 2.1  | ----- | 0.0     | 4.4  | ----- | 0.0      | 6.7  | ----- |
| Carotid Endarterectomy.....                | 2               | 0.0                 | 1.2  | ----- | 0.0     | 2.3  | ----- | 0.0      | 3.4  | ----- |
| Hip Replacement/Reconstruction.....        | 19              | 15.8                | 4.4  | ----- | 15.8    | 8.0  | ----- | 15.8     | 10.6 | ----- |
| Open Reduction of Hip Fracture.....        | 13              | 0.0                 | 7.2  | ----- | 7.7     | 13.2 | ----- | 7.7      | 17.7 | ----- |
| Prostatectomy.....                         | 33              | 0.0                 | 0.8  | ----- | 0.0     | 1.8  | ----- | 0.0      | 3.1  | ----- |
| Cholecystectomy.....                       | 17              | 0.0                 | 1.5  | ----- | 0.0     | 2.9  | ----- | 0.0      | 4.1  | ----- |
| Hysterectomy.....                          | 7               | 0.0                 | 1.4  | ----- | 14.3    | 3.1  | ----- | 14.3     | 4.5  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# KINGS DAUGHTERS HOSPITAL

Medicare Provider Number: 250057

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.8 years  
Proportion female..... 58.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 41.1 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 6.5 %  
Admitted for emergency..... 58.8 %

### COMORBIDITIES:

Cancer..... 4.0 %  
Chronic cardiovascular disease..... 35.1 %  
Chronic liver disease..... 1.1 %  
Chronic renal disease..... 4.9 %  
Chronic pulmonary disease..... 17.5 %  
Cerebrovascular degeneration..... 3.7 %  
Diabetes mellitus..... 10.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 69.8%  
State ..... 28.6%  
Outside State ..... 1.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.3 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 115  
Occupancy Rate ..... 50.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 44.1 %  
Case Mix Index (CMI) ..... 1.1239

### STAFFING:

Total Number of Physicians..... 33  
Percent of Physicians Board  
Certified Specialists..... 57.6 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 72  
Licensed Practical Nurses..... 41

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... Yes  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used In calculating mortality rates



# KINGS DAUGHTERS HOSPITAL


823 GRAND AVENUE  
YAZOO CITY, MS 39194  
Medicare Provider Number: 250119

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 724             | 11.5                | 9.0  | 1.4   | 16.0    | 14.1 | 1.5   | 19.9     | 18.0 | 1.6   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 21              | 57.1                | 28.4 | ----- | 61.9    | 31.8 | ----- | 61.9     | 35.3 | ----- |
| Congestive Heart Failure.....              | 41              | 22.0                | 14.3 | ----- | 29.3    | 23.2 | ----- | 31.7     | 29.4 | ----- |
| Pneumonia/Influenza.....                   | 92              | 15.2                | 13.0 | 4.4   | 19.6    | 18.6 | 4.4   | 23.9     | 22.4 | 4.6   |
| Chronic Obstructive Pulmonary Disease..... | 9               | 0.0                 | 6.7  | ----- | 0.0     | 12.4 | ----- | 11.1     | 16.4 | ----- |
| Transient Cerebral Ischemia.....           | 10              | 0.0                 | 2.3  | ----- | 0.0     | 5.7  | ----- | 0.0      | 9.7  | ----- |
| Stroke.....                                | 22              | 9.1                 | 17.5 | ----- | 27.3    | 24.7 | ----- | 31.8     | 29.6 | ----- |
| Hip Fracture.....                          | 6               | 0.0                 | 7.5  | ----- | 0.0     | 12.1 | ----- | 0.0      | 15.5 | ----- |
| Sepsis.....                                | 7               | 14.3                | 17.9 | ----- | 14.3    | 24.7 | ----- | 14.3     | 29.5 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 1               | 0.0                 | 7.8  | ----- | 0.0     | 12.1 | ----- | 0.0      | 15.6 | ----- |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# KINGS DAUGHTERS HOSPITAL

Medicare Provider Number: 250119

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.4 years  
Proportion female..... 62.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 63.4 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.1 %  
Admitted for emergency..... 0.7 %

### COMORBIDITIES:

Cancer..... 5.4 %  
Chronic cardiovascular disease..... 30.1 %  
Chronic liver disease..... 0.1 %  
Chronic renal disease..... 4.0 %  
Chronic pulmonary disease..... 23.2 %  
Cerebrovascular degeneration..... 7.0 %  
Diabetes mellitus..... 6.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 91.7%  
State ..... 7.1%  
Outside State ..... 1.2%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.2 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 58  
Occupancy Rate ..... 75.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 55.8 %  
Case Mix Index (CMI) ..... 0.9600

### STAFFING:

Total Number of Physicians..... 12  
Percent of Physicians Board  
Certified Specialists ..... 66.7 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 18  
Licensed Practical Nurses ..... 35

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# KINGS DAUGHTERS HOSPITAL


339 ARNOLD AVE  
GREENVILLE, MS 38701  
Medicare Provider Number: 250120

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 574             | 6.4                 | 5.6  | 1.8   | 11.1    | 9.1  | 2.3   | 13.6     | 11.9 | 2.5   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 15              | 0.0                 | 13.6 | ----- | 0.0     | 16.9 | ----- | 0.0      | 19.6 | ----- |
| Congestive Heart Failure.....              | 21              | 9.5                 | 10.2 | ----- | 19.0    | 16.8 | ----- | 28.6     | 22.4 | ----- |
| Pneumonia/Influenza.....                   | 45              | 11.1                | 11.2 | ----- | 15.6    | 15.9 | ----- | 15.6     | 19.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 10              | 0.0                 | 5.0  | ----- | 0.0     | 9.3  | ----- | 0.0      | 13.0 | ----- |
| Transient Cerebral Ischemia.....           | 10              | 0.0                 | 1.4  | ----- | 0.0     | 3.6  | ----- | 0.0      | 6.5  | ----- |
| Stroke.....                                | 20              | 20.0                | 11.0 | ----- | 25.0    | 17.5 | ----- | 25.0     | 21.6 | ----- |
| Hip Fracture.....                          | 24              | 0.0                 | 3.4  | ----- | 4.2     | 6.3  | ----- | 12.5     | 8.8  | ----- |
| Sepsis.....                                | 9               | 44.4                | 24.1 | ----- | 77.8    | 32.2 | ----- | 77.8     | 37.9 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 10              | 0.0                 | 2.7  | ----- | 0.0     | 5.3  | ----- | 0.0      | 7.6  | ----- |
| Open Reduction of Hip Fracture.....        | 15              | 0.0                 | 3.1  | ----- | 6.7     | 5.9  | ----- | 20.0     | 8.3  | ----- |
| Prostatectomy.....                         | 23              | 4.3                 | 0.5  | ----- | 8.7     | 1.3  | ----- | 8.7      | 2.3  | ----- |
| Cholecystectomy.....                       | 9               | 0.0                 | 0.7  | ----- | 0.0     | 1.2  | ----- | 0.0      | 1.6  | ----- |
| Hysterectomy.....                          | 8               | 0.0                 | 0.8  | ----- | 0.0     | 1.6  | ----- | 0.0      | 2.6  | ----- |

\* The Standard Deviation (SD) Is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# KINGS DAUGHTERS HOSPITAL

Medicare Provider Number: 250120

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.3 years

Proportion female..... 62.9 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 93.0 %

Transferred from skilled nursing facility..... 0.0 %

Admitted for elective procedure..... 97.2 %

Admitted for emergency..... 1.4 %

### COMORBIDITIES:

Cancer..... 5.6 %

Chronic cardiovascular disease..... 30.5 %

Chronic liver disease..... 0.2 %

Chronic renal disease..... 0.9 %

Chronic pulmonary disease..... 13.1 %

Cerebrovascular degeneration..... 1.4 %

Diabetes mellitus..... 8.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 82.9%

State..... 11.7%

Outside State..... 5.4%

Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 7.8 Days

State..... 7.7 Days

National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 137

Occupancy Rate..... 35.0 %

Ownership/Control..... Private, Non-Profit

Medicare Discharges..... 23.2 %

Case Mix Index (CMI)..... 1.0699

### STAFFING:

Total Number of Physicians..... 54

Percent of Physicians Board  
Certified Specialists..... 51.9 %

Medical Residents/Interns..... 0

Registered Nurses..... 58

Licensed Practical Nurses..... 36

### SPECIALTY SERVICES:

Burn Unit..... No

Cardiac Intensive Care..... No

Comprehensive Geriatric..... No

Hospice Care..... No

Medical/Surgical Intensive Care..... Yes

Organ/Tissue Transplant..... No

Other Intensive Care..... No

Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No

Rehabilitation..... No

Psychiatric..... No

Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates


**LAIRD HOSPITAL**  
108 HIGHWAY 15 BYPASS N  
UNION, MS 39365  
Medicare Provider Number: 250033

**FY 1990 MEDICARE HOSPITAL MORTALITY RATES**

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 598                | 5.2                 | 7.8  | 1.5  | 8.4     | 12.5 | 1.9  | 12.2     | 15.9 | 2.2  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 8                  | 0.0                 | 30.3 | ---- | 0.0     | 34.0 | ---- | 0.0      | 37.4 | ---- |
| Congestive Heart Failure.....              | 25                 | 16.0                | 14.0 | ---- | 20.0    | 22.8 | ---- | 20.0     | 29.3 | ---- |
| Pneumonia/Influenza.....                   | 31                 | 3.2                 | 12.1 | ---- | 6.5     | 17.5 | ---- | 22.6     | 20.9 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 20                 | 0.0                 | 4.1  | ---- | 0.0     | 7.9  | ---- | 0.0      | 11.4 | ---- |
| Transient Cerebral ischemia.....           | 14                 | 0.0                 | 2.1  | ---- | 7.1     | 4.6  | ---- | 14.3     | 7.3  | ---- |
| Stroke.....                                | 16                 | 18.8                | 20.9 | ---- | 18.8    | 29.4 | ---- | 31.3     | 34.2 | ---- |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 13                 | 15.4                | 28.1 | ---- | 38.5    | 36.1 | ---- | 46.2     | 41.3 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 2                  | 0.0                 | 8.5  | ---- | 0.0     | 16.6 | ---- | 0.0      | 23.3 | ---- |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 5                  | 0.0                 | 3.9  | ---- | 0.0     | 8.7  | ---- | 20.0     | 13.4 | ---- |
| Hysterectomy.....                          | 1                  | 0.0                 | 0.2  | ---- | 0.0     | 0.5  | ---- | 0.0      | 0.8  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

**OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD)  
FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES**



**LAIRD HOSPITAL**  
Medicare Provider Number: 250033

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

**DEMOGRAPHICS:**

Average age at admission..... 72.8 years  
Proportion female..... 60.9 %

**ADMISSION SOURCES/TYPES:**

Referred by personal or HMO physician..... 68.6 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.2 %  
Admitted for emergency..... 30.3 %

**COMORBIDITIES:**

Cancer..... 5.2 %  
Chronic cardiovascular disease..... 37.0 %  
Chronic liver disease..... 0.3 %  
Chronic renal disease..... 3.5 %  
Chronic pulmonary disease..... 19.6 %  
Cerebrovascular degeneration..... 2.2 %  
Diabetes mellitus..... 10.0 %

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

**ORIGIN OF MEDICARE PATIENT ADMISSION:**

County/City ..... 45.2%  
State ..... 54.0%  
Outside State ..... 0.8%  
-----  
Total ..... 100.0%

**MEDICARE AVERAGE LENGTH OF STAY:**

Hospital ..... 6.2 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

**HOSPITAL CHARACTERISTICS\***

**SOURCE:** AHA Annual Survey of Hospitals\*\* - Survey Year 1990

**PROFILE:**

Total Beds ..... 50  
Occupancy Rate ..... 81.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges ..... 4.0 %  
Case Mix Index (CMI) ..... 0.9996

**STAFFING:**

Total Number of Physicians..... 16  
Percent of Physicians Board  
Certified Specialists..... 31.3 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 86  
Licensed Practical Nurses..... 28

**SPECIALTY SERVICES:**

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

**OTHER SPECIALTY/HOSPITAL-BASED SERVICES:**

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# LAWRENCE COUNTY HOSPITAL


HIGHWAY 84 E  
MONTICELLO, MS 39654  
Medicare Provider Number: 250063

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 411                | 5.8                 | 7.4  | 1.7  | 8.8     | 12.0 | 2.6  | 12.7     | 15.4 | 2.7  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 3                  | 66.7                | 53.3 | ---- | 66.7    | 59.1 | ---- | 66.7     | 64.8 | ---- |
| Congestive Heart Failure.....              | 24                 | 12.5                | 14.8 | ---- | 16.7    | 23.4 | ---- | 20.8     | 29.5 | ---- |
| Pneumonia/Influenza.....                   | 26                 | 3.8                 | 14.1 | ---- | 7.7     | 19.4 | ---- | 11.5     | 22.7 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 11                 | 0.0                 | 3.3  | ---- | 0.0     | 6.7  | ---- | 0.0      | 9.8  | ---- |
| Transient Cerebral Ischemia.....           | 4                  | 0.0                 | 2.5  | ---- | 0.0     | 6.3  | ---- | 0.0      | 11.1 | ---- |
| Stroke.....                                | 10                 | 20.0                | 18.2 | ---- | 30.0    | 25.5 | ---- | 30.0     | 30.0 | ---- |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 4                  | 0.0                 | 18.6 | ---- | 0.0     | 24.0 | ---- | 0.0      | 28.3 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0                  |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# LAWRENCE COUNTY HOSPITAL

Medicare Provider Number: 250063

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.6 years  
Proportion female..... 59.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 64.2 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 1.0 %

### COMORBIDITIES:

Cancer..... 3.6 %  
Chronic cardiovascular disease..... 32.1 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 8.8 %  
Chronic pulmonary disease..... 28.0 %  
Cerebrovascular degeneration..... 2.9 %  
Diabetes mellitus..... 8.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 84.5%  
State..... 14.2%  
Outside State..... 1.3%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 7.5 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 53  
Occupancy Rate..... 49.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 56.6 %  
Case Mix Index (CMI)..... 0.8514

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 9  
Licensed Practical Nurses..... 13

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... Yes  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# LEAKE MEMORIAL HOSPITAL


310 ELLIS ST  
CARTHAGE, MS 39051  
Medicare Provider Number: 250030

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 227                | 17.2                | 12.2 | 2.7   | 19.8    | 18.0 | 3.2   | 22.9     | 22.0 | 3.7   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 10                 | 30.0                | 28.5 | ----- | 30.0    | 31.3 | ----- | 40.0     | 34.8 | ----- |
| Congestive Heart Failure.....              | 34                 | 35.3                | 17.8 | ----- | 44.1    | 27.8 | ----- | 44.1     | 34.2 | ----- |
| Pneumonia/Influenza.....                   | 19                 | 10.5                | 15.3 | ----- | 10.5    | 20.8 | ----- | 21.1     | 24.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 5                  | 0.0                 | 3.4  | ----- | 0.0     | 6.8  | ----- | 0.0      | 10.0 | ----- |
| Transient Cerebral Ischemia.....           | 2                  | 0.0                 | 5.8  | ----- | 0.0     | 12.3 | ----- | 0.0      | 17.5 | ----- |
| Stroke.....                                | 14                 | 64.3                | 24.2 | ----- | 64.3    | 31.6 | ----- | 71.4     | 36.1 | ----- |
| Hip Fracture.....                          | 1                  | 0.0                 | 2.1  | ----- | 0.0     | 4.2  | ----- | 0.0      | 6.8  | ----- |
| Sepsis.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# LEAKE MEMORIAL HOSPITAL

Medicare Provider Number: 250030

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 78.7 years  
Proportion female..... 58.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 32.2 %  
Transferred from skilled nursing facility..... 11.9 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 8.4 %

### COMORBIDITIES:

Cancer..... 4.0 %  
Chronic cardiovascular disease..... 38.3 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 4.0 %  
Chronic pulmonary disease..... 10.6 %  
Cerebrovascular degeneration..... 4.0 %  
Diabetes mellitus..... 7.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 87.1%  
State ..... 12.0%  
Outside State ..... 0.9%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.6 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 72  
Occupancy Rate ..... 73.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 60.7 %  
Case Mix Index (CMI) ..... 0.9210

### STAFFING:

Total Number of Physicians..... 5  
Percent of Physicians Board  
Certified Specialists ..... 40.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 11  
Licensed Practical Nurses ..... 4

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# LUCIUS OLEN CROSBY MEMORIAL HOSPITAL


801 GOODYEAR BLVD  
PICAYUNE, MS 39466  
Medicare Provider Number: 250117

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 705             | 11.6                | 11.4 | 1.2   | 16.7    | 16.8 | 1.6   | 18.9     | 20.5 | 2.1   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 20              | 30.0                | 35.8 | ----- | 40.0    | 38.8 | ----- | 45.0     | 41.6 | ----- |
| Congestive Heart Failure.....              | 47              | 17.0                | 15.3 | ----- | 27.7    | 24.3 | ----- | 34.0     | 30.9 | ----- |
| Pneumonia/Influenza.....                   | 61              | 16.4                | 16.6 | 4.8   | 21.3    | 23.0 | 5.7   | 26.2     | 27.1 | 6.2   |
| Chronic Obstructive Pulmonary Disease..... | 21              | 14.3                | 11.1 | ----- | 19.0    | 19.1 | ----- | 19.0     | 24.4 | ----- |
| Transient Cerebral Ischemia.....           | 18              | 0.0                 | 1.9  | ----- | 5.6     | 4.2  | ----- | 5.6      | 6.8  | ----- |
| Stroke.....                                | 13              | 23.1                | 18.9 | ----- | 30.8    | 27.3 | ----- | 38.5     | 31.4 | ----- |
| Hip Fracture.....                          | 1               | 0.0                 | 6.6  | ----- | 0.0     | 10.6 | ----- | 0.0      | 14.9 | ----- |
| Sepsis.....                                | 16              | 37.5                | 23.4 | ----- | 43.8    | 34.8 | ----- | 50.0     | 40.8 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 3               | 0.0                 | 1.2  | ----- | 0.0     | 2.3  | ----- | 0.0      | 3.5  | ----- |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 10              | 0.0                 | 0.9  | ----- | 0.0     | 2.3  | ----- | 0.0      | 4.1  | ----- |
| Cholecystectomy.....                       | 5               | 0.0                 | 3.3  | ----- | 0.0     | 5.9  | ----- | 0.0      | 7.5  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# LUCIUS OLEN CROSBY MEMORIAL HOSPITAL

Medicare Provider Number: 250117

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.0 years  
Proportion female..... 59.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 30.2 %  
Transferred from skilled nursing facility..... 6.4 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 68.7 %

### COMORBIDITIES:

Cancer..... 6.1 %  
Chronic cardiovascular disease..... 32.3 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 1.8 %  
Chronic pulmonary disease..... 17.7 %  
Cerebrovascular degeneration..... 2.4 %  
Diabetes mellitus..... 10.6 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 89.9%  
State ..... 5.5%  
Outside State ..... 4.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.7 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 95  
Occupancy Rate ..... 51.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 39.8 %  
Case Mix Index (CMI) ..... 1.0769

### STAFFING:

Total Number of Physicians..... 18  
Percent of Physicians Board  
Certified Specialists..... 72.2 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 38  
Licensed Practical Nurses ..... 37

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# LUMBERTON CITIZENS HOSPITAL


PO BOX 193  
LUMBERTON, MS 39455  
Medicare Provider Number: 250140

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 139                | 7.9                 | 9.8  | 2.9   | 10.1    | 14.1 | 3.3   | 13.7     | 17.3 | 3.4   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 5                  | 40.0                | 36.8 | ----- | 40.0    | 39.3 | ----- | 40.0     | 42.8 | ----- |
| Congestive Heart Failure.....              | 6                  | 16.7                | 14.5 | ----- | 16.7    | 23.1 | ----- | 33.3     | 30.0 | ----- |
| Pneumonia/Influenza.....                   | 14                 | 7.1                 | 11.9 | ----- | 7.1     | 16.1 | ----- | 7.1      | 18.8 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 4                  | 0.0                 | 12.5 | ----- | 0.0     | 20.2 | ----- | 0.0      | 25.1 | ----- |
| Transient Cerebral Ischemia.....           | 3                  | 0.0                 | 1.0  | ----- | 0.0     | 2.5  | ----- | 0.0      | 4.3  | ----- |
| Stroke.....                                | 7                  | 14.3                | 29.2 | ----- | 14.3    | 37.8 | ----- | 28.6     | 43.2 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# LUMBERTON CITIZENS HOSPITAL

Medicare Provider Number: 250140

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.2 years  
Proportion female..... 53.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 0.0 %  
Transferred from skilled nursing facility..... 5.8 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 48.2 %

### COMORBIDITIES:

Cancer..... 2.2 %  
Chronic cardiovascular disease..... 33.8 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 2.2 %  
Chronic pulmonary disease..... 5.8 %  
Cerebrovascular degeneration..... 1.4 %  
Diabetes mellitus..... 0.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 79.4%  
State ..... 20.3%  
Outside State ..... 0.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.5 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 23  
Occupancy Rate ..... 34.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 61.6 %  
Case Mix Index (CMI) ..... 0.8162

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists..... 66.7 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 9  
Licensed Practical Nurses..... 5

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MADISON GENERAL HOSPITAL


HWY 16 E, BOX 281  
CANTON, MS 39046  
Medicare Provider Number: 250038

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 360             | 11.9                | 10.4 | 2.5   | 16.7    | 15.4 | 2.7   | 19.7     | 19.1 | 3.0   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 11              | 18.2                | 25.3 | ----- | 18.2    | 28.7 | ----- | 18.2     | 31.7 | ----- |
| Congestive Heart Failure.....              | 25              | 12.0                | 12.8 | ----- | 24.0    | 20.3 | ----- | 24.0     | 26.2 | ----- |
| Pneumonia/Influenza.....                   | 20              | 10.0                | 16.8 | ----- | 15.0    | 22.5 | ----- | 25.0     | 26.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 3               | 33.3                | 13.2 | ----- | 33.3    | 22.4 | ----- | 66.7     | 27.1 | ----- |
| Transient Cerebral Ischemia.....           | 8               | 0.0                 | 1.3  | ----- | 0.0     | 3.1  | ----- | 0.0      | 5.0  | ----- |
| Stroke.....                                | 12              | 16.7                | 18.6 | ----- | 25.0    | 23.3 | ----- | 33.3     | 27.0 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 18              | 16.7                | 24.4 | ----- | 38.9    | 29.4 | ----- | 38.9     | 34.1 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 1               | 100.0               | 25.9 | ----- | 100.0   | 47.0 | ----- | 100.0    | 58.1 | ----- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.1  | ----- | 0.0     | 0.2  | ----- | 0.0      | 0.3  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm$ 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# MADISON GENERAL HOSPITAL

Medicare Provider Number: 250038

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.3 years  
Proportion female..... 62.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 50.8 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 70.3 %

### COMORBIDITIES:

Cancer..... 5.0 %  
Chronic cardiovascular disease..... 23.1 %  
Chronic liver disease..... 0.6 %  
Chronic renal disease..... 5.6 %  
Chronic pulmonary disease..... 9.2 %  
Cerebrovascular degeneration..... 3.6 %  
Diabetes mellitus..... 6.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 80.7%  
State ..... 18.5%  
Outside State ..... 0.8%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.5 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 127  
Occupancy Rate ..... 66.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 29.7 %  
Case Mix Index (CMI) ..... 0.9120

### STAFFING:

Total Number of Physicians..... 13  
Percent of Physicians Board  
Certified Specialists ..... 76.9 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 19  
Licensed Practical Nurses ..... 14

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MAGEE GENERAL HOSPITAL


300 SE 3 ST  
MAGEE, MS 39111  
Medicare Provider Number: 250124

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 593             | 7.3                 | 7.6  | 1.4   | 10.6    | 11.7 | 1.6   | 12.1     | 15.0 | 1.9   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 10              | 40.0                | 32.8 | ----- | 40.0    | 35.5 | ----- | 40.0     | 38.6 | ----- |
| Congestive Heart Failure.....              | 35              | 5.7                 | 14.5 | ----- | 11.4    | 22.9 | ----- | 14.3     | 28.9 | ----- |
| Pneumonia/Influenza.....                   | 40              | 10.0                | 12.8 | ----- | 12.5    | 17.4 | ----- | 12.5     | 20.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 18              | 16.7                | 6.7  | ----- | 16.7    | 12.6 | ----- | 22.2     | 17.1 | ----- |
| Transient Cerebral Ischemia.....           | 5               | 0.0                 | 0.8  | ----- | 20.0    | 2.0  | ----- | 20.0     | 3.4  | ----- |
| Stroke.....                                | 16              | 18.8                | 21.2 | ----- | 25.0    | 28.0 | ----- | 25.0     | 32.4 | ----- |
| Hip Fracture.....                          | 1               | 0.0                 | 11.9 | ----- | 0.0     | 19.1 | ----- | 0.0      | 25.8 | ----- |
| Sepsis.....                                | 5               | 60.0                | 31.1 | ----- | 60.0    | 41.4 | ----- | 60.0     | 47.2 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 3               | 0.0                 | 0.9  | ----- | 0.0     | 1.6  | ----- | 0.0      | 2.3  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# MAGEE GENERAL HOSPITAL

Medicare Provider Number: 250124

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.2 years  
Proportion female..... 62.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 51.1 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 3.5 %  
Admitted for emergency..... 47.6 %

### COMORBIDITIES:

Cancer..... 4.4 %  
Chronic cardiovascular disease..... 41.5 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 1.0 %  
Chronic pulmonary disease..... 15.0 %  
Cerebrovascular degeneration..... 0.7 %  
Diabetes mellitus..... 9.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 73.0%  
State ..... 26.1%  
Outside State ..... 0.9%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.2 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 64  
Occupancy Rate ..... 68.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 55.1 %  
Case Mix Index (CMI) ..... 0.8704

### STAFFING:

Total Number of Physicians..... 13  
Percent of Physicians Board  
Certified Specialists ..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 14  
Licensed Practical Nurses ..... 19

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# MAGNOLIA HOSPITAL


ALCORN DRIVE  
CORINTH, MS 38834  
Medicare Provider Number: 250009

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 1296               | 7.7                 | 9.5  | 1.2  | 12.4    | 14.0 | 1.3  | 15.4     | 17.3 | 1.4  |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 52                 | 21.2                | 27.1 | 8.0  | 25.0    | 29.6 | 7.4  | 26.9     | 31.8 | 7.7  |
| Congestive Heart Failure.....              | 80                 | 11.2                | 14.1 | 4.8  | 22.5    | 22.4 | 4.7  | 30.0     | 28.4 | 5.2  |
| Pneumonia/Influenza.....                   | 94                 | 8.5                 | 16.4 | 5.5  | 16.0    | 22.5 | 8.2  | 18.1     | 26.2 | 6.8  |
| Chronic Obstructive Pulmonary Disease..... | 48                 | 2.1                 | 6.0  | ---- | 4.2     | 11.0 | ---- | 6.3      | 14.8 | ---- |
| Transient Cerebral Ischemia.....           | 26                 | 3.8                 | 1.7  | ---- | 3.8     | 3.8  | ---- | 7.7      | 6.1  | ---- |
| Stroke.....                                | 62                 | 19.4                | 22.0 | 7.6  | 25.8    | 29.4 | 7.8  | 29.0     | 33.5 | 7.6  |
| Hip Fracture.....                          | 2                  | 0.0                 | 7.7  | ---- | 0.0     | 12.9 | ---- | 0.0      | 16.7 | ---- |
| Sepsis.....                                | 14                 | 42.9                | 35.3 | ---- | 42.9    | 43.6 | ---- | 64.3     | 48.3 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 2                  | 0.0                 | 8.1  | ---- | 0.0     | 8.8  | ---- | 0.0      | 9.4  | ---- |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 16                 | 6.3                 | 2.9  | ---- | 6.3     | 5.0  | ---- | 6.3      | 6.9  | ---- |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 34                 | 2.9                 | 1.1  | ---- | 2.9     | 2.6  | ---- | 2.9      | 4.3  | ---- |
| Cholecystectomy.....                       | 19                 | 0.0                 | 2.1  | ---- | 0.0     | 3.9  | ---- | 0.0      | 5.1  | ---- |
| Hysterectomy.....                          | 4                  | 0.0                 | 0.3  | ---- | 0.0     | 0.8  | ---- | 0.0      | 1.4  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# MAGNOLIA HOSPITAL

Medicare Provider Number: 250009

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.7 years  
Proportion female..... 57.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 37.5 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 16.8 %  
Admitted for emergency..... 66.8 %

### COMORBIDITIES:

Cancer..... 4.9 %  
Chronic cardiovascular disease..... 42.1 %  
Chronic liver disease..... 1.2 %  
Chronic renal disease..... 2.5 %  
Chronic pulmonary disease..... 16.4 %  
Cerebrovascular degeneration..... 2.3 %  
Diabetes mellitus..... 5.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 70.3%  
State ..... 18.0%  
Outside State ..... 11.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.2 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 131  
Occupancy Rate ..... 64.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 44.9 %  
Case Mix Index (CMI) ..... 1.1005

### STAFFING:

Total Number of Physicians..... 29  
Percent of Physicians Board  
Certified Specialists ..... 62.1 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 103  
Licensed Practical Nurses ..... 35

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... Yes  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used In calculating mortality rates

# MARION COUNTY GENERAL HOSPITAL


1560 SUMRALL RD, BOX 630  
COLUMBIA, MS 39429  
Medicare Provider Number: 250085

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 667             | 8.1                 | 9.8  | 1.7   | 12.9    | 14.6 | 2.0   | 15.9     | 18.0 | 2.2   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 24              | 25.0                | 29.1 | ----- | 33.3    | 32.0 | ----- | 41.7     | 35.1 | ----- |
| Congestive Heart Failure.....              | 52              | 11.5                | 13.5 | 5.2   | 23.1    | 21.9 | 5.9   | 26.9     | 27.8 | 6.4   |
| Pneumonia/Influenza.....                   | 77              | 11.7                | 15.1 | 6.6   | 18.2    | 20.8 | 7.5   | 19.5     | 24.2 | 8.0   |
| Chronic Obstructive Pulmonary Disease..... | 15              | 6.7                 | 6.4  | ----- | 6.7     | 12.5 | ----- | 20.0     | 17.2 | ----- |
| Transient Cerebral Ischemia.....           | 14              | 0.0                 | 1.4  | ----- | 0.0     | 3.1  | ----- | 0.0      | 5.1  | ----- |
| Stroke.....                                | 33              | 15.2                | 22.0 | ----- | 36.4    | 29.5 | ----- | 39.4     | 33.9 | ----- |
| Hip Fracture.....                          | 2               | 0.0                 | 4.8  | ----- | 0.0     | 7.6  | ----- | 0.0      | 9.3  | ----- |
| Sepsis.....                                | 5               | 20.0                | 27.1 | ----- | 20.0    | 35.8 | ----- | 20.0     | 41.0 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 2               | 0.0                 | 3.7  | ----- | 0.0     | 6.4  | ----- | 0.0      | 8.1  | ----- |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 7               | 0.0                 | 1.7  | ----- | 0.0     | 2.8  | ----- | 0.0      | 3.5  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) Is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# MARION COUNTY GENERAL HOSPITAL

Medicare Provider Number: 250085

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.3 years  
Proportion female..... 61.9 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 97.8 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.3 %  
Admitted for emergency..... 98.5 %

### COMORBIDITIES:

Cancer..... 4.2 %  
Chronic cardiovascular disease..... 45.6 %  
Chronic liver disease..... 0.6 %  
Chronic renal disease..... 2.4 %  
Chronic pulmonary disease..... 15.6 %  
Cerebrovascular degeneration..... 3.4 %  
Diabetes mellitus..... 11.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 89.1%  
State ..... 9.9%  
Outside State ..... 1.0%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.1 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 90  
Occupancy Rate ..... 41.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 56.2 %  
Case Mix Index (CMI) ..... 0.9807

### STAFFING:

Total Number of Physicians..... 15  
Percent of Physicians Board  
Certified Specialists ..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 52  
Licensed Practical Nurses ..... 22

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MEMORIAL HOSPITAL AT GULFPORT


4500 13TH ST  
GULFPORT, MS 39501  
Medicare Provider Number: 250019

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 2336               | 7.2                 | 7.7  | 0.9   | 11.6    | 12.0 | 1.0   | 15.2     | 15.3 | 0.9   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 56                 | 33.9                | 24.2 | 9.7   | 35.7    | 27.1 | 10.3  | 35.7     | 29.6 | 9.8   |
| Congestive Heart Failure.....              | 105                | 13.3                | 15.6 | 4.9   | 21.0    | 24.6 | 6.2   | 29.5     | 30.9 | 5.6   |
| Pneumonia/Influenza.....                   | 84                 | 7.1                 | 15.9 | 5.7   | 14.3    | 21.8 | 5.6   | 22.6     | 25.4 | 5.8   |
| Chronic Obstructive Pulmonary Disease..... | 26                 | 7.7                 | 10.3 | ----- | 26.9    | 18.4 | ----- | 26.9     | 24.2 | ----- |
| Transient Cerebral Ischemia.....           | 46                 | 2.2                 | 2.0  | ----- | 4.3     | 4.1  | ----- | 13.0     | 6.5  | ----- |
| Stroke.....                                | 58                 | 13.8                | 18.7 | 6.9   | 13.8    | 24.6 | 8.5   | 17.2     | 28.2 | 9.0   |
| Hip Fracture.....                          | 34                 | 2.9                 | 5.5  | ----- | 2.9     | 10.2 | ----- | 5.9      | 13.5 | ----- |
| Sepsis.....                                | 27                 | 18.5                | 24.9 | ----- | 25.9    | 32.1 | ----- | 37.0     | 36.6 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 21                 | 9.5                 | 3.9  | ----- | 9.5     | 5.5  | ----- | 9.5      | 6.8  | ----- |
| Coronary Artery Bypass Graft.....          | 25                 | 4.0                 | 4.3  | ----- | 4.0     | 6.1  | ----- | 4.0      | 6.9  | ----- |
| Initial Pacemaker Insertion.....           | 20                 | 5.0                 | 2.1  | ----- | 15.0    | 4.6  | ----- | 15.0     | 7.2  | ----- |
| Carotid Endarterectomy.....                | 34                 | 0.0                 | 1.5  | ----- | 0.0     | 2.9  | ----- | 2.9      | 4.2  | ----- |
| Hip Replacement/Reconstruction.....        | 23                 | 0.0                 | 3.3  | ----- | 0.0     | 6.4  | ----- | 0.0      | 8.7  | ----- |
| Open Reduction of Hip Fracture.....        | 15                 | 6.7                 | 4.2  | ----- | 6.7     | 7.9  | ----- | 6.7      | 10.6 | ----- |
| Prostatectomy.....                         | 63                 | 0.0                 | 0.9  | 1.4   | 0.0     | 2.1  | 2.4   | 1.6      | 3.5  | 2.7   |
| Cholecystectomy.....                       | 30                 | 3.3                 | 2.7  | ----- | 10.0    | 4.8  | ----- | 10.0     | 6.4  | ----- |
| Hysterectomy.....                          | 7                  | 0.0                 | 0.1  | ----- | 0.0     | 0.1  | ----- | 0.0      | 0.2  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# MEMORIAL HOSPITAL AT GULFPORT

Medicare Provider Number: 250019

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 71.2 years  
Proportion female..... 53.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 44.3 %  
Transferred from skilled nursing facility..... 0.5 %  
Admitted for elective procedure..... 35.7 %  
Admitted for emergency..... 54.7 %

### COMORBIDITIES:

Cancer..... 8.0 %  
Chronic cardiovascular disease..... 33.9 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 6.3 %  
Chronic pulmonary disease..... 14.2 %  
Cerebrovascular degeneration..... 3.0 %  
Diabetes mellitus..... 9.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 81.7%  
State ..... 15.5%  
Outside State ..... 2.8%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.0 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 302  
Occupancy Rate ..... 77.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 30.5 %  
Case Mix Index (CMI) ..... 1.2192

### STAFFING:

Total Number of Physicians..... 156  
Percent of Physicians Board  
Certified Specialists..... 64.1 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 377  
Licensed Practical Nurses ..... 50

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... Yes  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... Yes  
Psychiatric ..... Yes  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates



# MEMORIAL HOSPITAL OF HOLLY SPRINGS


1430 E SALEM AV  
HOLLY SPRINGS, MS 38635  
Medicare Provider Number: 250012

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 186                | 11.3                | 11.1 | 2.8   | 16.1    | 16.0 | 2.7   | 21.5     | 19.4 | 3.4   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 1                  | 0.0                 | 13.5 | ----- | 0.0     | 23.3 | ----- | 0.0      | 30.2 | ----- |
| Congestive Heart Failure.....              | 11                 | 18.2                | 17.0 | ----- | 36.4    | 26.9 | ----- | 45.5     | 33.5 | ----- |
| Pneumonia/Influenza.....                   | 28                 | 7.1                 | 13.7 | ----- | 10.7    | 18.3 | ----- | 14.3     | 21.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 5                  | 0.0                 | 7.7  | ----- | 0.0     | 13.7 | ----- | 20.0     | 17.7 | ----- |
| Transient Cerebral Ischemia.....           | 7                  | 0.0                 | 1.2  | ----- | 14.3    | 3.2  | ----- | 14.3     | 5.5  | ----- |
| Stroke.....                                | 9                  | 22.2                | 17.9 | ----- | 33.3    | 24.2 | ----- | 33.3     | 28.6 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 2                  | 50.0                | 19.7 | ----- | 50.0    | 26.7 | ----- | 50.0     | 31.5 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 1                  | 0.0                 | 0.1  | ----- | 0.0     | 0.3  | ----- | 0.0      | 0.4  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# MEMORIAL HOSPITAL OF HOLLY SPRINGS

Medicare Provider Number: 250012

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.0 years  
Proportion female..... 53.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 20.4 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 20.4 %  
Admitted for emergency..... 75.3 %

### COMORBIDITIES:

Cancer..... 4.8 %  
Chronic cardiovascular disease..... 18.8 %  
Chronic liver disease..... 1.1 %  
Chronic renal disease..... 1.1 %  
Chronic pulmonary disease..... 7.5 %  
Cerebrovascular degeneration..... 1.6 %  
Diabetes mellitus..... 9.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 87.3%  
State ..... 11.1%  
Outside State ..... 1.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.7 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 40  
Occupancy Rate ..... 25.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 44.7 %  
Case Mix Index (CMI) ..... 0.9409

### STAFFING:

Total Number of Physicians..... 12  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 17  
Licensed Practical Nurses ..... 3

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# MERCY REGIONAL MEDICAL CENTER


100 MCAULEY DR  
VICKSBURG, MS 39180  
Medicare Provider Number: 250032

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 959             | 10.5                | 8.8  | 1.3   | 15.0    | 13.6 | 1.3   | 18.6     | 17.2 | 1.4   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 15              | 40.0                | 27.3 | ----- | 40.0    | 30.0 | ----- | 40.0     | 32.9 | ----- |
| Congestive Heart Failure.....              | 54              | 14.8                | 13.2 | 6.3   | 20.4    | 20.3 | 5.8   | 25.9     | 25.9 | 6.0   |
| Pneumonia/Influenza.....                   | 65              | 20.0                | 15.9 | 5.8   | 23.1    | 22.2 | 5.3   | 24.6     | 26.0 | 5.5   |
| Chronic Obstructive Pulmonary Disease..... | 22              | 4.5                 | 10.3 | ----- | 13.6    | 17.6 | ----- | 18.2     | 22.5 | ----- |
| Transient Cerebral Ischemia.....           | 12              | 0.0                 | 2.6  | ----- | 8.3     | 6.0  | ----- | 8.3      | 9.6  | ----- |
| Stroke.....                                | 37              | 27.0                | 22.4 | ----- | 29.7    | 29.0 | ----- | 35.1     | 32.8 | ----- |
| Hip Fracture.....                          | 21              | 4.8                 | 8.5  | ----- | 9.5     | 14.4 | ----- | 9.5      | 18.0 | ----- |
| Sepsis.....                                | 6               | 16.7                | 20.4 | ----- | 16.7    | 25.3 | ----- | 33.3     | 29.2 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 5               | 0.0                 | 1.8  | ----- | 0.0     | 3.4  | ----- | 0.0      | 5.1  | ----- |
| Carotid Endarterectomy.....                | 1               | 0.0                 | 1.8  | ----- | 0.0     | 3.1  | ----- | 0.0      | 4.3  | ----- |
| Hip Replacement/Reconstruction.....        | 21              | 4.8                 | 4.7  | ----- | 9.5     | 8.6  | ----- | 9.5      | 11.4 | ----- |
| Open Reduction of Hip Fracture.....        | 11              | 9.1                 | 10.0 | ----- | 9.1     | 17.1 | ----- | 9.1      | 21.1 | ----- |
| Prostatectomy.....                         | 55              | 0.0                 | 1.1  | 2.1   | 1.8     | 2.4  | 2.5   | 1.8      | 3.9  | 4.0   |
| Cholecystectomy.....                       | 7               | 14.3                | 2.9  | ----- | 14.3    | 5.5  | ----- | 14.3     | 7.9  | ----- |
| Hysterectomy.....                          | 7               | 0.0                 | 0.5  | ----- | 0.0     | 1.0  | ----- | 0.0      | 1.5  | ----- |

\* The Standard Deviation (SD) Is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# MERCY REGIONAL MEDICAL CENTER

Medicare Provider Number: 250032

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.1 years  
Proportion female..... 57.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 47.9 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 47.9 %  
Admitted for emergency..... 52.0 %

### COMORBIDITIES:

Cancer..... 8.6 %  
Chronic cardiovascular disease..... 39.5 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 3.3 %  
Chronic pulmonary disease..... 12.9 %  
Cerebrovascular degeneration..... 6.7 %  
Diabetes mellitus..... 8.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 69.4%  
State ..... 24.0%  
Outside State ..... 6.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.0 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 231  
Occupancy Rate ..... 46.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges ..... 32.5 %  
Case Mix Index (CMI) ..... 1.1215

### STAFFING:

Total Number of Physicians..... 41  
Percent of Physicians Board  
Certified Specialists..... 73.2 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 79  
Licensed Practical Nurses ..... 62

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# METHODIST HOSPITAL


5001 W HARDY ST, BOX 1331  
HATTIESBURG, MS 39401  
Medicare Provider Number: 250094

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 2324               | 6.2                 | 6.4  | 0.6   | 9.5     | 10.2 | 1.0   | 12.0     | 13.2 | 1.3   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 42                 | 26.2                | 24.1 | ----- | 33.3    | 26.8 | ----- | 33.3     | 29.7 | ----- |
| Congestive Heart Failure.....              | 80                 | 12.5                | 13.6 | 4.3   | 21.2    | 22.1 | 4.7   | 26.2     | 28.1 | 5.3   |
| Pneumonia/Influenza.....                   | 94                 | 8.5                 | 14.8 | 6.0   | 11.7    | 19.9 | 7.4   | 17.0     | 23.2 | 7.1   |
| Chronic Obstructive Pulmonary Disease..... | 40                 | 7.5                 | 8.4  | ----- | 10.0    | 14.9 | ----- | 17.5     | 19.5 | ----- |
| Transient Cerebral Ischemia.....           | 51                 | 2.0                 | 1.7  | 1.9   | 3.9     | 3.8  | 2.7   | 7.8      | 6.1  | 4.3   |
| Stroke.....                                | 74                 | 14.9                | 17.9 | 4.9   | 16.2    | 24.2 | 6.5   | 17.6     | 28.0 | 7.4   |
| Hip Fracture.....                          | 66                 | 7.6                 | 6.0  | 3.4   | 9.1     | 10.6 | 4.0   | 13.6     | 13.8 | 4.5   |
| Sepsis.....                                | 10                 | 30.0                | 25.7 | ----- | 30.0    | 33.6 | ----- | 40.0     | 39.0 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 7                  | 0.0                 | 2.5  | ----- | 28.6    | 5.1  | ----- | 28.6     | 7.4  | ----- |
| Carotid Endarterectomy.....                | 7                  | 0.0                 | 1.3  | ----- | 0.0     | 2.5  | ----- | 0.0      | 4.0  | ----- |
| Hip Replacement/Reconstruction.....        | 73                 | 2.7                 | 2.7  | 2.1   | 2.7     | 5.1  | 3.6   | 5.5      | 7.0  | 4.2   |
| Open Reduction of Hip Fracture.....        | 34                 | 8.8                 | 5.1  | ----- | 8.8     | 9.2  | ----- | 11.8     | 12.2 | ----- |
| Prostatectomy.....                         | 91                 | 0.0                 | 0.6  | 1.0   | 0.0     | 1.5  | 1.7   | 2.2      | 2.7  | 2.1   |
| Cholecystectomy.....                       | 52                 | 1.9                 | 2.2  | 3.5   | 1.9     | 4.2  | 4.9   | 3.8      | 5.7  | 5.6   |
| Hysterectomy.....                          | 11                 | 0.0                 | 0.6  | ----- | 0.0     | 1.4  | ----- | 0.0      | 2.1  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



**METHODIST HOSPITAL**  
Medicare Provider Number: 250094

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

**DEMOGRAPHICS:**

Average age at admission..... 73.1 years  
Proportion female..... 56.7 %

**ADMISSION SOURCES/TYPES:**

Referred by personal or HMO physician..... 49.4 %  
Transferred from skilled nursing facility..... 0.5 %  
Admitted for elective procedure..... 39.0 %  
Admitted for emergency..... 49.8 %

**COMORBIDITIES:**

Cancer..... 6.5 %  
Chronic cardiovascular disease..... 24.4 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 1.2 %  
Chronic pulmonary disease..... 14.4 %  
Cerebrovascular degeneration..... 3.9 %  
Diabetes mellitus..... 6.5 %

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

**ORIGIN OF MEDICARE PATIENT ADMISSION:**

County/City ..... 42.8%  
State ..... 54.9%  
Outside State ..... 2.3%  
Total ..... 100.0%

**MEDICARE AVERAGE LENGTH OF STAY:**

Hospital ..... 7.5 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

**HOSPITAL CHARACTERISTICS\***

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

**PROFILE:**

Total Beds ..... 201  
Occupancy Rate ..... 63.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 48.9 %  
Case Mix Index (CMI) ..... 1.1842

**STAFFING:**

Total Number of Physicians..... 183  
Percent of Physicians Board  
Certified Specialists..... 74.9 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 126  
Licensed Practical Nurses..... 73

**SPECIALTY SERVICES:**

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... Yes  
Trauma Center ..... No

**OTHER SPECIALTY/HOSPITAL-BASED SERVICES:**

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates



# METHODIST HOSPITAL OF MIDDLE MISSISSIPPI


PO DRAWER 641  
LEXINGTON, MS 39095  
Medicare Provider Number: 250083

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 356                | 8.7                 | 9.4  | 2.4   | 13.5    | 14.5 | 2.0   | 16.9     | 18.0 | 2.2   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Congestive Heart Failure.....              | 32                 | 9.4                 | 13.5 | ----- | 21.9    | 21.7 | ----- | 28.1     | 27.7 | ----- |
| Pneumonia/Influenza.....                   | 22                 | 18.2                | 12.0 | ----- | 18.2    | 16.2 | ----- | 22.7     | 19.0 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 5                  | 20.0                | 5.1  | ----- | 20.0    | 9.7  | ----- | 20.0     | 14.3 | ----- |
| Transient Cerebral Ischemia.....           | 14                 | 7.1                 | 2.1  | ----- | 7.1     | 5.0  | ----- | 7.1      | 8.3  | ----- |
| Stroke.....                                | 19                 | 31.6                | 22.7 | ----- | 36.8    | 29.8 | ----- | 42.1     | 33.8 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 8                  | 50.0                | 36.2 | ----- | 62.5    | 43.5 | ----- | 62.5     | 48.6 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# METHODIST HOSPITAL OF MIDDLE MISSISSIPPI

Medicare Provider Number: 250083

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.2 years  
Proportion female..... 58.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 75.6 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 99.2 %

### COMORBIDITIES:

Cancer..... 5.6 %  
Chronic cardiovascular disease..... 25.8 %  
Chronic liver disease..... 0.6 %  
Chronic renal disease..... 8.4 %  
Chronic pulmonary disease..... 11.5 %  
Cerebrovascular degeneration..... 2.2 %  
Diabetes mellitus..... 13.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 87.9%  
State ..... 9.4%  
Outside State ..... 2.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.6 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 80  
Occupancy Rate ..... 27.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 36.2 %  
Case Mix Index (CMI) ..... 0.9329

### STAFFING:

Total Number of Physicians..... 5  
Percent of Physicians Board  
Certified Specialists..... 20.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses ..... 8  
Licensed Practical Nurses ..... 19

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# METHODIST HOSPITAL OF STONE COUNTY


RT 1, BOX 48  
WIGGINS, MS 39577  
Medicare Provider Number: 250046

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 290             | 10.0                | 11.0 | 2.5   | 15.5    | 16.6 | 2.4   | 19.3     | 20.5 | 2.8   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 5               | 20.0                | 29.4 | ----- | 20.0    | 32.3 | ----- | 40.0     | 35.3 | ----- |
| Congestive Heart Failure.....              | 25              | 24.0                | 15.3 | ----- | 32.0    | 24.6 | ----- | 48.0     | 31.0 | ----- |
| Pneumonia/Influenza.....                   | 32              | 3.1                 | 13.7 | ----- | 9.4     | 19.0 | ----- | 15.6     | 22.3 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 6               | 16.7                | 7.9  | ----- | 16.7    | 15.7 | ----- | 16.7     | 21.2 | ----- |
| Transient Cerebral Ischemia.....           | 8               | 0.0                 | 1.2  | ----- | 0.0     | 3.0  | ----- | 0.0      | 5.4  | ----- |
| Stroke.....                                | 2               | 0.0                 | 28.6 | ----- | 50.0    | 38.4 | ----- | 50.0     | 44.0 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 19              | 31.6                | 30.3 | ----- | 42.1    | 42.2 | ----- | 47.4     | 48.5 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 1               | 0.0                 | 0.3  | ----- | 0.0     | 0.6  | ----- | 0.0      | 0.8  | ----- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.1  | ----- | 0.0     | 0.3  | ----- | 0.0      | 0.5  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# METHODIST HOSPITAL OF STONE COUNTY

Medicare Provider Number: 250046

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.9 years  
Proportion female..... 66.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 68.7 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.7 %  
Admitted for emergency..... 3.8 %

### COMORBIDITIES:

Cancer..... 4.1 %  
Chronic cardiovascular disease..... 46.0 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 6.2 %  
Chronic pulmonary disease..... 17.2 %  
Cerebrovascular degeneration..... 2.7 %  
Diabetes mellitus..... 16.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 77.5%  
State ..... 20.5%  
Outside State ..... 2.0%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY: \*

Hospital ..... 6.0 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 49  
Occupancy Rate ..... 55.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 44.7 %  
Case Mix Index (CMI) ..... 1.0238

### STAFFING:

Total Number of Physicians..... 7  
Percent of Physicians Board  
Certified Specialists ..... 42.9 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 27  
Licensed Practical Nurses ..... 13

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# METHODIST MEDICAL CENTER, INC


1850 CHADWICK DR  
JACKSON, MS 39204  
Medicare Provider Number: 250072

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 2748            | 10.0                | 8.9  | 0.7   | 14.8    | 13.8 | 0.9   | 18.2     | 17.4 | 0.9   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 58              | 31.0                | 28.1 | 6.2   | 32.8    | 31.1 | 6.2   | 32.8     | 33.8 | 6.3   |
| Congestive Heart Failure.....              | 118             | 13.6                | 13.7 | 4.1   | 23.7    | 21.8 | 4.1   | 25.4     | 27.5 | 4.5   |
| Pneumonia/Influenza.....                   | 147             | 19.7                | 14.6 | 5.0   | 24.5    | 20.2 | 4.6   | 25.2     | 23.6 | 4.8   |
| Chronic Obstructive Pulmonary Disease..... | 68              | 2.9                 | 5.5  | 3.4   | 7.4     | 10.3 | 4.7   | 10.3     | 14.1 | 5.1   |
| Transient Cerebral Ischemia.....           | 60              | 0.0                 | 1.5  | 2.1   | 1.7     | 3.4  | 2.8   | 3.3      | 5.5  | 3.4   |
| Stroke.....                                | 120             | 24.2                | 19.6 | 4.6   | 32.5    | 26.3 | 5.8   | 35.0     | 30.2 | 5.1   |
| Hip Fracture.....                          | 80              | 10.0                | 6.1  | 4.6   | 12.5    | 11.1 | 4.4   | 15.0     | 14.7 | 4.3   |
| Sepsis.....                                | 29              | 27.6                | 27.7 | ----- | 34.5    | 34.9 | ----- | 44.8     | 39.6 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 18              | 0.0                 | 2.0  | ----- | 0.0     | 4.4  | ----- | 0.0      | 7.1  | ----- |
| Carotid Endarterectomy.....                | 1               | 0.0                 | 0.5  | ----- | 0.0     | 0.9  | ----- | 100.0    | 1.2  | ----- |
| Hip Replacement/Reconstruction.....        | 32              | 3.1                 | 4.7  | ----- | 6.3     | 8.8  | ----- | 12.5     | 11.8 | ----- |
| Open Reduction of Hip Fracture.....        | 40              | 10.0                | 6.0  | ----- | 10.0    | 11.2 | ----- | 10.0     | 14.9 | ----- |
| Prostatectomy.....                         | 69              | 1.4                 | 0.9  | 1.4   | 1.4     | 2.0  | 2.3   | 2.9      | 3.4  | 2.8   |
| Cholecystectomy.....                       | 39              | 0.0                 | 1.3  | ----- | 5.1     | 2.4  | ----- | 5.1      | 3.1  | ----- |
| Hysterectomy.....                          | 20              | 0.0                 | 0.3  | ----- | 0.0     | 0.7  | ----- | 0.0      | 1.1  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# METHODIST MEDICAL CENTER, INC

Medicare Provider Number: 250072

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.5 years  
Proportion female..... 60.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 36.6 %  
Transferred from skilled nursing facility..... 0.8 %  
Admitted for elective procedure..... 29.8 %  
Admitted for emergency..... 43.8 %

### COMORBIDITIES:

Cancer..... 9.2 %  
Chronic cardiovascular disease..... 31.5 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 2.5 %  
Chronic pulmonary disease..... 16.6 %  
Cerebrovascular degeneration..... 3.8 %  
Diabetes mellitus..... 9.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 75.0%  
State ..... 23.2%  
Outside State ..... 1.8%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 9.1 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 298  
Occupancy Rate ..... 77.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 37.7 %  
Case Mix Index (CMI) ..... 1.1306

### STAFFING:

Total Number of Physicians..... 156  
Percent of Physicians Board  
Certified Specialists ..... 78.8 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 300  
Licensed Practical Nurses ..... 111

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... Yes  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates



# MISSISSIPPI BAPTIST MEDICAL CENTER


1225 N STATE ST  
JACKSON, MS 39201  
Medicare Provider Number: 250102

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 4753            | 7.8                 | 8.5  | 0.6   | 12.5    | 13.6 | 0.7   | 15.8     | 17.5 | 0.6   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 112             | 32.1                | 28.1 | 7.4   | 36.6    | 30.9 | 8.6   | 36.6     | 33.6 | 7.5   |
| Congestive Heart Failure.....              | 158             | 14.6                | 12.8 | 3.3   | 22.8    | 20.5 | 3.8   | 25.9     | 26.1 | 4.2   |
| Pneumonia/Influenza.....                   | 156             | 14.1                | 15.2 | 3.9   | 19.9    | 21.3 | 3.6   | 25.0     | 24.9 | 3.5   |
| Chronic Obstructive Pulmonary Disease..... | 78              | 6.4                 | 8.2  | 3.9   | 17.9    | 14.8 | 5.0   | 21.8     | 19.8 | 5.3   |
| Transient Cerebral Ischemia.....           | 87              | 1.1                 | 1.5  | 1.8   | 4.6     | 3.5  | 2.1   | 8.0      | 5.6  | 2.9   |
| Stroke.....                                | 158             | 18.4                | 19.6 | 3.9   | 24.1    | 25.7 | 4.0   | 27.2     | 29.3 | 4.5   |
| Hip Fracture.....                          | 93              | 7.5                 | 6.6  | 2.7   | 9.7     | 11.4 | 3.7   | 14.0     | 14.7 | 4.7   |
| Sepsis.....                                | 56              | 28.6                | 27.0 | 6.6   | 35.7    | 34.9 | 6.4   | 44.6     | 40.0 | 7.7   |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 35              | 5.7                 | 3.0  | ----- | 8.6     | 4.0  | ----- | 8.6      | 5.1  | ----- |
| Coronary Artery Bypass Graft.....          | 97              | 4.1                 | 4.2  | 2.1   | 5.2     | 5.8  | 2.6   | 5.2      | 6.5  | 2.8   |
| Initial Pacemaker Insertion.....           | 27              | 0.0                 | 2.6  | ----- | 0.0     | 5.3  | ----- | 3.7      | 7.8  | ----- |
| Carotid Endarterectomy.....                | 67              | 1.5                 | 1.5  | 2.0   | 3.0     | 2.7  | 2.0   | 3.0      | 4.0  | 2.5   |
| Hip Replacement/Reconstruction.....        | 48              | 6.3                 | 3.3  | ----- | 6.3     | 5.9  | ----- | 8.3      | 7.9  | ----- |
| Open Reduction of Hip Fracture.....        | 49              | 6.1                 | 6.5  | ----- | 10.2    | 11.6 | ----- | 12.2     | 15.2 | ----- |
| Prostatectomy.....                         | 126             | 1.6                 | 1.1  | 1.0   | 1.6     | 2.6  | 1.7   | 4.0      | 4.4  | 2.0   |
| Cholecystectomy.....                       | 102             | 2.0                 | 3.2  | 1.9   | 3.9     | 6.5  | 2.9   | 4.9      | 9.0  | 3.6   |
| Hysterectomy.....                          | 57              | 1.8                 | 1.0  | 1.7   | 3.5     | 2.2  | 2.9   | 3.5      | 3.5  | 2.7   |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# MISSISSIPPI BAPTIST MEDICAL CENTER

Medicare Provider Number: 250102

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 72.8 years

Proportion female..... 57.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 65.4 %

Transferred from skilled nursing facility..... 0.1 %

Admitted for elective procedure..... 33.1 %

Admitted for emergency..... 46.9 %

### COMORBIDITIES:

Cancer..... 13.0 %

Chronic cardiovascular disease..... 33.7 %

Chronic liver disease..... 1.6 %

Chronic renal disease..... 3.0 %

Chronic pulmonary disease..... 13.0 %

Cerebrovascular degeneration..... 2.7 %

Diabetes mellitus..... 7.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 33.8%

State ..... 63.9%

Outside State ..... 2.3%

Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.5 Days

State ..... 7.7 Days

National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 616

Occupancy Rate ..... 65.0 %

Ownership/Control..... Church

Medicare Discharges ..... 34.8 %

Case Mix Index (CMI) ..... 1.3709

### STAFFING:

Total Number of Physicians..... 345

Percent of Physicians Board  
Certified Specialists..... 77.4 %

Medical Residents/Interns ..... 0

Registered Nurses..... 306

Licensed Practical Nurses ..... 122

### SPECIALTY SERVICES:

Burn Unit ..... No

Cardiac Intensive Care ..... Yes

Comprehensive Geriatric ..... Yes

Hospice Care ..... No

Medical/Surgical Intensive Care ..... Yes

Organ/Tissue Transplant ..... No

Other Intensive Care ..... Yes

Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes

Rehabilitation..... No

Psychiatric ..... No

Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# MONTFORT JONES MEMORIAL HOSPITAL


HIGHWAY 12 W  
KOSCIUSKO, MS 39090  
Medicare Provider Number: 250059

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 598             | 6.9                 | 9.1  | 1.5   | 11.5    | 14.0 | 2.0   | 13.9     | 17.8 | 2.1   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 23              | 17.4                | 17.8 | ----- | 26.1    | 22.0 | ----- | 26.1     | 25.2 | ----- |
| Congestive Heart Failure.....              | 28              | 7.1                 | 12.8 | ----- | 17.9    | 20.9 | ----- | 17.9     | 26.8 | ----- |
| Pneumonia/Influenza.....                   | 36              | 8.3                 | 14.1 | ----- | 11.1    | 20.4 | ----- | 11.1     | 24.3 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 17              | 0.0                 | 6.1  | ----- | 0.0     | 10.7 | ----- | 11.8     | 14.3 | ----- |
| Transient Cerebral Ischemia.....           | 11              | 0.0                 | 2.1  | ----- | 0.0     | 4.8  | ----- | 0.0      | 7.8  | ----- |
| Stroke.....                                | 18              | 5.6                 | 22.0 | ----- | 11.1    | 28.0 | ----- | 27.8     | 32.2 | ----- |
| Hip Fracture.....                          | 1               | 0.0                 | 3.7  | ----- | 100.0   | 7.3  | ----- | 100.0    | 9.7  | ----- |
| Sepsis.....                                | 13              | 23.1                | 23.3 | ----- | 23.1    | 30.3 | ----- | 23.1     | 34.8 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 1               | 0.0                 | 0.4  | ----- | 0.0     | 0.8  | ----- | 0.0      | 1.1  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# MONTFORT JONES MEMORIAL HOSPITAL

Medicare Provider Number: 250059

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

18

### DEMOGRAPHICS:

Average age at admission..... 76.3 years  
Proportion female..... 63.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 96.3 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.7 %  
Admitted for emergency..... 16.2 %

### COMORBIDITIES:

Cancer..... 6.4 %  
Chronic cardiovascular disease..... 43.5 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 2.0 %  
Chronic pulmonary disease..... 14.4 %  
Cerebrovascular degeneration..... 6.7 %  
Diabetes mellitus..... 9.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 82.7%  
State ..... 15.2%  
Outside State ..... 2.1%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.1 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 76  
Occupancy Rate ..... 51.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 46.0 %  
Case Mix Index (CMI) ..... 1.0200

### STAFFING:

Total Number of Physicians..... 16  
Percent of Physicians Board  
Certified Specialists ..... 31.3 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 24  
Licensed Practical Nurses..... 47

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... Yes  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# NESHOPA COUNTY GENERAL HOSPITAL


HIGHWAY 19 S  
PHILADELPHIA, MS 39350  
Medicare Provider Number: 250043

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 384                | 6.3                 | 8.7  | 1.9   | 11.5    | 12.8 | 2.0   | 15.9     | 16.0 | 2.3   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 11                 | 36.4                | 35.0 | ----- | 45.5    | 38.7 | ----- | 63.6     | 42.7 | ----- |
| Congestive Heart Failure.....              | 21                 | 14.3                | 15.1 | ----- | 33.3    | 22.9 | ----- | 38.1     | 28.7 | ----- |
| Pneumonia/Influenza.....                   | 34                 | 11.8                | 15.8 | ----- | 17.6    | 21.4 | ----- | 26.5     | 25.3 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 17                 | 0.0                 | 4.4  | ----- | 0.0     | 8.3  | ----- | 0.0      | 11.7 | ----- |
| Transient Cerebral Ischemia.....           | 15                 | 0.0                 | 1.0  | ----- | 13.3    | 2.3  | ----- | 13.3     | 4.0  | ----- |
| Stroke.....                                | 14                 | 7.1                 | 24.1 | ----- | 21.4    | 30.5 | ----- | 42.9     | 34.2 | ----- |
| Hip Fracture.....                          | 1                  | 0.0                 | 5.2  | ----- | 0.0     | 9.8  | ----- | 0.0      | 12.7 | ----- |
| Sepsis.....                                | 1                  | 0.0                 | 60.8 | ----- | 0.0     | 70.8 | ----- | 0.0      | 78.4 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# NESHOBA COUNTY GENERAL HOSPITAL

Medicare Provider Number: 250043

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.4 years  
Proportion female..... 54.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 0.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.3 %  
Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 3.6 %  
Chronic cardiovascular disease..... 24.7 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 2.1 %  
Chronic pulmonary disease..... 13.0 %  
Cerebrovascular degeneration..... 1.0 %  
Diabetes mellitus..... 3.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 78.3%  
State..... 20.6%  
Outside State..... 1.1%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 5.3 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 134  
Occupancy Rate..... 76.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 38.5 %  
Case Mix Index (CMI)..... 0.8696

### STAFFING:

Total Number of Physicians..... 10  
Percent of Physicians Board  
Certified Specialists..... 20.0 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 30  
Licensed Practical Nurses..... 18

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... Yes  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# NORTH MISSISSIPPI MEDICAL CENTER


830 S GLOSTER  
TUPELO, MS 38801  
Medicare Provider Number: 250004

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 4712            | 7.7                 | 8.1  | 0.5   | 12.6    | 12.8 | 0.6   | 16.2     | 16.4 | 0.6   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 138             | 23.2                | 22.3 | 4.9   | 27.5    | 25.2 | 5.4   | 29.7     | 27.6 | 4.7   |
| Congestive Heart Failure.....              | 193             | 11.9                | 12.8 | 2.7   | 21.8    | 20.8 | 3.1   | 26.9     | 26.8 | 3.6   |
| Pneumonia/Influenza.....                   | 189             | 14.3                | 15.5 | 2.9   | 20.1    | 21.7 | 3.4   | 27.0     | 25.7 | 3.4   |
| Chronic Obstructive Pulmonary Disease..... | 40              | 5.0                 | 5.8  | ----- | 5.0     | 11.1 | ----- | 12.5     | 15.4 | ----- |
| Transient Cerebral Ischemia.....           | 88              | 0.0                 | 1.4  | 1.7   | 1.1     | 3.0  | 2.3   | 2.3      | 4.9  | 3.1   |
| Stroke.....                                | 163             | 16.0                | 17.4 | 3.8   | 19.6    | 23.3 | 5.4   | 23.3     | 26.9 | 6.2   |
| Hip Fracture.....                          | 146             | 8.2                 | 5.9  | 2.8   | 11.0    | 10.3 | 3.6   | 14.4     | 13.3 | 3.8   |
| Sepsis.....                                | 80              | 21.2                | 30.2 | 7.4   | 31.3    | 39.3 | 8.4   | 36.2     | 44.3 | 8.3   |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 20              | 0.0                 | 3.6  | ----- | 0.0     | 4.5  | ----- | 0.0      | 5.3  | ----- |
| Coronary Artery Bypass Graft.....          | 86              | 0.0                 | 5.3  | ----- | 0.0     | 7.3  | ----- | 0.0      | 8.1  | ----- |
| Initial Pacemaker Insertion.....           | 36              | 2.8                 | 1.8  | ----- | 8.3     | 3.7  | ----- | 8.3      | 5.8  | ----- |
| Carotid Endarterectomy.....                | 45              | 2.2                 | 1.5  | ----- | 2.2     | 2.9  | ----- | 2.2      | 4.2  | ----- |
| Hip Replacement/Reconstruction.....        | 117             | 5.1                 | 3.4  | 2.9   | 6.8     | 6.3  | 2.9   | 7.7      | 8.5  | 3.0   |
| Open Reduction of Hip Fracture.....        | 61              | 4.9                 | 5.3  | 3.0   | 8.2     | 9.7  | 5.0   | 14.8     | 12.8 | 6.3   |
| Prostatectomy.....                         | 189             | 2.6                 | 1.3  | 1.3   | 4.2     | 3.0  | 1.9   | 6.9      | 5.0  | 2.7   |
| Cholecystectomy.....                       | 121             | 5.8                 | 2.4  | 2.3   | 5.8     | 4.4  | 2.1   | 7.4      | 5.8  | 2.3   |
| Hysterectomy.....                          | 27              | 0.0                 | 0.3  | ----- | 0.0     | 0.7  | ----- | 0.0      | 1.1  | ----- |

\* The Standard Deviation (SD) Is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# NORTH MISSISSIPPI MEDICAL CENTER

Medicare Provider Number: 250004

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 72.0 years

Proportion female..... 53.5 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 56.4 %

Transferred from skilled nursing facility..... 0.1 %

Admitted for elective procedure..... 23.2 %

Admitted for emergency..... 48.7 %

### COMORBIDITIES:

Cancer..... 10.6 %

Chronic cardiovascular disease..... 29.1 %

Chronic liver disease..... 1.2 %

Chronic renal disease..... 4.6 %

Chronic pulmonary disease..... 15.7 %

Cerebrovascular degeneration..... 2.7 %

Diabetes mellitus..... 7.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 31.6%

State..... 62.4%

Outside State..... 6.0%

Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 8.2 Days

State..... 7.7 Days

National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 647

Ownership/Control..... Private, Non-Profit

Case Mix Index (CMI)..... 1.3648

### STAFFING:

Medical Residents/Interns..... 0

Registered Nurses..... 567

Licensed Practical Nurses..... 218

### SPECIALTY SERVICES:

Burn Unit..... No

Coronary Care Unit..... Yes

Hospice Care..... Yes

Intensive Care Unit..... Yes

Organ Transplant..... No

Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... Yes

Rehabilitation..... Yes

Psychiatric..... Yes

Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# NORTH MS MEDICAL CTR PONTOTOC HOSPITAL


176 S MAIN ST  
PONTOTOC, MS 38863  
Medicare Provider Number: 250003

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 325             | 8.3                 | 8.8  | 1.6   | 12.3    | 13.4 | 2.0   | 15.4     | 16.8 | 2.8   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 6               | 66.7                | 47.6 | ----- | 66.7    | 54.7 | ----- | 66.7     | 59.3 | ----- |
| Congestive Heart Failure.....              | 10              | 0.0                 | 10.5 | ----- | 10.0    | 17.1 | ----- | 10.0     | 22.7 | ----- |
| Pneumonia/Influenza.....                   | 60              | 10.0                | 12.7 | 4.6   | 16.7    | 17.3 | 5.0   | 18.3     | 20.4 | 5.6   |
| Chronic Obstructive Pulmonary Disease..... | 4               | 0.0                 | 5.9  | ----- | 25.0    | 11.2 | ----- | 25.0     | 14.8 | ----- |
| Transient Cerebral Ischemia.....           | 2               | 0.0                 | 3.5  | ----- | 0.0     | 8.1  | ----- | 0.0      | 13.2 | ----- |
| Stroke.....                                | 5               | 20.0                | 20.3 | ----- | 20.0    | 28.0 | ----- | 40.0     | 32.3 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 4               | 25.0                | 31.9 | ----- | 25.0    | 43.4 | ----- | 25.0     | 48.4 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# NORTH MS MEDICAL CTR PONTOTOC HOSPITAL

Medicare Provider Number: 250003

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.3 years  
Proportion female..... 61.5 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 99.1 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.9 %  
Admitted for emergency..... 97.8 %

### COMORBIDITIES:

Cancer..... 4.0 %  
Chronic cardiovascular disease..... 29.2 %  
Chronic liver disease..... 0.6 %  
Chronic renal disease..... 4.6 %  
Chronic pulmonary disease..... 16.3 %  
Cerebrovascular degeneration..... 3.1 %  
Diabetes mellitus..... 7.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 85.3%  
State ..... 13.1%  
Outside State ..... 1.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.1 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 102  
Occupancy Rate ..... 55.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 47.1 %  
Case Mix Index (CMI) ..... 0.9090

### STAFFING:

Total Number of Physicians..... 9  
Percent of Physicians Board  
Certified Specialists..... 44.4 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 14  
Licensed Practical Nurses ..... 10

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# NORTH SUNFLOWER COUNTY HOSPITAL


840 N OAK AVE  
RULEVILLE, MS 38771  
Medicare Provider Number: 250071

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 233                | 14.2                | 15.4 | 2.6   | 19.3    | 20.1 | 3.8   | 21.5     | 23.7 | 3.0   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 55                 | 21.8                | 35.0 | 10.7  | 29.1    | 38.7 | 11.7  | 29.1     | 42.8 | 11.5  |
| Congestive Heart Failure.....              | 10                 | 50.0                | 21.7 | ----- | 50.0    | 34.1 | ----- | 60.0     | 41.8 | ----- |
| Pneumonia/Influenza.....                   | 13                 | 7.7                 | 16.3 | ----- | 7.7     | 21.8 | ----- | 7.7      | 25.7 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 2                  | 0.0                 | 7.4  | ----- | 0.0     | 12.9 | ----- | 0.0      | 18.6 | ----- |
| Transient Cerebral Ischemia.....           | 2                  | 0.0                 | 1.3  | ----- | 0.0     | 3.2  | ----- | 0.0      | 5.5  | ----- |
| Stroke.....                                | 11                 | 27.3                | 16.9 | ----- | 27.3    | 23.2 | ----- | 27.3     | 26.5 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 1                  | 0.0                 | 0.2  | ----- | 0.0     | 0.4  | ----- | 0.0      | 0.8  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# NORTH SUNFLOWER COUNTY HOSPITAL

Medicare Provider Number: 250071

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.7 years  
Proportion female..... 64.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 41.6 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 57.5 %

### COMORBIDITIES:

Cancer..... 3.9 %  
Chronic cardiovascular disease..... 25.3 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 7.3 %  
Chronic pulmonary disease..... 21.9 %  
Cerebrovascular degeneration..... 2.6 %  
Diabetes mellitus..... 7.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 80.4%  
State ..... 19.3%  
Outside State ..... 0.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 9.5 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 82  
Occupancy Rate ..... 58.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 42.3 %  
Case Mix Index (CMI) ..... 0.9373

### STAFFING:

Total Number of Physicians..... 5  
Percent of Physicians Board  
Certified Specialists ..... 60.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 11  
Licensed Practical Nurses ..... 14

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# NOXUBEE GENERAL HOSPITAL


606 N JEFFERSON ST  
MACON, MS 39341  
Medicare Provider Number: 250109

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 280             | 8.9                 | 11.9 | 3.3   | 15.4    | 17.7 | 3.8   | 20.0     | 21.8 | 3.5   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 10              | 10.0                | 29.9 | ----- | 20.0    | 32.6 | ----- | 30.0     | 35.8 | ----- |
| Congestive Heart Failure.....              | 7               | 28.6                | 17.3 | ----- | 42.9    | 27.9 | ----- | 57.1     | 35.8 | ----- |
| Pneumonia/Influenza.....                   | 12              | 8.3                 | 15.9 | ----- | 16.7    | 22.7 | ----- | 25.0     | 26.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 7               | 0.0                 | 5.3  | ----- | 14.3    | 10.0 | ----- | 14.3     | 13.6 | ----- |
| Transient Cerebral Ischemia.....           | 2               | 0.0                 | 1.0  | ----- | 0.0     | 2.4  | ----- | 0.0      | 4.1  | ----- |
| Stroke.....                                | 17              | 17.6                | 25.2 | ----- | 29.4    | 33.3 | ----- | 29.4     | 37.9 | ----- |
| Hip Fracture.....                          | 1               | 0.0                 | 8.7  | ----- | 0.0     | 13.5 | ----- | 0.0      | 16.7 | ----- |
| Sepsis.....                                | 6               | 0.0                 | 23.1 | ----- | 0.0     | 28.6 | ----- | 0.0      | 32.8 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# NOXUBEE GENERAL HOSPITAL

Medicare Provider Number: 250109

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.1 years  
Proportion female..... 61.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 63.2 %  
Transferred from skilled nursing facility..... 2.5 %  
Admitted for elective procedure..... 1.1 %  
Admitted for emergency..... 2.9 %

### COMORBIDITIES:

Cancer..... 6.1 %  
Chronic cardiovascular disease..... 37.1 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 9.3 %  
Chronic pulmonary disease..... 15.7 %  
Cerebrovascular degeneration..... 3.2 %  
Diabetes mellitus..... 8.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 81.4%  
State ..... 15.0%  
Outside State ..... 3.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.3 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 49  
Occupancy Rate ..... 42.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 41.8 %  
Case Mix Index (CMI) ..... 1.0068

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists..... 25.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 14  
Licensed Practical Nurses..... 8

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# NW MISSISSIPPI REGIONAL MEDICAL CENTER


HOSPITAL DRIVE  
CLARKSDALE, MS 38614  
Medicare Provider Number: 250042

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1552            | 7.4                 | 8.0  | 0.9   | 12.6    | 12.8 | 1.1   | 15.7     | 16.3 | 1.1   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 29              | 27.6                | 24.8 | ----- | 37.9    | 28.1 | ----- | 41.4     | 31.1 | ----- |
| Congestive Heart Failure.....              | 92              | 9.8                 | 12.7 | 5.5   | 18.5    | 21.0 | 5.0   | 25.0     | 26.7 | 4.9   |
| Pneumonia/Influenza.....                   | 51              | 7.8                 | 12.2 | 5.0   | 9.8     | 16.7 | 6.2   | 13.7     | 19.6 | 7.0   |
| Chronic Obstructive Pulmonary Disease..... | 33              | 3.0                 | 5.4  | ----- | 6.1     | 10.1 | ----- | 6.1      | 14.2 | ----- |
| Transient Cerebral Ischemia.....           | 49              | 0.0                 | 1.7  | ----- | 0.0     | 3.9  | ----- | 8.2      | 6.4  | ----- |
| Stroke.....                                | 53              | 17.0                | 16.6 | 5.5   | 32.1    | 23.2 | 8.4   | 35.8     | 27.1 | 9.5   |
| Hip Fracture.....                          | 33              | 18.2                | 7.8  | ----- | 18.2    | 13.8 | ----- | 18.2     | 17.7 | ----- |
| Sepsis.....                                | 16              | 6.3                 | 17.5 | ----- | 6.3     | 23.8 | ----- | 6.3      | 28.0 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 11              | 0.0                 | 3.0  | ----- | 9.1     | 6.3  | ----- | 18.2     | 9.1  | ----- |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 11              | 18.2                | 7.0  | ----- | 18.2    | 13.1 | ----- | 18.2     | 17.3 | ----- |
| Open Reduction of Hip Fracture.....        | 21              | 19.0                | 7.3  | ----- | 19.0    | 13.3 | ----- | 19.0     | 17.2 | ----- |
| Prostatectomy.....                         | 27              | 0.0                 | 2.1  | ----- | 14.8    | 5.0  | ----- | 14.8     | 8.2  | ----- |
| Cholecystectomy.....                       | 20              | 0.0                 | 2.7  | ----- | 5.0     | 6.3  | ----- | 5.0      | 9.6  | ----- |
| Hysterectomy.....                          | 8               | 0.0                 | 0.1  | ----- | 0.0     | 0.2  | ----- | 0.0      | 0.4  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# NW MISSISSIPPI REGIONAL MEDICAL CENTER

Medicare Provider Number: 250042

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.9 years  
Proportion female..... 60.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 83.2 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 39.6 %  
Admitted for emergency..... 59.7 %

### COMORBIDITIES:

Cancer..... 5.6 %  
Chronic cardiovascular disease..... 32.3 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 7.5 %  
Chronic pulmonary disease..... 15.5 %  
Cerebrovascular degeneration..... 1.9 %  
Diabetes mellitus..... 9.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 62.4%  
State ..... 35.1%  
Outside State ..... 2.5%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.3 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 194  
Occupancy Rate ..... 62.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 37.2 %  
Case Mix Index (CMI) ..... 1.1801

### STAFFING:

Total Number of Physicians..... 42  
Percent of Physicians Board  
Certified Specialists ..... 57.1 %  
Medical Residents/Interns ..... 0  
Registered Nurses ..... 114  
Licensed Practical Nurses ..... 88

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# OKITBBEHA COUNTY HOSPITAL


HOSPITAL RD  
STARKVILLE, MS 39759  
Medicare Provider Number: 250050

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 668             | 8.5                 | 8.2  | 2.2   | 15.4    | 12.5 | 2.8   | 17.2     | 15.8 | 2.4   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 26              | 15.4                | 24.6 | ----- | 30.8    | 28.6 | ----- | 30.8     | 32.2 | ----- |
| Congestive Heart Failure.....              | 32              | 9.4                 | 14.8 | ----- | 31.3    | 23.1 | ----- | 34.4     | 29.3 | ----- |
| Pneumonia/Influenza.....                   | 44              | 13.6                | 15.1 | ----- | 15.9    | 20.5 | ----- | 18.2     | 24.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 8               | 12.5                | 5.1  | ----- | 25.0    | 9.5  | ----- | 25.0     | 13.3 | ----- |
| Transient Cerebral Ischemia.....           | 8               | 0.0                 | 1.6  | ----- | 0.0     | 3.7  | ----- | 0.0      | 6.2  | ----- |
| Stroke.....                                | 23              | 30.4                | 20.8 | ----- | 30.4    | 27.1 | ----- | 30.4     | 31.2 | ----- |
| Hip Fracture.....                          | 27              | 3.7                 | 9.1  | ----- | 18.5    | 15.2 | ----- | 18.5     | 19.3 | ----- |
| Sepsis.....                                | 3               | 66.7                | 24.0 | ----- | 66.7    | 28.7 | ----- | 66.7     | 33.5 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 3               | 0.0                 | 1.0  | ----- | 0.0     | 2.1  | ----- | 0.0      | 3.6  | ----- |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 25              | 4.0                 | 8.6  | ----- | 16.0    | 14.5 | ----- | 16.0     | 18.3 | ----- |
| Open Reduction of Hip Fracture.....        | 7               | 0.0                 | 4.8  | ----- | 14.3    | 8.7  | ----- | 14.3     | 11.3 | ----- |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 13              | 0.0                 | 2.9  | ----- | 7.7     | 5.6  | ----- | 7.7      | 7.6  | ----- |
| Hysterectomy.....                          | 6               | 0.0                 | 0.1  | ----- | 0.0     | 0.3  | ----- | 0.0      | 0.5  | ----- |

\* The Standard Deviation (SD) Is not calculated If the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# OKITBBEHA COUNTY HOSPITAL

Medicare Provider Number: 250050

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.9 years  
Proportion female..... 60.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 98.8 %  
Transferred from skilled nursing facility..... 0.3 %  
Admitted for elective procedure..... 2.1 %  
Admitted for emergency..... 73.2 %

### COMORBIDITIES:

Cancer..... 4.0 %  
Chronic cardiovascular disease..... 29.9 %  
Chronic liver disease..... 1.8 %  
Chronic renal disease..... 3.1 %  
Chronic pulmonary disease..... 10.2 %  
Cerebrovascular degeneration..... 3.7 %  
Diabetes mellitus..... 3.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 69.7%  
State ..... 27.5%  
Outside State ..... 2.8%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.8 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 96  
Occupancy Rate ..... 46.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 27.1 %  
Case Mix Index (CMI) ..... 1.0643

### STAFFING:

Total Number of Physicians..... 27  
Percent of Physicians Board  
Certified Specialists ..... 81.5 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 79  
Licensed Practical Nurses ..... 21

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... Yes  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# OKOLONA COMMUNITY HOSPITAL


ROCKWELL DR, BOX 420  
OKOLONA, MS 38860  
Medicare Provider Number: 250021

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 109             | 8.3                 | 13.3 | 3.6   | 11.9    | 19.1 | 4.4   | 16.5     | 22.9 | 4.6   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 4               | 25.0                | 43.8 | ----- | 25.0    | 48.8 | ----- | 25.0     | 52.7 | ----- |
| Congestive Heart Failure.....              | 9               | 11.1                | 12.1 | ----- | 11.1    | 18.1 | ----- | 11.1     | 22.7 | ----- |
| Pneumonia/Influenza.....                   | 12              | 8.3                 | 18.5 | ----- | 33.3    | 23.9 | ----- | 33.3     | 27.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 9.5  | ----- | 0.0     | 17.3 | ----- | 0.0      | 21.8 | ----- |
| Transient Cerebral Ischemia.....           | 1               | 0.0                 | 5.7  | ----- | 0.0     | 13.1 | ----- | 0.0      | 22.5 | ----- |
| Stroke.....                                | 5               | 20.0                | 21.1 | ----- | 20.0    | 28.7 | ----- | 60.0     | 32.8 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 1               | 0.0                 | 10.9 | ----- | 0.0     | 15.0 | ----- | 0.0      | 17.6 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# OKOLONA COMMUNITY HOSPITAL

Medicare Provider Number: 250021

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.8 years  
Proportion female..... 67.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 0.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 99.1 %

### COMORBIDITIES:

Cancer..... 4.6 %  
Chronic cardiovascular disease..... 33.9 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 3.7 %  
Chronic pulmonary disease..... 16.5 %  
Cerebrovascular degeneration..... 1.8 %  
Diabetes mellitus..... 8.3 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 86.5%  
State..... 12.4%  
Outside State..... 1.1%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.2 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 76  
Occupancy Rate..... 94.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 60.8 %  
Case Mix Index (CMI)..... 0.9731

### STAFFING:

Total Number of Physicians..... 2  
Percent of Physicians Board  
Certified Specialists..... 100.0 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 6  
Licensed Practical Nurses..... 3

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# PEARL RIVER COUNTY HOSPITAL


W MOODY ST  
POPLARVILLE, MS 39470  
Medicare Provider Number: 250023

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 193             | 8.8                 | 6.7  | 2.6  | 12.4    | 10.5 | 3.0  | 15.0     | 13.7 | 3.8  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 3               | 33.3                | 30.2 | ---- | 33.3    | 33.0 | ---- | 33.3     | 36.8 | ---- |
| Congestive Heart Failure.....              | 18              | 38.9                | 15.8 | ---- | 38.9    | 25.3 | ---- | 38.9     | 31.8 | ---- |
| Pneumonia/Influenza.....                   | 10              | 10.0                | 15.1 | ---- | 30.0    | 22.1 | ---- | 30.0     | 25.6 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 7               | 0.0                 | 5.9  | ---- | 14.3    | 11.3 | ---- | 28.6     | 16.0 | ---- |
| Transient Cerebral Ischemia.....           | 4               | 0.0                 | 0.9  | ---- | 0.0     | 2.3  | ---- | 25.0     | 3.9  | ---- |
| Stroke.....                                | 5               | 20.0                | 22.6 | ---- | 20.0    | 27.4 | ---- | 20.0     | 31.2 | ---- |
| Hip Fracture.....                          | 1               | 0.0                 | 3.7  | ---- | 0.0     | 6.8  | ---- | 0.0      | 10.4 | ---- |
| Sepsis.....                                | 0               |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0               |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# PEARL RIVER COUNTY HOSPITAL

Medicare Provider Number: 250023

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 71.7 years  
Proportion female..... 59.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 40.4 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 39.4 %  
Admitted for emergency..... 59.1 %

### COMORBIDITIES:

Cancer..... 6.2 %  
Chronic cardiovascular disease..... 42.0 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 1.6 %  
Chronic pulmonary disease..... 14.5 %  
Cerebrovascular degeneration..... 5.2 %  
Diabetes mellitus..... 13.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 85.3%  
State..... 11.7%  
Outside State..... 3.0%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 5.7 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 90  
Occupancy Rate..... 81.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... (Not Available)  
Case Mix Index (CMI)..... 0.8273

### STAFFING:

Total Number of Physicians..... 7  
Percent of Physicians Board  
Certified Specialists..... 57.1 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 12  
Licensed Practical Nurses..... 7

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# PERRY COUNTY GENERAL HOSPITAL


206 BAY AV  
 RICHTON, MS 39476  
 Medicare Provider Number: 250005

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 146             | 13.0                | 9.8  | 3.9   | 17.8    | 15.1 | 3.9   | 20.5     | 18.8 | 4.4   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 1               | 0.0                 | 16.3 | ----- | 0.0     | 18.0 | ----- | 0.0      | 20.2 | ----- |
| Congestive Heart Failure.....              | 10              | 10.0                | 16.2 | ----- | 20.0    | 24.9 | ----- | 30.0     | 30.3 | ----- |
| Pneumonia/Influenza.....                   | 19              | 21.1                | 20.0 | ----- | 21.1    | 26.0 | ----- | 31.6     | 29.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 4               | 25.0                | 6.9  | ----- | 25.0    | 12.1 | ----- | 25.0     | 17.9 | ----- |
| Transient Cerebral Ischemia.....           | 7               | 0.0                 | 3.1  | ----- | 28.6    | 7.1  | ----- | 28.6     | 11.4 | ----- |
| Stroke.....                                | 5               | 20.0                | 20.2 | ----- | 40.0    | 26.1 | ----- | 40.0     | 29.7 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 3               | 66.7                | 21.7 | ----- | 66.7    | 32.8 | ----- | 66.7     | 39.1 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 1               | 0.0                 | 5.4  | ----- | 0.0     | 11.3 | ----- | 0.0      | 15.9 | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# PERRY COUNTY GENERAL HOSPITAL

Medicare Provider Number: 250005

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.5 years  
Proportion female..... 67.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 0.7 %  
Transferred from skilled nursing facility..... 8.2 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 0.7 %

### COMORBIDITIES:

Cancer..... 4.1 %  
Chronic cardiovascular disease..... 47.9 %  
Chronic liver disease..... 2.1 %  
Chronic renal disease..... 11.6 %  
Chronic pulmonary disease..... 16.4 %  
Cerebrovascular degeneration..... 4.8 %  
Diabetes mellitus..... 17.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 69.7%  
State ..... 30.3%  
Outside State ..... 0.0%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.7 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 44  
Occupancy Rate ..... 58.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 49.9 %  
Case Mix Index (CMI) ..... 0.9721

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 9  
Licensed Practical Nurses ..... 9

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# QUITMAN COUNTY HOSPITAL


340 GETWELL DR, BOX 330  
MARKS, MS 38646  
Medicare Provider Number: 250131

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 271                | 7.7                 | 11.1 | 2.5   | 13.7    | 17.1 | 3.5   | 18.8     | 21.2 | 4.2   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 1                  | 0.0                 | 27.0 | ----- | 0.0     | 28.8 | ----- | 0.0      | 31.5 | ----- |
| Congestive Heart Failure.....              | 16                 | 0.0                 | 15.0 | ----- | 6.3     | 24.8 | ----- | 12.5     | 30.8 | ----- |
| Pneumonia/Influenza.....                   | 16                 | 12.5                | 22.9 | ----- | 18.8    | 30.4 | ----- | 37.5     | 35.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 10                 | 0.0                 | 5.1  | ----- | 10.0    | 9.5  | ----- | 10.0     | 13.1 | ----- |
| Transient Cerebral Ischemia.....           | 7                  | 0.0                 | 2.5  | ----- | 14.3    | 5.3  | ----- | 28.6     | 7.9  | ----- |
| Stroke.....                                | 11                 | 18.2                | 25.2 | ----- | 36.4    | 32.8 | ----- | 36.4     | 37.2 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 2                  | 0.0                 | 28.2 | ----- | 0.0     | 35.2 | ----- | 0.0      | 39.4 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# QUITMAN COUNTY HOSPITAL

Medicare Provider Number: 250131

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.9 years  
Proportion female..... 59.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 42.4 %  
Transferred from skilled nursing facility..... 1.1 %  
Admitted for elective procedure..... 0.7 %  
Admitted for emergency..... 55.4 %

### COMORBIDITIES:

Cancer..... 5.5 %  
Chronic cardiovascular disease..... 38.7 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 4.1 %  
Chronic pulmonary disease..... 21.0 %  
Cerebrovascular degeneration..... 1.1 %  
Diabetes mellitus..... 12.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 57.0%  
State ..... 40.9%  
Outside State ..... 2.1%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.7 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 96  
Occupancy Rate ..... 86.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges ..... 26.1 %  
Case Mix Index (CMI) ..... 0.9039

### STAFFING:

Total Number of Physicians..... 5  
Percent of Physicians Board  
Certified Specialists..... 60.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 10  
Licensed Practical Nurses..... 13

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# RANKIN MEDICAL CENTER


350 CROSSGATES BLVD  
BRANDON, MS 39042  
Medicare Provider Number: 250096

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 622                | 10.9                | 8.8  | 2.2   | 14.6    | 13.5 | 2.5   | 18.6     | 16.9 | 2.5   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 17                 | 35.3                | 23.7 | ----- | 35.3    | 26.6 | ----- | 35.3     | 28.9 | ----- |
| Congestive Heart Failure.....              | 38                 | 15.8                | 13.2 | ----- | 18.4    | 21.2 | ----- | 21.1     | 26.8 | ----- |
| Pneumonia/Influenza.....                   | 47                 | 21.3                | 13.3 | ----- | 25.5    | 18.7 | ----- | 34.0     | 22.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 24                 | 12.5                | 4.7  | ----- | 12.5    | 9.0  | ----- | 12.5     | 12.8 | ----- |
| Transient Cerebral Ischemia.....           | 5                  | 0.0                 | 1.9  | ----- | 0.0     | 4.2  | ----- | 0.0      | 7.1  | ----- |
| Stroke.....                                | 31                 | 29.0                | 20.7 | ----- | 38.7    | 27.0 | ----- | 45.2     | 31.0 | ----- |
| Hip Fracture.....                          | 18                 | 11.1                | 5.3  | ----- | 16.7    | 9.5  | ----- | 22.2     | 12.5 | ----- |
| Sepsis.....                                | 5                  | 20.0                | 13.6 | ----- | 40.0    | 18.2 | ----- | 40.0     | 21.7 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 2                  | 0.0                 | 1.7  | ----- | 0.0     | 3.3  | ----- | 0.0      | 4.6  | ----- |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 5                  | 20.0                | 4.4  | ----- | 40.0    | 7.6  | ----- | 40.0     | 9.9  | ----- |
| Open Reduction of Hip Fracture.....        | 11                 | 9.1                 | 5.2  | ----- | 9.1     | 9.4  | ----- | 18.2     | 12.4 | ----- |
| Prostatectomy.....                         | 7                  | 0.0                 | 1.2  | ----- | 14.3    | 2.7  | ----- | 14.3     | 4.4  | ----- |
| Cholecystectomy.....                       | 11                 | 18.2                | 3.2  | ----- | 18.2    | 6.6  | ----- | 18.2     | 9.3  | ----- |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# RANKIN MEDICAL CENTER

Medicare Provider Number: 250096

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.3 years  
 Proportion female..... 64.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 43.2 %  
 Transferred from skilled nursing facility..... 0.5 %  
 Admitted for elective procedure..... 0.0 %  
 Admitted for emergency..... 10.1 %

### COMORBIDITIES:

Cancer..... 4.5 %  
 Chronic cardiovascular disease..... 28.5 %  
 Chronic liver disease..... 1.3 %  
 Chronic renal disease..... 2.7 %  
 Chronic pulmonary disease..... 16.4 %  
 Cerebrovascular degeneration..... 3.7 %  
 Diabetes mellitus..... 5.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 73.3%  
 State ..... 24.5%  
 Outside State ..... 2.2%  
 Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.9 Days  
 State ..... 7.7 Days  
 National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 90  
 Occupancy Rate ..... 52.0 %  
 Ownership/Control..... Local Government  
 Medicare Discharges ..... 37.5 %  
 Case Mix Index (CMI) ..... 1.1118

### STAFFING:

Total Number of Physicians..... 35  
 Percent of Physicians Board  
 Certified Specialists..... 74.3 %  
 Medical Residents/Interns ..... 0  
 Registered Nurses..... 73  
 Licensed Practical Nurses ..... 10

### SPECIALTY SERVICES:

Burn Unit ..... No  
 Cardiac Intensive Care ..... No  
 Comprehensive Geriatric ..... No  
 Hospice Care ..... No  
 Medical/Surgical Intensive Care ..... Yes  
 Organ/Tissue Transplant ..... No  
 Other Intensive Care ..... No  
 Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
 Rehabilitation..... No  
 Psychiatric ..... No  
 Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# RIVER OAKS HOSPITAL


1030 RIVER OAKS DR  
FLOWOOD, MS 39208  
Medicare Provider Number: 250138

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 794             | 2.9                 | 4.0  | 0.9   | 5.4     | 6.6  | 1.2   | 6.7      | 8.6  | 1.4   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 10              | 50.0                | 28.8 | ----- | 50.0    | 30.9 | ----- | 50.0     | 33.1 | ----- |
| Congestive Heart Failure.....              | 8               | 12.5                | 13.8 | ----- | 25.0    | 23.3 | ----- | 37.5     | 29.9 | ----- |
| Pneumonia/Influenza.....                   | 29              | 3.4                 | 11.1 | ----- | 3.4     | 15.4 | ----- | 6.9      | 18.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 15              | 0.0                 | 4.8  | ----- | 6.7     | 8.9  | ----- | 13.3     | 12.7 | ----- |
| Transient Cerebral Ischemia.....           | 13              | 0.0                 | 1.8  | ----- | 0.0     | 4.5  | ----- | 0.0      | 7.6  | ----- |
| Stroke.....                                | 12              | 25.0                | 15.3 | ----- | 33.3    | 21.8 | ----- | 41.7     | 25.1 | ----- |
| Hip Fracture.....                          | 25              | 4.0                 | 4.6  | ----- | 4.0     | 8.6  | ----- | 8.0      | 11.5 | ----- |
| Sepsis.....                                | 2               | 50.0                | 37.6 | ----- | 100.0   | 53.9 | ----- | 100.0    | 64.2 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 24              | 0.0                 | 1.0  | ----- | 0.0     | 1.8  | ----- | 4.2      | 2.5  | ----- |
| Open Reduction of Hip Fracture.....        | 21              | 4.8                 | 3.7  | ----- | 4.8     | 7.2  | ----- | 9.5      | 9.9  | ----- |
| Prostatectomy.....                         | 3               | 0.0                 | 1.1  | ----- | 0.0     | 2.9  | ----- | 0.0      | 5.4  | ----- |
| Cholecystectomy.....                       | 12              | 0.0                 | 1.1  | ----- | 8.3     | 2.0  | ----- | 8.3      | 2.6  | ----- |
| Hysterectomy.....                          | 5               | 0.0                 | 0.2  | ----- | 0.0     | 0.6  | ----- | 0.0      | 1.2  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# RIVER OAKS HOSPITAL

Medicare Provider Number: 250138

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 70.6 years  
Proportion female..... 68.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 74.6 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 42.9 %  
Admitted for emergency..... 28.7 %

### COMORBIDITIES:

Cancer..... 3.7 %  
Chronic cardiovascular disease..... 16.6 %  
Chronic liver disease..... 1.1 %  
Chronic renal disease..... 4.3 %  
Chronic pulmonary disease..... 8.3 %  
Cerebrovascular degeneration..... 3.1 %  
Diabetes mellitus..... 5.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 27.4%  
State ..... 70.4%  
Outside State ..... 2.2%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.1 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 100  
Occupancy Rate ..... 63.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges ..... 28.9 %  
Case Mix Index (CMI) ..... 1.1530

### STAFFING:

Total Number of Physicians..... 191  
Percent of Physicians Board  
Certified Specialists..... 79.6 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 110  
Licensed Practical Nurses ..... 33

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates



# RUSH FOUNDATION HOSPITAL


1314 19TH AVE  
MERIDIAN, MS 39301  
Medicare Provider Number: 250069

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1568            | 8.2                 | 8.0  | 0.7   | 12.2    | 12.7 | 0.9   | 15.6     | 16.2 | 1.0   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 36              | 22.2                | 28.3 | ----- | 27.8    | 31.8 | ----- | 27.8     | 35.1 | ----- |
| Congestive Heart Failure.....              | 96              | 13.5                | 14.6 | 5.5   | 17.7    | 23.7 | 6.8   | 26.0     | 30.1 | 5.7   |
| Pneumonia/Influenza.....                   | 95              | 11.6                | 14.7 | 4.3   | 15.8    | 20.6 | 5.1   | 18.9     | 24.3 | 5.6   |
| Chronic Obstructive Pulmonary Disease..... | 25              | 4.0                 | 7.3  | ----- | 4.0     | 13.5 | ----- | 4.0      | 18.5 | ----- |
| Transient Cerebral Ischemia.....           | 18              | 0.0                 | 1.7  | ----- | 5.6     | 4.0  | ----- | 5.6      | 6.7  | ----- |
| Stroke.....                                | 55              | 18.2                | 16.6 | 5.6   | 21.8    | 23.4 | 5.9   | 25.5     | 27.2 | 6.5   |
| Hip Fracture.....                          | 39              | 10.3                | 8.2  | ----- | 20.5    | 14.7 | ----- | 25.6     | 18.8 | ----- |
| Sepsis.....                                | 22              | 36.4                | 31.7 | ----- | 54.5    | 42.2 | ----- | 54.5     | 47.8 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 1               | 0.0                 | 5.3  | ----- | 0.0     | 7.3  | ----- | 0.0      | 8.9  | ----- |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 26              | 7.7                 | 3.7  | ----- | 7.7     | 6.9  | ----- | 7.7      | 9.7  | ----- |
| Carotid Endarterectomy.....                | 3               | 0.0                 | 1.0  | ----- | 0.0     | 1.8  | ----- | 0.0      | 2.8  | ----- |
| Hip Replacement/Reconstruction.....        | 19              | 5.3                 | 5.0  | ----- | 15.8    | 9.9  | ----- | 15.8     | 13.4 | ----- |
| Open Reduction of Hip Fracture.....        | 24              | 12.5                | 8.1  | ----- | 16.7    | 14.8 | ----- | 25.0     | 19.1 | ----- |
| Prostatectomy.....                         | 78              | 1.3                 | 0.9  | 1.2   | 2.6     | 2.1  | 1.9   | 3.8      | 3.6  | 2.2   |
| Cholecystectomy.....                       | 23              | 4.3                 | 2.3  | ----- | 4.3     | 4.3  | ----- | 4.3      | 5.8  | ----- |
| Hysterectomy.....                          | 17              | 0.0                 | 0.2  | ----- | 0.0     | 0.5  | ----- | 0.0      | 0.8  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# RUSH FOUNDATION HOSPITAL

Medicare Provider Number: 250069

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.8 years

Proportion female..... 54.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 88.8 %

Transferred from skilled nursing facility..... 7.2 %

Admitted for elective procedure..... 48.6 %

Admitted for emergency..... 50.9 %

### COMORBIDITIES:

Cancer..... 7.3 %

Chronic cardiovascular disease..... 33.6 %

Chronic liver disease..... 0.4 %

Chronic renal disease..... 3.4 %

Chronic pulmonary disease..... 34.1 %

Cerebrovascular degeneration..... 4.5 %

Diabetes mellitus..... 7.2 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 49.7%

State ..... 28.6%

Outside State ..... 21.7%

Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.6 Days

State ..... 7.7 Days

National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds ..... 205

Occupancy Rate ..... 65.0 %

Ownership/Control..... Private, Non-Profit

Medicare Discharges ..... 36.0 %

Case Mix Index (CMI) ..... 1.1887

### STAFFING:

Total Number of Physicians..... 33

Percent of Physicians Board  
Certified Specialists ..... 51.5 %

Medical Residents/Interns ..... 0

Registered Nurses..... 137

Licensed Practical Nurses ..... 92

### SPECIALTY SERVICES:

Burn Unit ..... No

Cardiac Intensive Care ..... Yes

Comprehensive Geriatric ..... No

Hospice Care ..... No

Medical/Surgical Intensive Care ..... Yes

Organ/Tissue Transplant ..... No

Other Intensive Care ..... No

Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No

Rehabilitation..... No

Psychiatric ..... No

Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# RUSH HOSPITAL NEWTON


PO BOX 299  
NEWTON, MS 39345  
Medicare Provider Number: 250073

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 235             | 15.3                | 13.0 | 3.1   | 20.9    | 18.4 | 4.4   | 26.4     | 22.3 | 4.9   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 10              | 80.0                | 43.5 | ----- | 80.0    | 46.3 | ----- | 80.0     | 49.8 | ----- |
| Congestive Heart Failure.....              | 6               | 50.0                | 17.9 | ----- | 50.0    | 26.5 | ----- | 50.0     | 32.1 | ----- |
| Pneumonia/Influenza.....                   | 22              | 18.2                | 18.5 | ----- | 27.3    | 24.9 | ----- | 27.3     | 29.3 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 3               | 0.0                 | 12.6 | ----- | 66.7    | 19.5 | ----- | 66.7     | 24.9 | ----- |
| Transient Cerebral Ischemia.....           | 3               | 0.0                 | 5.5  | ----- | 0.0     | 12.5 | ----- | 33.3     | 19.6 | ----- |
| Stroke.....                                | 12              | 25.0                | 18.9 | ----- | 25.0    | 27.8 | ----- | 25.0     | 32.6 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 14              | 14.3                | 22.6 | ----- | 21.4    | 31.0 | ----- | 28.6     | 36.4 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# RUSH HOSPITAL NEWTON

Medicare Provider Number: 250073

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.0 years  
Proportion female..... 60.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 17.4 %  
Transferred from skilled nursing facility..... 6.0 %  
Admitted for elective procedure..... 2.1 %  
Admitted for emergency..... 35.7 %

### COMORBIDITIES:

Cancer..... 6.0 %  
Chronic cardiovascular disease..... 29.8 %  
Chronic liver disease..... 0.9 %  
Chronic renal disease..... 2.6 %  
Chronic pulmonary disease..... 20.0 %  
Cerebrovascular degeneration..... 2.1 %  
Diabetes mellitus..... 11.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 80.5%  
State ..... 17.1%  
Outside State ..... 2.4%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.6 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 39  
Occupancy Rate ..... 51.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges ..... 50.3 %  
Case Mix Index (CMI) ..... 0.9881

### STAFFING:

Total Number of Physicians..... 6  
Percent of Physicians Board  
Certified Specialists..... 50.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 12  
Licensed Practical Nurses..... 8

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# S E LACKEY MEMORIAL HOSPITAL


330 N BROAD ST BOX 428  
FOREST, MS 39074  
Medicare Provider Number: 250029

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 322                | 10.9                | 8.5  | 1.8   | 15.8    | 12.6 | 2.5   | 19.6     | 15.9 | 2.8   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 18                 | 50.0                | 29.5 | ----- | 50.0    | 33.3 | ----- | 50.0     | 36.2 | ----- |
| Congestive Heart Failure.....              | 25                 | 28.0                | 13.4 | ----- | 32.0    | 21.4 | ----- | 36.0     | 27.3 | ----- |
| Pneumonia/Influenza.....                   | 23                 | 8.7                 | 14.0 | ----- | 13.0    | 19.2 | ----- | 17.4     | 22.8 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 12                 | 8.3                 | 10.6 | ----- | 16.7    | 17.8 | ----- | 25.0     | 23.2 | ----- |
| Transient Cerebral Ischemia.....           | 6                  | 0.0                 | 1.1  | ----- | 0.0     | 2.5  | ----- | 0.0      | 4.2  | ----- |
| Stroke.....                                | 14                 | 21.4                | 17.1 | ----- | 28.6    | 22.7 | ----- | 28.6     | 26.7 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 2                  | 50.0                | 29.1 | ----- | 50.0    | 35.2 | ----- | 50.0     | 39.8 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# S E LACKEY MEMORIAL HOSPITAL

Medicare Provider Number: 250029

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.1 years

Proportion female..... 60.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 39.4 %

Transferred from skilled nursing facility..... 2.8 %

Admitted for elective procedure..... 1.9 %

Admitted for emergency..... 4.3 %

### COMORBIDITIES:

Cancer..... 4.0 %

Chronic cardiovascular disease..... 27.3 %

Chronic liver disease..... 0.0 %

Chronic renal disease..... 5.9 %

Chronic pulmonary disease..... 11.5 %

Cerebrovascular degeneration..... 3.4 %

Diabetes mellitus..... 11.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 83.6%

State..... 15.8%

Outside State..... 0.6%

Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 4.4 Days

State..... 7.7 Days

National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 74

Occupancy Rate..... 51.0 %

Ownership/Control..... Private, Non-Profit

Medicare Discharges..... 42.3 %

Case Mix Index (CMI)..... 0.8607

### STAFFING:

Total Number of Physicians..... 11

Percent of Physicians Board  
Certified Specialists..... 45.5 %

Medical Residents/Interns..... 0

Registered Nurses..... 12

Licensed Practical Nurses..... 6

### SPECIALTY SERVICES:

Burn Unit..... No

Cardiac Intensive Care..... No

Comprehensive Geriatric..... No

Hospice Care..... No

Medical/Surgical Intensive Care..... No

Organ/Tissue Transplant..... No

Other Intensive Care..... No

Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No

Rehabilitation..... No

Psychiatric..... No

Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# SARDIS COMMUNITY HOSPITAL & NURSING HOME


155 AT HWY 315, BOX 330  
SARDIS, MS 38666  
Medicare Provider Number: 250113

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 165             | 9.1                 | 9.9  | 2.5   | 12.1    | 15.5 | 3.3   | 14.5     | 19.9 | 4.0   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 2               | 0.0                 | 47.4 | ----- | 0.0     | 50.8 | ----- | 0.0      | 54.2 | ----- |
| Congestive Heart Failure.....              | 14              | 14.3                | 12.1 | ----- | 14.3    | 18.6 | ----- | 14.3     | 23.9 | ----- |
| Pneumonia/Influenza.....                   | 12              | 25.0                | 17.3 | ----- | 25.0    | 23.0 | ----- | 25.0     | 27.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 16              | 0.0                 | 8.5  | ----- | 6.3     | 16.5 | ----- | 18.8     | 22.8 | ----- |
| Transient Cerebral Ischemia.....           | 6               | 0.0                 | 1.6  | ----- | 0.0     | 3.8  | ----- | 0.0      | 6.3  | ----- |
| Stroke.....                                | 5               | 40.0                | 33.1 | ----- | 40.0    | 42.0 | ----- | 40.0     | 46.3 | ----- |
| Hip Fracture.....                          | 2               | 0.0                 | 6.2  | ----- | 0.0     | 10.4 | ----- | 0.0      | 12.9 | ----- |
| Sepsis.....                                | 1               | 0.0                 | 19.1 | ----- | 0.0     | 24.3 | ----- | 0.0      | 28.3 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 1               | 0.0                 | 3.5  | ----- | 0.0     | 8.2  | ----- | 0.0      | 13.8 | ----- |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 1               | 0.0                 | 0.0  | ----- | 0.0     | 0.1  | ----- | 0.0      | 0.1  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# SARDIS COMMUNITY HOSPITAL & NURSING HOME

Medicare Provider Number: 250113

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.0 years  
Proportion female..... 63.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 44.8 %  
Transferred from skilled nursing facility..... 8.5 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 41.2 %

### COMORBIDITIES:

Cancer..... 4.2 %  
Chronic cardiovascular disease..... 35.8 %  
Chronic liver disease..... 0.6 %  
Chronic renal disease..... 2.4 %  
Chronic pulmonary disease..... 26.7 %  
Cerebrovascular degeneration..... 3.6 %  
Diabetes mellitus..... 12.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 78.9%  
State..... 20.8%  
Outside State..... 0.3%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.9 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 60  
Ownership/Control..... Private, Non-Profit  
Case Mix Index (CMI)..... 0.9566

### STAFFING:

Medical Residents/Interns..... 0  
Registered Nurses..... 10  
Licensed Practical Nurses..... 16

### SPECIALTY SERVICES:

Burn Unit..... No  
Coronary Care Unit..... No  
Hospice Care..... No  
Intensive Care Unit..... No  
Organ Transplant..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... Yes  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# SENATOBIA COMMUNITY HOSPITAL


401 GETWELL DR  
SENATOBIA, MS 38668  
Medicare Provider Number: 250126

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 372             | 12.4                | 12.4 | 1.7   | 17.5    | 18.5 | 2.2   | 22.3     | 22.5 | 2.3   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 6               | 50.0                | 35.2 | ----- | 50.0    | 41.2 | ----- | 66.7     | 44.7 | ----- |
| Congestive Heart Failure.....              | 33              | 18.2                | 17.4 | ----- | 30.3    | 27.5 | ----- | 39.4     | 34.1 | ----- |
| Pneumonia/Influenza.....                   | 25              | 12.0                | 18.3 | ----- | 12.0    | 25.0 | ----- | 12.0     | 29.0 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 13              | 7.7                 | 6.7  | ----- | 7.7     | 11.5 | ----- | 7.7      | 14.9 | ----- |
| Transient Cerebral Ischemia.....           | 6               | 0.0                 | 2.5  | ----- | 16.7    | 5.8  | ----- | 16.7     | 9.6  | ----- |
| Stroke.....                                | 25              | 12.0                | 20.8 | ----- | 24.0    | 27.9 | ----- | 32.0     | 31.6 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 10              | 40.0                | 34.2 | ----- | 40.0    | 41.5 | ----- | 50.0     | 45.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 1               | 0.0                 | 9.9  | ----- | 0.0     | 16.6 | ----- | 0.0      | 20.7 | ----- |
| Cholecystectomy.....                       | 2               | 0.0                 | 4.5  | ----- | 0.0     | 7.5  | ----- | 0.0      | 9.2  | ----- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.2  | ----- | 0.0     | 0.4  | ----- | 0.0      | 0.6  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# SENATOBIA COMMUNITY HOSPITAL

Medicare Provider Number: 250126

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.2 years  
Proportion female..... 64.8 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 33.6 %  
Transferred from skilled nursing facility..... 5.4 %  
Admitted for elective procedure..... 3.5 %  
Admitted for emergency..... 75.5 %

### COMORBIDITIES:

Cancer..... 6.5 %  
Chronic cardiovascular disease..... 39.8 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 3.5 %  
Chronic pulmonary disease..... 15.1 %  
Cerebrovascular degeneration..... 1.1 %  
Diabetes mellitus..... 12.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 73.6%  
State ..... 23.8%  
Outside State ..... 2.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.3 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 52  
Occupancy Rate ..... 40.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges ..... 34.9 %  
Case Mix Index (CMI) ..... 1.0200

### STAFFING:

Total Number of Physicians..... 16  
Percent of Physicians Board  
Certified Specialists..... 37.5 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 19  
Licensed Practical Nurses ..... 13

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# SHARKEY ISAQUENA COMMUNITY HOSPITAL


108 S 4 ST  
ROLLING FORK, MS 39159  
Medicare Provider Number: 250079

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 188                | 8.0                 | 7.3  | 1.9   | 15.4    | 11.5 | 3.3   | 18.6     | 14.9 | 3.6   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 1                  | 0.0                 | 7.4  | ----- | 0.0     | 8.8  | ----- | 0.0      | 10.8 | ----- |
| Congestive Heart Failure.....              | 14                 | 7.1                 | 14.0 | ----- | 21.4    | 22.9 | ----- | 21.4     | 29.6 | ----- |
| Pneumonia/Influenza.....                   | 20                 | 15.0                | 14.3 | ----- | 40.0    | 20.1 | ----- | 45.0     | 24.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 2                  | 0.0                 | 6.1  | ----- | 0.0     | 10.1 | ----- | 0.0      | 13.6 | ----- |
| Transient Cerebral Ischemia.....           | 4                  | 0.0                 | 1.1  | ----- | 0.0     | 2.5  | ----- | 0.0      | 4.0  | ----- |
| Stroke.....                                | 4                  | 50.0                | 30.5 | ----- | 50.0    | 33.8 | ----- | 50.0     | 36.0 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 3                  | 0.0                 | 30.6 | ----- | 0.0     | 41.0 | ----- | 0.0      | 46.5 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# SHARKEY ISAQUENA COMMUNITY HOSPITAL

Medicare Provider Number: 250079

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.4 years  
Proportion female..... 64.9 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 68.1 %  
Transferred from skilled nursing facility..... 2.7 %  
Admitted for elective procedure..... 58.0 %  
Admitted for emergency..... 41.0 %

### COMORBIDITIES:

Cancer..... 4.3 %  
Chronic cardiovascular disease..... 27.1 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 1.6 %  
Chronic pulmonary disease..... 13.8 %  
Cerebrovascular degeneration..... 5.3 %  
Diabetes mellitus..... 6.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 67.6%  
State ..... 28.8%  
Outside State ..... 3.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.9 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 29  
Occupancy Rate ..... 41.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 47.5 %  
Case Mix Index (CMI) ..... 0.8171

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists ..... 100.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 6  
Licensed Practical Nurses ..... 8

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... Yes  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation ..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# SHELBY COMMUNITY HOSPITAL


107 BROADWAY, DRAWER A  
SHELBY, MS 38774  
Medicare Provider Number: 250062

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 116             | 17.2                | 10.1 | 4.3   | 23.3    | 15.8 | 4.6   | 26.7     | 19.8 | 4.8   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Congestive Heart Failure.....              | 7               | 28.6                | 13.7 | ----- | 28.6    | 20.9 | ----- | 42.9     | 26.4 | ----- |
| Pneumonia/Influenza.....                   | 14              | 28.6                | 14.9 | ----- | 42.9    | 20.1 | ----- | 42.9     | 23.5 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 3               | 0.0                 | 2.8  | ----- | 33.3    | 6.3  | ----- | 33.3     | 9.7  | ----- |
| Transient Cerebral Ischemia.....           | 3               | 0.0                 | 1.5  | ----- | 0.0     | 3.8  | ----- | 0.0      | 6.9  | ----- |
| Stroke.....                                | 9               | 55.6                | 21.9 | ----- | 66.7    | 30.7 | ----- | 77.8     | 36.0 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 3               | 66.7                | 24.6 | ----- | 66.7    | 32.2 | ----- | 66.7     | 36.4 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# SHELBY COMMUNITY HOSPITAL

Medicare Provider Number: 250062

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 76.3 years  
Proportion female..... 59.5 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 94.8 %  
Transferred from skilled nursing facility..... 2.6 %  
Admitted for elective procedure..... 44.0 %  
Admitted for emergency..... 54.3 %

### COMORBIDITIES:

Cancer..... 3.4 %  
Chronic cardiovascular disease..... 29.3 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 4.3 %  
Chronic pulmonary disease..... 20.7 %  
Cerebrovascular degeneration..... 4.3 %  
Diabetes mellitus..... 6.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 87.9%  
State ..... 10.0%  
Outside State ..... 2.1%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.2 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds ..... 23  
Occupancy Rate ..... 34.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges ..... 30.1 %  
Case Mix Index (CMI) ..... 1.0571

### STAFFING:

Total Number of Physicians..... 4  
Percent of Physicians Board  
Certified Specialists ..... 75.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 6  
Licensed Practical Nurses ..... 6

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# SIMPSON GENERAL HOSPITAL


931 JACKSON AVE  
MENDENHALL, MS 39114  
Medicare Provider Number: 250065

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|-----------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                 | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                 | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 236             | 11.0                | 10.5 | 2.7  | 15.7    | 15.6 | 3.3  | 18.2     | 19.2 | 3.9  |
| CONDITIONS:                                |                 |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 1               | 100.0               | 35.9 | ---- | 100.0   | 40.8 | ---- | 100.0    | 47.3 | ---- |
| Congestive Heart Failure.....              | 15              | 6.7                 | 13.1 | ---- | 6.7     | 20.8 | ---- | 13.3     | 26.7 | ---- |
| Pneumonia/Influenza.....                   | 49              | 14.3                | 16.7 | ---- | 20.4    | 22.8 | ---- | 20.4     | 26.2 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 1.7  | ---- | 0.0     | 3.3  | ---- | 0.0      | 5.0  | ---- |
| Transient Cerebral Ischemia.....           | 11              | 0.0                 | 2.5  | ---- | 0.0     | 5.7  | ---- | 0.0      | 9.1  | ---- |
| Stroke.....                                | 15              | 40.0                | 22.3 | ---- | 60.0    | 29.3 | ---- | 66.7     | 33.1 | ---- |
| Hip Fracture.....                          | 1               | 100.0               | 14.5 | ---- | 100.0   | 26.6 | ---- | 100.0    | 33.9 | ---- |
| Sepsis.....                                | 1               | 0.0                 | 30.4 | ---- | 0.0     | 35.5 | ---- | 0.0      | 38.7 | ---- |
| PROCEDURES:                                |                 |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0               |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0               |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0               |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0               |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 1               | 0.0                 | 1.0  | ---- | 0.0     | 1.7  | ---- | 0.0      | 2.4  | ---- |
| Hysterectomy.....                          | 0               |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# SIMPSON GENERAL HOSPITAL

Medicare Provider Number: 250065

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.8 years  
Proportion female..... 66.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 98.7 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.8 %  
Admitted for emergency..... 97.9 %

### COMORBIDITIES:

Cancer..... 4.2 %  
Chronic cardiovascular disease..... 44.9 %  
Chronic liver disease..... 0.4 %  
Chronic renal disease..... 4.2 %  
Chronic pulmonary disease..... 18.2 %  
Cerebrovascular degeneration..... 2.1 %  
Diabetes mellitus..... 11.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 80.5%  
State ..... 17.9%  
Outside State ..... 1.6%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.3 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 49  
Occupancy Rate ..... 65.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 36.5 %  
Case Mix Index (CMI) ..... 0.9596

### STAFFING:

Total Number of Physicians..... 6  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 16  
Licensed Practical Nurses ..... 24

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# SINGING RIVER HOSPITAL SYSTEM


2809 DENNY AV  
PASCAGOULA, MS 39567  
Medicare Provider Number: 250040

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 3243            | 6.5                 | 7.4  | 0.7   | 10.6    | 11.5 | 0.8   | 13.7     | 14.7 | 0.8   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 65              | 33.8                | 31.7 | 7.9   | 40.0    | 34.4 | 10.1  | 41.5     | 36.9 | 10.0  |
| Congestive Heart Failure.....              | 146             | 13.0                | 13.1 | 2.8   | 21.9    | 21.1 | 4.3   | 28.1     | 27.3 | 3.9   |
| Pneumonia/Influenza.....                   | 116             | 4.3                 | 12.9 | 4.8   | 12.9    | 17.8 | 4.2   | 16.4     | 21.2 | 4.4   |
| Chronic Obstructive Pulmonary Disease..... | 97              | 5.2                 | 5.7  | 2.4   | 8.2     | 10.5 | 3.7   | 13.4     | 14.4 | 3.7   |
| Transient Cerebral Ischemia.....           | 49              | 2.0                 | 2.1  | ----- | 4.1     | 4.5  | ----- | 6.1      | 7.1  | ----- |
| Stroke.....                                | 84              | 20.2                | 20.5 | 4.6   | 31.0    | 27.1 | 6.5   | 36.9     | 31.0 | 8.0   |
| Hip Fracture.....                          | 52              | 5.8                 | 6.1  | 3.4   | 15.4    | 11.3 | 7.2   | 17.3     | 14.9 | 7.7   |
| Sepsis.....                                | 40              | 25.0                | 32.1 | ----- | 35.0    | 40.3 | ----- | 45.0     | 44.9 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 27              | 0.0                 | 2.8  | ----- | 7.4     | 5.4  | ----- | 18.5     | 7.9  | ----- |
| Carotid Endarterectomy.....                | 30              | 6.7                 | 1.9  | ----- | 6.7     | 3.3  | ----- | 6.7      | 4.7  | ----- |
| Hip Replacement/Reconstruction.....        | 32              | 3.1                 | 2.9  | ----- | 3.1     | 5.6  | ----- | 6.3      | 7.3  | ----- |
| Open Reduction of Hip Fracture.....        | 32              | 3.1                 | 5.6  | ----- | 18.8    | 10.7 | ----- | 18.8     | 14.6 | ----- |
| Prostatectomy.....                         | 56              | 0.0                 | 1.0  | ----- | 0.0     | 2.3  | ----- | 0.0      | 4.0  | ----- |
| Cholecystectomy.....                       | 54              | 3.7                 | 2.7  | 2.4   | 5.6     | 5.1  | 3.4   | 11.1     | 6.8  | 5.3   |
| Hysterectomy.....                          | 11              | 0.0                 | 0.5  | ----- | 0.0     | 1.1  | ----- | 0.0      | 2.0  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# SINGING RIVER HOSPITAL SYSTEM

Medicare Provider Number: 250040

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 71.5 years  
Proportion female..... 56.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 41.5 %  
Transferred from skilled nursing facility..... 0.2 %  
Admitted for elective procedure..... 34.7 %  
Admitted for emergency..... 58.1 %

### COMORBIDITIES:

Cancer..... 6.1 %  
Chronic cardiovascular disease..... 37.6 %  
Chronic liver disease..... 1.3 %  
Chronic renal disease..... 3.2 %  
Chronic pulmonary disease..... 20.6 %  
Cerebrovascular degeneration..... 4.1 %  
Diabetes mellitus..... 10.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 83.3%  
State ..... 11.6%  
Outside State ..... 5.1%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 9.0 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 415  
Ownership/Control..... Local Government  
Case Mix Index (CMI) ..... 1.1763

### STAFFING:

Medical Residents/Interns ..... 0  
Registered Nurses..... 296  
Licensed Practical Nurses ..... 104

### SPECIALTY SERVICES:

Burn Unit ..... No  
Coronary Care Unit ..... Yes  
Hospice Care ..... No  
Intensive Care Unit ..... Yes  
Organ Transplant ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... Yes  
Rehabilitation..... Yes  
Psychiatric ..... Yes  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates



# SMITH COUNTY GENERAL HOSPITAL


HIGHWAY 35 SOUTH  
RALEIGH, MS 39153  
Medicare Provider Number: 250139

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 142                | 12.7                | 10.1 | 3.9   | 15.5    | 15.5 | 4.3   | 19.7     | 19.3 | 3.5   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 1                  | 0.0                 | 18.9 | ----- | 0.0     | 20.5 | ----- | 0.0      | 22.7 | ----- |
| Congestive Heart Failure.....              | 10                 | 20.0                | 17.2 | ----- | 20.0    | 28.0 | ----- | 20.0     | 34.7 | ----- |
| Pneumonia/Influenza.....                   | 16                 | 6.3                 | 14.6 | ----- | 6.3     | 19.3 | ----- | 12.5     | 22.6 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 7                  | 0.0                 | 6.1  | ----- | 14.3    | 11.0 | ----- | 14.3     | 14.9 | ----- |
| Transient Cerebral Ischemia.....           | 1                  | 0.0                 | 1.4  | ----- | 0.0     | 3.4  | ----- | 0.0      | 5.9  | ----- |
| Stroke.....                                | 7                  | 71.4                | 32.2 | ----- | 71.4    | 41.4 | ----- | 71.4     | 46.1 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0                  |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# SMITH COUNTY GENERAL HOSPITAL

Medicare Provider Number: 250139

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.9 years  
Proportion female..... 61.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 31.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 27.5 %  
Admitted for emergency..... 71.8 %

### COMORBIDITIES:

Cancer..... 2.8 %  
Chronic cardiovascular disease..... 32.4 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 3.5 %  
Chronic pulmonary disease..... 8.5 %  
Cerebrovascular degeneration..... 1.4 %  
Diabetes mellitus..... 8.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 70.5%  
State ..... 29.1%  
Outside State ..... 0.4%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.1 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 29  
Occupancy Rate ..... 37.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 53.5 %  
Case Mix Index (CMI) ..... 0.9011

### STAFFING:

Total Number of Physicians..... 2  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 7  
Licensed Practical Nurses ..... 6

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# SOUTH PANOLA COMMUNITY HOSPITAL


HOSPITAL RD, BOX 433  
BATESVILLE, MS 38606  
Medicare Provider Number: 250128

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 293             | 13.0                | 10.8 | 2.8   | 17.4    | 16.0 | 2.5   | 21.2     | 19.7 | 2.6   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 3               | 100.0               | 42.4 | ----- | 100.0   | 46.6 | ----- | 100.0    | 49.4 | ----- |
| Congestive Heart Failure.....              | 16              | 25.0                | 14.5 | ----- | 37.5    | 23.0 | ----- | 37.5     | 28.9 | ----- |
| Pneumonia/Influenza.....                   | 39              | 12.8                | 13.7 | ----- | 15.4    | 18.9 | ----- | 23.1     | 22.2 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 7               | 0.0                 | 8.7  | ----- | 14.3    | 16.2 | ----- | 14.3     | 22.1 | ----- |
| Transient Cerebral Ischemia.....           | 9               | 0.0                 | 2.0  | ----- | 11.1    | 4.5  | ----- | 11.1     | 7.3  | ----- |
| Stroke.....                                | 10              | 30.0                | 21.0 | ----- | 40.0    | 27.9 | ----- | 40.0     | 32.4 | ----- |
| Hip Fracture.....                          | 1               | 0.0                 | 6.1  | ----- | 0.0     | 11.5 | ----- | 0.0      | 14.5 | ----- |
| Sepsis.....                                | 1               | 0.0                 | 53.5 | ----- | 0.0     | 60.2 | ----- | 100.0    | 67.2 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 4               | 0.0                 | 0.7  | ----- | 0.0     | 1.5  | ----- | 0.0      | 2.5  | ----- |
| Cholecystectomy.....                       | 2               | 0.0                 | 0.7  | ----- | 0.0     | 1.4  | ----- | 0.0      | 1.8  | ----- |
| Hysterectomy.....                          | 3               | 0.0                 | 0.3  | ----- | 0.0     | 0.7  | ----- | 0.0      | 1.1  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# **SOUTH PANOLA COMMUNITY HOSPITAL**

Medicare Provider Number: 250128

## **FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

### **DEMOGRAPHICS:**

Average age at admission..... 75.1 years  
Proportion female..... 61.1 %

### **ADMISSION SOURCES/TYPES:**

Referred by personal or HMO physician..... 48.1 %  
Transferred from skilled nursing facility..... 2.7 %  
Admitted for elective procedure..... 5.1 %  
Admitted for emergency..... 41.3 %

### **COMORBIDITIES:**

Cancer..... 6.1 %  
Chronic cardiovascular disease..... 41.6 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 4.8 %  
Chronic pulmonary disease..... 36.2 %  
Cerebrovascular degeneration..... 1.0 %  
Diabetes mellitus..... 5.8 %

## **ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

### **ORIGIN OF MEDICARE PATIENT ADMISSION:**

County/City ..... 76.1%  
State ..... 22.0%  
Outside State ..... 1.9%  
Total ..... 100.0%

### **MEDICARE AVERAGE LENGTH OF STAY:**

Hospital ..... 5.4 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## **HOSPITAL CHARACTERISTICS\***

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### **PROFILE:**

Total Beds ..... 70  
Occupancy Rate ..... 47.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 34.7 %  
Case Mix Index (CMI) ..... 1.0150

### **STAFFING:**

Total Number of Physicians..... 13  
Percent of Physicians Board  
Certified Specialists..... 92.3 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 23  
Licensed Practical Nurses ..... 32

### **SPECIALTY SERVICES:**

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### **OTHER SPECIALTY/HOSPITAL-BASED SERVICES:**

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# SOUTH SUNFLOWER COUNTY HOSPITAL


121 E BAKER ST  
INDIANOLA, MS 38751  
Medicare Provider Number: 250095

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 477             | 11.5                | 10.1 | 2.1   | 16.4    | 15.8 | 2.3   | 20.8     | 19.9 | 2.1   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 11              | 36.4                | 28.9 | ----- | 36.4    | 33.6 | ----- | 45.5     | 36.4 | ----- |
| Congestive Heart Failure.....              | 32              | 6.3                 | 12.9 | ----- | 12.5    | 21.4 | ----- | 25.0     | 27.4 | ----- |
| Pneumonia/Influenza.....                   | 52              | 13.5                | 13.9 | 4.9   | 15.4    | 19.3 | 6.2   | 17.3     | 22.9 | 7.3   |
| Chronic Obstructive Pulmonary Disease..... | 15              | 6.7                 | 8.9  | ----- | 13.3    | 15.1 | ----- | 20.0     | 20.2 | ----- |
| Transient Cerebral Ischemia.....           | 13              | 0.0                 | 2.3  | ----- | 0.0     | 5.4  | ----- | 7.7      | 8.7  | ----- |
| Stroke.....                                | 33              | 39.4                | 18.5 | ----- | 45.5    | 25.6 | ----- | 54.5     | 29.7 | ----- |
| Hip Fracture.....                          | 1               | 0.0                 | 13.0 | ----- | 0.0     | 26.8 | ----- | 0.0      | 37.7 | ----- |
| Sepsis.....                                | 3               | 66.7                | 35.4 | ----- | 100.0   | 43.1 | ----- | 100.0    | 47.9 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 10              | 10.0                | 2.7  | ----- | 20.0    | 5.6  | ----- | 20.0     | 8.2  | ----- |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 6               | 0.0                 | 2.3  | ----- | 0.0     | 4.2  | ----- | 0.0      | 5.2  | ----- |
| Hysterectomy.....                          | 2               | 0.0                 | 0.1  | ----- | 0.0     | 0.1  | ----- | 0.0      | 0.2  | ----- |

\* The Standard Deviation (SD) Is not calculated If the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# SOUTH SUNFLOWER COUNTY HOSPITAL

Medicare Provider Number: 250095

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.5 years  
 Proportion female..... 59.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 39.6 %  
 Transferred from skilled nursing facility..... 0.0 %  
 Admitted for elective procedure..... 0.0 %  
 Admitted for emergency..... 59.1 %

### COMORBIDITIES:

Cancer..... 9.6 %  
 Chronic cardiovascular disease..... 26.2 %  
 Chronic liver disease..... 0.4 %  
 Chronic renal disease..... 1.5 %  
 Chronic pulmonary disease..... 34.4 %  
 Cerebrovascular degeneration..... 2.7 %  
 Diabetes mellitus..... 12.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 89.5%  
 State ..... 9.9%  
 Outside State ..... 0.6%  
 Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.2 Days  
 State ..... 7.7 Days  
 National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 69  
 Occupancy Rate ..... 46.0 %  
 Ownership/Control..... Local Government  
 Medicare Discharges ..... 32.7 %  
 Case Mix Index (CMI) ..... 1.0966

### STAFFING:

Total Number of Physicians..... 9  
 Percent of Physicians Board  
 Certified Specialists ..... 100.0 %  
 Medical Residents/Interns ..... 0  
 Registered Nurses..... 27  
 Licensed Practical Nurses ..... 27

### SPECIALTY SERVICES:

Burn Unit ..... No  
 Cardiac Intensive Care ..... Yes  
 Comprehensive Geriatric ..... No  
 Hospice Care ..... No  
 Medical/Surgical Intensive Care ..... No  
 Organ/Tissue Transplant ..... No  
 Other Intensive Care ..... No  
 Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
 Rehabilitation..... No  
 Psychiatric ..... No  
 Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates



# ST DOMINIC JACKSON MEMORIAL HOSPITAL


969 LAKELAND DR  
JACKSON, MS 39216  
Medicare Provider Number: 250048

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 3938            | 6.9                 | 7.8  | 0.6   | 11.1    | 12.0 | 1.0   | 13.5     | 15.1 | 0.8   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 117             | 25.6                | 24.7 | 4.0   | 28.2    | 27.8 | 4.3   | 30.8     | 30.4 | 4.3   |
| Congestive Heart Failure.....              | 122             | 16.4                | 13.5 | 4.8   | 23.8    | 21.3 | 6.6   | 28.7     | 27.1 | 5.8   |
| Pneumonia/Influenza.....                   | 155             | 12.9                | 15.4 | 5.9   | 15.5    | 21.1 | 7.1   | 18.7     | 24.9 | 7.0   |
| Chronic Obstructive Pulmonary Disease..... | 59              | 11.9                | 8.8  | 4.5   | 18.6    | 15.9 | 6.0   | 27.1     | 20.8 | 8.0   |
| Transient Cerebral Ischemia.....           | 54              | 1.9                 | 1.8  | 1.9   | 3.7     | 3.8  | 3.0   | 3.7      | 6.0  | 3.9   |
| Stroke.....                                | 97              | 18.6                | 20.0 | 4.2   | 23.7    | 26.3 | 5.8   | 24.7     | 30.1 | 7.4   |
| Hip Fracture.....                          | 91              | 7.7                 | 7.3  | 3.6   | 13.2    | 13.2 | 3.6   | 18.7     | 17.2 | 4.8   |
| Sepsis.....                                | 34              | 26.5                | 23.9 | ----- | 38.2    | 32.5 | ----- | 47.1     | 37.4 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 108             | 2.8                 | 3.4  | 1.7   | 5.6     | 4.2  | 2.0   | 7.4      | 5.0  | 2.3   |
| Coronary Artery Bypass Graft.....          | 85              | 10.6                | 6.0  | 3.7   | 15.3    | 8.3  | 4.8   | 17.6     | 9.2  | 5.4   |
| Initial Pacemaker Insertion.....           | 39              | 2.6                 | 3.2  | ----- | 5.1     | 5.8  | ----- | 5.1      | 8.2  | ----- |
| Carotid Endarterectomy.....                | 35              | 0.0                 | 2.0  | ----- | 0.0     | 3.8  | ----- | 2.9      | 5.5  | ----- |
| Hip Replacement/Reconstruction.....        | 57              | 3.5                 | 4.1  | 3.7   | 8.8     | 7.6  | 5.7   | 12.3     | 10.2 | 7.0   |
| Open Reduction of Hip Fracture.....        | 49              | 8.2                 | 7.2  | ----- | 12.2    | 13.6 | ----- | 16.3     | 18.2 | ----- |
| Prostatectomy.....                         | 93              | 0.0                 | 1.3  | 1.5   | 1.1     | 3.2  | 2.1   | 2.2      | 5.4  | 2.8   |
| Cholecystectomy.....                       | 78              | 2.6                 | 2.3  | 1.8   | 2.6     | 4.4  | 2.8   | 3.8      | 6.1  | 3.2   |
| Hysterectomy.....                          | 14              | 0.0                 | 0.7  | ----- | 0.0     | 1.8  | ----- | 0.0      | 3.1  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# ST DOMINIC JACKSON MEMORIAL HOSPITAL

Medicare Provider Number: 250048

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 72.2 years  
Proportion female..... 57.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 51.9 %  
Transferred from skilled nursing facility..... 5.2 %  
Admitted for elective procedure..... 2.2 %  
Admitted for emergency..... 41.7 %

### COMORBIDITIES:

Cancer..... 5.6 %  
Chronic cardiovascular disease..... 33.7 %  
Chronic liver disease..... 0.8 %  
Chronic renal disease..... 4.9 %  
Chronic pulmonary disease..... 10.1 %  
Cerebrovascular degeneration..... 3.5 %  
Diabetes mellitus..... 6.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 36.7%  
State..... 60.5%  
Outside State..... 2.8%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 8.7 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1989

### PROFILE:

Total Beds..... 409  
Occupancy Rate..... 68.0 %  
Ownership/Control..... Private, Non-Profit  
Medicare Discharges..... 49.1 %  
Case Mix Index (CMI)..... 1.3196

### STAFFING:

Total Number of Physicians..... 408  
Percent of Physicians Board  
Certified Specialists..... 82.4 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 281  
Licensed Practical Nurses..... 70

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... Yes  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... Yes  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... Yes  
Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# ST DOMINICS DOCTORS HOSPITAL


2969 UNIVERSITY DR  
JACKSON, MS 39216  
Medicare Provider Number: 250129

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 220             | 8.2                 | 4.7  | 1.8   | 10.0    | 8.1  | 2.3   | 16.4     | 11.1 | 2.7   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 1               | 0.0                 | 12.1 | ----- | 0.0     | 14.6 | ----- | 0.0      | 16.9 | ----- |
| Congestive Heart Failure.....              | 6               | 16.7                | 11.2 | ----- | 16.7    | 18.5 | ----- | 50.0     | 24.1 | ----- |
| Pneumonia/Influenza.....                   | 10              | 10.0                | 11.4 | ----- | 10.0    | 17.2 | ----- | 20.0     | 21.4 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 4               | 0.0                 | 4.8  | ----- | 0.0     | 9.2  | ----- | 0.0      | 12.9 | ----- |
| Transient Cerebral Ischemia.....           | 4               | 25.0                | 1.1  | ----- | 25.0    | 3.2  | ----- | 25.0     | 6.0  | ----- |
| Stroke.....                                | 8               | 37.5                | 12.9 | ----- | 37.5    | 20.4 | ----- | 62.5     | 25.3 | ----- |
| Hip Fracture.....                          | 2               | 50.0                | 9.2  | ----- | 50.0    | 15.9 | ----- | 50.0     | 19.9 | ----- |
| Sepsis.....                                | 0               |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 16              | 0.0                 | 0.7  | ----- | 0.0     | 1.7  | ----- | 6.3      | 3.0  | ----- |
| Cholecystectomy.....                       | 1               | 0.0                 | 0.5  | ----- | 0.0     | 0.9  | ----- | 0.0      | 1.6  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) Is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# ST DOMINICS DOCTORS HOSPITAL

Medicare Provider Number: 250129

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 66.8 years  
Proportion female..... 48.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 99.1 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 85.5 %  
Admitted for emergency..... 13.2 %

### COMORBIDITIES:

Cancer..... 7.3 %  
Chronic cardiovascular disease..... 13.6 %  
Chronic liver disease..... 2.3 %  
Chronic renal disease..... 13.6 %  
Chronic pulmonary disease..... 15.0 %  
Cerebrovascular degeneration..... 8.6 %  
Diabetes mellitus..... 9.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 45.8%  
State..... 51.9%  
Outside State..... 2.3%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 8.0 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 162  
Occupancy Rate..... 19.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges..... 36.0 %  
Case Mix Index (CMI)..... 1.0949

### STAFFING:

Total Number of Physicians..... 202  
Percent of Physicians Board  
Certified Specialists..... 69.8 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 44  
Licensed Practical Nurses..... 3

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... Yes  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# SW MISSISSIPPI GENERAL HOSPITAL


215 MARION AVE, BOX 1307  
MCCOMB, MS 39648  
Medicare Provider Number: 250097

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1521               | 9.4                 | 9.9  | 0.9   | 13.5    | 15.0 | 1.3   | 16.8     | 18.5 | 1.3   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 38                 | 36.8                | 32.8 | ----- | 44.7    | 35.1 | ----- | 47.4     | 37.7 | ----- |
| Congestive Heart Failure.....              | 70                 | 8.6                 | 14.6 | 5.0   | 12.9    | 23.0 | 7.0   | 17.1     | 28.7 | 7.3   |
| Pneumonia/Influenza.....                   | 86                 | 16.3                | 18.2 | 7.1   | 22.1    | 24.6 | 7.2   | 27.9     | 28.7 | 5.9   |
| Chronic Obstructive Pulmonary Disease..... | 14                 | 7.1                 | 6.1  | ----- | 7.1     | 11.0 | ----- | 7.1      | 14.8 | ----- |
| Transient Cerebral Ischemia.....           | 36                 | 0.0                 | 1.7  | ----- | 0.0     | 3.9  | ----- | 0.0      | 6.4  | ----- |
| Stroke.....                                | 62                 | 25.8                | 20.8 | 7.7   | 30.6    | 27.5 | 9.4   | 32.3     | 31.2 | 8.8   |
| Hip Fracture.....                          | 55                 | 7.3                 | 6.2  | 3.4   | 9.1     | 10.8 | 4.6   | 12.7     | 13.7 | 5.6   |
| Sepsis.....                                | 20                 | 20.0                | 28.0 | ----- | 30.0    | 35.2 | ----- | 40.0     | 39.5 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 7                  | 0.0                 | 3.0  | ----- | 0.0     | 6.2  | ----- | 0.0      | 9.5  | ----- |
| Carotid Endarterectomy.....                | 1                  | 0.0                 | 1.1  | ----- | 0.0     | 2.1  | ----- | 100.0    | 3.3  | ----- |
| Hip Replacement/Reconstruction.....        | 25                 | 16.0                | 5.2  | ----- | 16.0    | 9.4  | ----- | 20.0     | 12.0 | ----- |
| Open Reduction of Hip Fracture.....        | 31                 | 3.2                 | 5.5  | ----- | 6.5     | 10.1 | ----- | 9.7      | 13.1 | ----- |
| Prostatectomy.....                         | 70                 | 1.4                 | 1.0  | 1.3   | 2.9     | 2.3  | 1.9   | 7.1      | 4.0  | 3.5   |
| Cholecystectomy.....                       | 26                 | 0.0                 | 1.1  | ----- | 0.0     | 2.0  | ----- | 0.0      | 2.7  | ----- |
| Hysterectomy.....                          | 13                 | 7.7                 | 0.4  | ----- | 7.7     | 0.8  | ----- | 7.7      | 1.4  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# SW MISSISSIPPI GENERAL HOSPITAL

Medicare Provider Number: 250097

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.3 years  
Proportion female..... 56.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 41.4 %  
Transferred from skilled nursing facility..... 6.7 %  
Admitted for elective procedure..... 1.2 %  
Admitted for emergency..... 55.6 %

### COMORBIDITIES:

Cancer..... 7.0 %  
Chronic cardiovascular disease..... 28.1 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 2.7 %  
Chronic pulmonary disease..... 16.0 %  
Cerebrovascular degeneration..... 2.9 %  
Diabetes mellitus..... 10.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 67.5%  
State ..... 27.8%  
Outside State ..... 4.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.1 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 157  
Occupancy Rate ..... 70.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 39.2 %  
Case Mix Index (CMI) ..... 1.1824

### STAFFING:

Total Number of Physicians..... 46  
Percent of Physicians Board  
Certified Specialists..... 78.3 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 116  
Licensed Practical Nurses ..... 55

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates



# TALLAHATCHIE GENERAL HOSPITAL


202 MARKET ST, BOX F  
CHARLESTON, MS 38921  
Medicare Provider Number: 250024

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 149             | 12.1                | 11.4 | 2.6   | 16.1    | 16.5 | 3.1   | 22.1     | 19.9 | 3.4   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 2               | 50.0                | 27.2 | ----- | 50.0    | 29.8 | ----- | 50.0     | 32.6 | ----- |
| Congestive Heart Failure.....              | 8               | 0.0                 | 9.7  | ----- | 25.0    | 16.1 | ----- | 37.5     | 21.4 | ----- |
| Pneumonia/Influenza.....                   | 14              | 14.3                | 14.2 | ----- | 14.3    | 20.3 | ----- | 28.6     | 23.8 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 2.5  | ----- | 0.0     | 5.3  | ----- | 0.0      | 7.5  | ----- |
| Transient Cerebral Ischemia.....           | 2               | 0.0                 | 7.0  | ----- | 50.0    | 15.3 | ----- | 50.0     | 22.1 | ----- |
| Stroke.....                                | 9               | 0.0                 | 17.2 | ----- | 11.1    | 22.4 | ----- | 11.1     | 25.8 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 10              | 40.0                | 28.4 | ----- | 40.0    | 33.6 | ----- | 50.0     | 37.4 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 2               | 50.0                | 7.0  | ----- | 50.0    | 15.8 | ----- | 50.0     | 23.4 | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# TALLAHATCHIE GENERAL HOSPITAL

Medicare Provider Number: 250024

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.7 years  
Proportion female..... 69.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 75.2 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 75.2 %

### COMORBIDITIES:

Cancer..... 4.7 %  
Chronic cardiovascular disease..... 26.8 %  
Chronic liver disease..... 2.0 %  
Chronic renal disease..... 3.4 %  
Chronic pulmonary disease..... 12.1 %  
Cerebrovascular degeneration..... 3.4 %  
Diabetes mellitus..... 6.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 80.9%  
State ..... 17.8%  
Outside State ..... 1.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.5 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 75  
Occupancy Rate ..... 84.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 41.2 %  
Case Mix Index (CMI) ..... 1.0239

### STAFFING:

Total Number of Physicians..... 9  
Percent of Physicians Board  
Certified Specialists..... 33.3 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 9  
Licensed Practical Nurses ..... 7

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# THAGGARD HOSPITAL


HOSPITAL RD, BOX 157  
MADDEN, MS 39109  
Medicare Provider Number: 250091

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 217                | 12.0                | 10.3 | 2.9   | 16.6    | 15.1 | 3.1   | 20.7     | 18.6 | 3.6   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 11                 | 36.4                | 29.8 | ----- | 45.5    | 33.0 | ----- | 45.5     | 36.3 | ----- |
| Congestive Heart Failure.....              | 11                 | 27.3                | 10.8 | ----- | 36.4    | 17.7 | ----- | 36.4     | 23.0 | ----- |
| Pneumonia/Influenza.....                   | 37                 | 8.1                 | 11.7 | ----- | 13.5    | 16.2 | ----- | 18.9     | 19.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 10                 | 40.0                | 11.9 | ----- | 40.0    | 21.7 | ----- | 40.0     | 27.3 | ----- |
| Transient Cerebral Ischemia.....           | 6                  | 0.0                 | 1.2  | ----- | 0.0     | 2.8  | ----- | 16.7     | 4.7  | ----- |
| Stroke.....                                | 12                 | 33.3                | 22.2 | ----- | 41.7    | 28.7 | ----- | 58.3     | 33.1 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 1                  | 0.0                 | 3.7  | ----- | 0.0     | 5.3  | ----- | 0.0      | 6.4  | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# THAGGARD HOSPITAL

Medicare Provider Number: 250091

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.0 years

Proportion female..... 58.1 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 98.6 %

Transferred from skilled nursing facility..... 0.0 %

Admitted for elective procedure..... 0.0 %

Admitted for emergency..... 0.0 %

### COMORBIDITIES:

Cancer..... 5.1 %

Chronic cardiovascular disease..... 26.7 %

Chronic liver disease..... 0.0 %

Chronic renal disease..... 5.5 %

Chronic pulmonary disease..... 10.1 %

Cerebrovascular degeneration..... 0.5 %

Diabetes mellitus..... 6.5 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 61.8%

State ..... 37.2%

Outside State ..... 1.0%

Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.3 Days

State ..... 7.7 Days

National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 22

Occupancy Rate ..... 45.0 %

Ownership/Control..... Private, For Profit

Medicare Discharges ..... 52.9 %

Case Mix Index (CMI) ..... 0.9573

### STAFFING:

Total Number of Physicians..... 3

Percent of Physicians Board  
Certified Specialists .....(Not Available)

Medical Residents/Interns ..... 0

Registered Nurses..... 13

Licensed Practical Nurses ..... 6

### SPECIALTY SERVICES:

Burn Unit ..... No

Cardiac Intensive Care ..... No

Comprehensive Geriatric ..... No

Hospice Care ..... No

Medical/Surgical Intensive Care ..... No

Organ/Tissue Transplant ..... No

Other Intensive Care ..... No

Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No

Rehabilitation..... No

Psychiatric ..... No

Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# TIPPAH COUNTY HOSPITAL


1005 HIGHWAY 15 N  
RIPLEY, MS 38663  
Medicare Provider Number: 250010

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 492             | 9.3                 | 12.3 | 2.1   | 12.4    | 17.7 | 2.6   | 16.9     | 21.3 | 2.6   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 10              | 20.0                | 32.8 | ----- | 20.0    | 35.6 | ----- | 30.0     | 37.9 | ----- |
| Congestive Heart Failure.....              | 36              | 5.6                 | 15.7 | ----- | 16.7    | 24.1 | ----- | 22.2     | 30.6 | ----- |
| Pneumonia/Influenza.....                   | 59              | 6.8                 | 16.4 | 6.6   | 10.2    | 22.1 | 8.1   | 13.6     | 25.3 | 8.3   |
| Chronic Obstructive Pulmonary Disease..... | 12              | 8.3                 | 6.1  | ----- | 8.3     | 11.1 | ----- | 25.0     | 15.5 | ----- |
| Transient Cerebral Ischemia.....           | 25              | 0.0                 | 2.3  | ----- | 0.0     | 5.2  | ----- | 8.0      | 8.4  | ----- |
| Stroke.....                                | 26              | 23.1                | 23.2 | ----- | 26.9    | 32.3 | ----- | 34.6     | 37.0 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 13              | 23.1                | 32.9 | ----- | 23.1    | 38.7 | ----- | 38.5     | 42.7 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 5               | 20.0                | 1.9  | ----- | 20.0    | 3.1  | ----- | 20.0     | 3.9  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# TIPPAH COUNTY HOSPITAL

Medicare Provider Number: 250010

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.8 years

Proportion female..... 59.6 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 3.3 %

Transferred from skilled nursing facility..... 0.0 %

Admitted for elective procedure..... 1.4 %

Admitted for emergency..... 85.0 %

### COMORBIDITIES:

Cancer..... 3.0 %

Chronic cardiovascular disease..... 50.8 %

Chronic liver disease..... 0.8 %

Chronic renal disease..... 4.1 %

Chronic pulmonary disease..... 15.4 %

Cerebrovascular degeneration..... 2.6 %

Diabetes mellitus..... 11.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 80.7%

State ..... 16.2%

Outside State ..... 3.1%

Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.3 Days

State ..... 7.7 Days

National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 99

Occupancy Rate ..... 45.0 %

Ownership/Control..... Local Government

Medicare Discharges ..... 47.2 %

Case Mix Index (CMI) ..... 1.0641

### STAFFING:

Total Number of Physicians..... 8

Percent of Physicians Board  
Certified Specialists ..... 50.0 %

Medical Residents/Interns ..... 0

Registered Nurses..... 23

Licensed Practical Nurses ..... 16

### SPECIALTY SERVICES:

Burn Unit ..... No

Cardiac Intensive Care ..... Yes

Comprehensive Geriatric ..... No

Hospice Care ..... No

Medical/Surgical Intensive Care ..... No

Organ/Tissue Transplant ..... No

Other Intensive Care ..... No

Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No

Rehabilitation..... No

Psychiatric ..... No

Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# TISHOMINGO HEALTH SERVICES INC


1410 W QUITMAN  
IUKA, MS 38852  
Medicare Provider Number: 250002

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 471                | 7.9                 | 7.8  | 1.2   | 12.1    | 12.4 | 1.6   | 14.2     | 15.9 | 2.2   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 6                  | 16.7                | 27.7 | ----- | 16.7    | 33.2 | ----- | 33.3     | 37.6 | ----- |
| Congestive Heart Failure.....              | 24                 | 33.3                | 17.8 | ----- | 41.7    | 28.0 | ----- | 45.8     | 34.6 | ----- |
| Pneumonia/Influenza.....                   | 39                 | 12.8                | 15.4 | ----- | 23.1    | 21.1 | ----- | 23.1     | 24.7 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 9                  | 0.0                 | 7.0  | ----- | 0.0     | 12.1 | ----- | 0.0      | 16.1 | ----- |
| Transient Cerebral Ischemia.....           | 6                  | 0.0                 | 4.5  | ----- | 0.0     | 9.6  | ----- | 0.0      | 15.1 | ----- |
| Stroke.....                                | 13                 | 38.5                | 20.2 | ----- | 53.8    | 26.4 | ----- | 53.8     | 30.0 | ----- |
| Hip Fracture.....                          | 3                  | 33.3                | 6.4  | ----- | 33.3    | 12.1 | ----- | 66.7     | 16.1 | ----- |
| Sepsis.....                                | 3                  | 0.0                 | 30.0 | ----- | 33.3    | 34.6 | ----- | 33.3     | 39.8 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# TISHOMINGO HEALTH SERVICES INC

Medicare Provider Number: 250002

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.8 years

Proportion female..... 60.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 45.9 %

Transferred from skilled nursing facility..... 13.8 %

Admitted for elective procedure..... 0.0 %

Admitted for emergency..... 62.6 %

### COMORBIDITIES:

Cancer..... 4.5 %

Chronic cardiovascular disease..... 31.2 %

Chronic liver disease..... 0.2 %

Chronic renal disease..... 2.5 %

Chronic pulmonary disease..... 14.4 %

Cerebrovascular degeneration..... 4.5 %

Diabetes mellitus..... 5.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 81.7%

State ..... 12.1%

Outside State ..... 6.2%

Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.4 Days

State ..... 7.7 Days

National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 99

Occupancy Rate ..... 60.0 %

Ownership/Control..... Private, Non-Profit

Medicare Discharges ..... 60.4 %

Case Mix Index (CMI) ..... 0.7995

### STAFFING:

Total Number of Physicians..... 5

Percent of Physicians Board  
Certified Specialists..... 40.0 %

Medical Residents/Interns ..... 0

Registered Nurses..... 23

Licensed Practical Nurses..... 14

### SPECIALTY SERVICES:

Burn Unit ..... No

Cardiac Intensive Care ..... Yes

Comprehensive Geriatric ..... No

Hospice Care ..... No

Medical/Surgical Intensive Care ..... Yes

Organ/Tissue Transplant ..... No

Other Intensive Care ..... No

Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No

Rehabilitation..... No

Psychiatric ..... No

Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# TRACE REGIONAL HOSPITAL


HIGHWAY 8 E  
HOUSTON, MS 38851  
Medicare Provider Number: 250017

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 366             | 8.2                 | 5.8  | 2.1   | 12.0    | 9.6  | 2.6   | 14.8     | 12.7 | 2.8   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 5               | 40.0                | 28.2 | ----- | 60.0    | 31.9 | ----- | 60.0     | 35.4 | ----- |
| Congestive Heart Failure.....              | 19              | 21.1                | 10.8 | ----- | 26.3    | 17.4 | ----- | 26.3     | 22.7 | ----- |
| Pneumonia/Influenza.....                   | 19              | 15.8                | 8.5  | ----- | 21.1    | 12.4 | ----- | 21.1     | 15.3 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 0               |                     |      |       |         |      |       |          |      |       |
| Transient Cerebral Ischemia.....           | 10              | 0.0                 | 1.4  | ----- | 0.0     | 3.1  | ----- | 10.0     | 5.2  | ----- |
| Stroke.....                                | 15              | 13.3                | 13.1 | ----- | 20.0    | 18.7 | ----- | 33.3     | 23.0 | ----- |
| Hip Fracture.....                          | 6               | 0.0                 | 4.2  | ----- | 0.0     | 8.5  | ----- | 0.0      | 11.5 | ----- |
| Sepsis.....                                | 3               | 33.3                | 15.3 | ----- | 33.3    | 27.1 | ----- | 33.3     | 33.1 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 6               | 0.0                 | 4.1  | ----- | 0.0     | 8.0  | ----- | 0.0      | 10.8 | ----- |
| Open Reduction of Hip Fracture.....        | 1               | 0.0                 | 4.3  | ----- | 0.0     | 8.8  | ----- | 0.0      | 11.9 | ----- |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 4               | 0.0                 | 1.3  | ----- | 0.0     | 2.5  | ----- | 0.0      | 3.4  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# TRACE REGIONAL HOSPITAL

Medicare Provider Number: 250017

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 73.6 years  
Proportion female..... 59.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 98.4 %  
Transferred from skilled nursing facility..... 0.5 %  
Admitted for elective procedure..... 78.1 %  
Admitted for emergency..... 9.3 %

### COMORBIDITIES:

Cancer..... 3.0 %  
Chronic cardiovascular disease..... 46.7 %  
Chronic liver disease..... 0.3 %  
Chronic renal disease..... 0.8 %  
Chronic pulmonary disease..... 19.1 %  
Cerebrovascular degeneration..... 0.8 %  
Diabetes mellitus..... 11.7 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 75.7%  
State ..... 22.9%  
Outside State ..... 1.4%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.2 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 84  
Occupancy Rate ..... 32.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges ..... 46.1 %  
Case Mix Index (CMI) ..... 1.0056

### STAFFING:

Total Number of Physicians..... 7  
Percent of Physicians Board  
Certified Specialists .....(Not Available)  
Medical Residents/Interns ..... 0  
Registered Nurses..... 22  
Licensed Practical Nurses ..... 14

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# TUNICA COUNTY HOSPITAL

HIGHWAY 61 N  
TUNICA, MS 38676  
Medicare Provider Number: 250143

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 123                | 8.9                 | 8.4  | 2.6   | 12.2    | 13.3 | 3.4   | 19.5     | 17.2 | 3.9   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Congestive Heart Failure.....              | 8                  | 12.5                | 12.0 | ----- | 12.5    | 19.5 | ----- | 25.0     | 25.1 | ----- |
| Pneumonia/Influenza.....                   | 9                  | 22.2                | 10.6 | ----- | 33.3    | 14.7 | ----- | 33.3     | 17.3 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 3                  | 0.0                 | 10.4 | ----- | 0.0     | 19.2 | ----- | 0.0      | 27.4 | ----- |
| Transient Cerebral Ischemia.....           | 5                  | 0.0                 | 2.6  | ----- | 20.0    | 5.8  | ----- | 20.0     | 9.5  | ----- |
| Stroke.....                                | 5                  | 20.0                | 19.1 | ----- | 20.0    | 26.9 | ----- | 20.0     | 31.7 | ----- |
| Hip Fracture.....                          | 1                  | 0.0                 | 3.0  | ----- | 0.0     | 5.2  | ----- | 0.0      | 7.1  | ----- |
| Sepsis.....                                | 1                  | 0.0                 | 18.8 | ----- | 0.0     | 25.0 | ----- | 100.0    | 29.1 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0                  |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)

# TUNICA COUNTY HOSPITAL

Medicare Provider Number: 250143

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.0 years

Proportion female..... 57.7 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 91.9 %

Transferred from skilled nursing facility..... 0.0 %

Admitted for elective procedure..... 28.5 %

Admitted for emergency..... 61.0 %

### COMORBIDITIES:

Cancer..... 4.1 %

Chronic cardiovascular disease..... 24.4 %

Chronic liver disease..... 1.6 %

Chronic renal disease..... 4.9 %

Chronic pulmonary disease..... 16.3 %

Cerebrovascular degeneration..... 5.7 %

Diabetes mellitus..... 4.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 89.2%

State..... 6.6%

Outside State..... 4.2%

Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 5.1 Days

State..... 7.7 Days

National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 22

Occupancy Rate..... 31.0 %

Ownership/Control..... Private, Non-Profit

Medicare Discharges..... 45.3 %

Case Mix Index (CMI)..... 0.9128

### STAFFING:

Total Number of Physicians..... 8

Percent of Physicians Board  
Certified Specialists..... 50.0 %

Medical Residents/Interns..... 0

Registered Nurses..... 9

Licensed Practical Nurses..... 4

### SPECIALTY SERVICES:

Burn Unit..... No

Cardiac Intensive Care..... No

Comprehensive Geriatric..... Yes

Hospice Care..... No

Medical/Surgical Intensive Care..... No

Organ/Tissue Transplant..... No

Other Intensive Care..... No

Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No

Rehabilitation..... No

Psychiatric..... No

Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# TYLER HOLMES MEMORIAL HOSPITAL


TYLER HOLMES DR  
WINONA, MS 38967  
Medicare Provider Number: 250066

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 390             | 12.1                | 8.8  | 1.9   | 16.2    | 13.5 | 2.0   | 18.5     | 16.8 | 2.0   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 13              | 61.5                | 28.2 | ----- | 61.5    | 31.0 | ----- | 61.5     | 34.0 | ----- |
| Congestive Heart Failure.....              | 23              | 21.7                | 11.4 | ----- | 26.1    | 18.8 | ----- | 39.1     | 24.1 | ----- |
| Pneumonia/Influenza.....                   | 40              | 27.5                | 17.8 | ----- | 32.5    | 24.7 | ----- | 40.0     | 28.5 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 100.0               | 12.9 | ----- | 100.0   | 21.2 | ----- | 100.0    | 25.5 | ----- |
| Transient Cerebral Ischemia.....           | 7               | 14.3                | 1.1  | ----- | 14.3    | 2.5  | ----- | 14.3     | 4.2  | ----- |
| Stroke.....                                | 32              | 15.6                | 17.2 | ----- | 15.6    | 25.0 | ----- | 15.6     | 30.2 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0               |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 1               | 0.0                 | 0.1  | ----- | 0.0     | 0.2  | ----- | 0.0      | 0.3  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE ( $\pm$ 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# TYLER HOLMES MEMORIAL HOSPITAL

Medicare Provider Number: 250066

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.3 years  
Proportion female..... 52.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 93.8 %  
Transferred from skilled nursing facility..... 4.9 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 1.5 %

### COMORBIDITIES:

Cancer..... 5.1 %  
Chronic cardiovascular disease..... 36.7 %  
Chronic liver disease..... 0.3 %  
Chronic renal disease..... 3.8 %  
Chronic pulmonary disease..... 9.0 %  
Cerebrovascular degeneration..... 4.1 %  
Diabetes mellitus..... 13.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 69.6%  
State..... 29.2%  
Outside State..... 1.2%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 6.0 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 49  
Occupancy Rate..... 53.0 %  
Ownership/Control..... Local Government  
Medicare Discharges..... 51.6 %  
Case Mix Index (CMI)..... 0.8853

### STAFFING:

Total Number of Physicians..... 3  
Percent of Physicians Board  
Certified Specialists..... 66.7 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 12  
Licensed Practical Nurses..... 16

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... No  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# UNIVERSITY OF MISSISSIPPI MEDICAL CENTER


2500 N STATE ST  
JACKSON, MS 39216  
Medicare Provider Number: 250001

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 1510               | 7.2                 | 5.8  | 0.8   | 11.7    | 10.1 | 1.0   | 14.6     | 13.6 | 1.0   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 18                 | 27.8                | 22.6 | ----- | 33.3    | 26.3 | ----- | 38.9     | 29.4 | ----- |
| Congestive Heart Failure.....              | 39                 | 10.3                | 11.5 | ----- | 15.4    | 19.2 | ----- | 25.6     | 24.7 | ----- |
| Pneumonia/Influenza.....                   | 23                 | 17.4                | 11.0 | ----- | 17.4    | 15.5 | ----- | 17.4     | 18.5 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 8                  | 25.0                | 6.1  | ----- | 25.0    | 11.6 | ----- | 25.0     | 16.5 | ----- |
| Transient Cerebral Ischemia.....           | 8                  | 0.0                 | 0.6  | ----- | 0.0     | 1.5  | ----- | 0.0      | 2.5  | ----- |
| Stroke.....                                | 29                 | 17.2                | 14.6 | ----- | 20.7    | 20.1 | ----- | 24.1     | 23.4 | ----- |
| Hip Fracture.....                          | 12                 | 0.0                 | 4.4  | ----- | 0.0     | 8.4  | ----- | 0.0      | 11.5 | ----- |
| Sepsis.....                                | 16                 | 43.8                | 19.0 | ----- | 43.8    | 26.3 | ----- | 43.8     | 30.3 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 6                  | 0.0                 | 3.1  | ----- | 33.3    | 4.2  | ----- | 33.3     | 5.0  | ----- |
| Coronary Artery Bypass Graft.....          | 47                 | 14.9                | 3.5  | ----- | 14.9    | 5.1  | ----- | 14.9     | 5.9  | ----- |
| Initial Pacemaker Insertion.....           | 3                  | 0.0                 | 1.5  | ----- | 0.0     | 3.1  | ----- | 0.0      | 4.6  | ----- |
| Carotid Endarterectomy.....                | 5                  | 0.0                 | 1.5  | ----- | 20.0    | 2.9  | ----- | 20.0     | 4.1  | ----- |
| Hip Replacement/Reconstruction.....        | 13                 | 0.0                 | 0.8  | ----- | 0.0     | 1.5  | ----- | 0.0      | 2.1  | ----- |
| Open Reduction of Hip Fracture.....        | 9                  | 0.0                 | 4.3  | ----- | 0.0     | 8.6  | ----- | 0.0      | 11.9 | ----- |
| Prostatectomy.....                         | 24                 | 0.0                 | 1.0  | ----- | 8.3     | 2.7  | ----- | 8.3      | 4.8  | ----- |
| Cholecystectomy.....                       | 7                  | 28.6                | 1.7  | ----- | 28.6    | 3.5  | ----- | 28.6     | 4.9  | ----- |
| Hysterectomy.....                          | 15                 | 0.0                 | 0.2  | ----- | 0.0     | 0.6  | ----- | 0.0      | 1.0  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# UNIVERSITY OF MISSISSIPPI MEDICAL CENTER

Medicare Provider Number: 250001

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 63.2 years  
Proportion female..... 52.2 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 87.2 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 62.6 %  
Admitted for emergency..... 8.5 %

### COMORBIDITIES:

Cancer..... 13.4 %  
Chronic cardiovascular disease..... 16.6 %  
Chronic liver disease..... 1.0 %  
Chronic renal disease..... 12.3 %  
Chronic pulmonary disease..... 7.4 %  
Cerebrovascular degeneration..... 4.9 %  
Diabetes mellitus..... 6.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 22.0%  
State ..... 74.6%  
Outside State ..... 3.4%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 8.7 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 563  
Occupancy Rate ..... 75.0 %  
Ownership/Control..... State Government  
Medicare Discharges ..... 14.9 %  
Case Mix Index (CMI) ..... 1.3740

### STAFFING:

Total Number of Physicians..... 242  
Percent of Physicians Board  
Certified Specialists ..... 79.8 %  
Medical Residents/Interns ..... (Not Available)  
Registered Nurses..... (Not Available)  
Licensed Practical Nurses ..... (Not Available)

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... Yes  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... Yes  
Other intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... Yes  
Psychiatric ..... Yes  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# VICKSBURG MEDICAL CENTER

3311 I 20 FRONTAGE RD BOX 1031

VICKSBURG, MS 39180


Medicare Provider Number: 250031

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 981                | 9.7                 | 9.8  | 1.2   | 15.1    | 14.6 | 1.3   | 17.9     | 17.9 | 1.2   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 36                 | 25.0                | 29.1 | ----- | 33.3    | 32.0 | ----- | 33.3     | 34.7 | ----- |
| Congestive Heart Failure.....              | 56                 | 12.5                | 13.9 | 5.0   | 17.9    | 21.7 | 7.7   | 25.0     | 27.5 | 8.8   |
| Pneumonia/Influenza.....                   | 46                 | 10.9                | 15.9 | ----- | 17.4    | 21.5 | ----- | 19.6     | 24.9 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 21                 | 9.5                 | 5.3  | ----- | 14.3    | 9.9  | ----- | 19.0     | 13.5 | ----- |
| Transient Cerebral Ischemia.....           | 14                 | 7.1                 | 1.4  | ----- | 7.1     | 3.2  | ----- | 7.1      | 5.3  | ----- |
| Stroke.....                                | 45                 | 17.8                | 22.5 | ----- | 28.9    | 28.6 | ----- | 31.1     | 32.5 | ----- |
| Hip Fracture.....                          | 24                 | 4.2                 | 7.3  | ----- | 8.3     | 12.2 | ----- | 12.5     | 15.5 | ----- |
| Sepsis.....                                | 3                  | 33.3                | 31.4 | ----- | 66.7    | 45.5 | ----- | 66.7     | 53.9 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 6                  | 0.0                 | 3.0  | ----- | 0.0     | 5.8  | ----- | 0.0      | 8.3  | ----- |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 12                 | 0.0                 | 5.5  | ----- | 0.0     | 9.6  | ----- | 0.0      | 12.2 | ----- |
| Open Reduction of Hip Fracture.....        | 16                 | 6.3                 | 6.0  | ----- | 12.5    | 10.3 | ----- | 18.8     | 13.5 | ----- |
| Prostatectomy.....                         | 33                 | 3.0                 | 1.1  | ----- | 9.1     | 2.6  | ----- | 9.1      | 4.4  | ----- |
| Cholecystectomy.....                       | 12                 | 8.3                 | 2.1  | ----- | 8.3     | 3.5  | ----- | 8.3      | 4.3  | ----- |
| Hysterectomy.....                          | 3                  | 0.0                 | 0.3  | ----- | 0.0     | 0.7  | ----- | 0.0      | 1.3  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# VICKSBURG MEDICAL CENTER

Medicare Provider Number: 250031

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.8 years  
Proportion female..... 59.9 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 37.6 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 5.9 %  
Admitted for emergency..... 62.6 %

### COMORBIDITIES:

Cancer..... 5.7 %  
Chronic cardiovascular disease..... 43.4 %  
Chronic liver disease..... 0.6 %  
Chronic renal disease..... 2.1 %  
Chronic pulmonary disease..... 15.1 %  
Cerebrovascular degeneration..... 1.3 %  
Diabetes mellitus..... 12.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City..... 69.9%  
State..... 20.2%  
Outside State..... 9.9%  
Total..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital..... 8.9 Days  
State..... 7.7 Days  
National..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds..... 144  
Occupancy Rate..... 47.0 %  
Ownership/Control..... Private, For Profit  
Medicare Discharges..... 42.2 %  
Case Mix Index (CMI)..... 1.1635

### STAFFING:

Total Number of Physicians..... 35  
Percent of Physicians Board  
Certified Specialists..... 60.0 %  
Medical Residents/Interns..... 0  
Registered Nurses..... 45  
Licensed Practical Nurses..... 54

### SPECIALTY SERVICES:

Burn Unit..... No  
Cardiac Intensive Care..... No  
Comprehensive Geriatric..... No  
Hospice Care..... No  
Medical/Surgical Intensive Care..... Yes  
Organ/Tissue Transplant..... No  
Other Intensive Care..... No  
Trauma Center..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds..... No

\*\* Except for CMI

\* Not used in calculating mortality rates



# WALTHALL COUNTY GENERAL HOSPITAL


100 HOSPITAL DR  
TYLERTOWN, MS 39667  
Medicare Provider Number: 250107

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 594                | 7.1                 | 6.3  | 1.6   | 10.9    | 9.8  | 1.4   | 13.1     | 12.7 | 1.4   |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 19                 | 42.1                | 24.4 | ----- | 47.4    | 27.5 | ----- | 47.4     | 30.7 | ----- |
| Congestive Heart Failure.....              | 25                 | 16.0                | 11.5 | ----- | 20.0    | 18.3 | ----- | 20.0     | 23.9 | ----- |
| Pneumonia/Influenza.....                   | 25                 | 20.0                | 13.4 | ----- | 24.0    | 18.8 | ----- | 28.0     | 22.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 17                 | 0.0                 | 3.6  | ----- | 0.0     | 7.4  | ----- | 0.0      | 10.9 | ----- |
| Transient Cerebral Ischemia.....           | 6                  | 16.7                | 1.6  | ----- | 16.7    | 4.2  | ----- | 33.3     | 7.7  | ----- |
| Stroke.....                                | 10                 | 30.0                | 16.2 | ----- | 30.0    | 21.6 | ----- | 40.0     | 24.9 | ----- |
| Hip Fracture.....                          | 0                  |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 13                 | 7.7                 | 21.2 | ----- | 7.7     | 25.4 | ----- | 15.4     | 29.5 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0                  |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0                  |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0                  |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 4                  | 0.0                 | 0.5  | ----- | 0.0     | 1.1  | ----- | 0.0      | 1.5  | ----- |
| Hysterectomy.....                          | 0                  |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# WALTHALL COUNTY GENERAL HOSPITAL

Medicare Provider Number: 250107

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 72.8 years  
Proportion female..... 58.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 41.6 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 84.7 %  
Admitted for emergency..... 13.3 %

### COMORBIDITIES:

Cancer..... 3.0 %  
Chronic cardiovascular disease..... 37.4 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 2.4 %  
Chronic pulmonary disease..... 16.0 %  
Cerebrovascular degeneration..... 3.2 %  
Diabetes mellitus..... 11.4 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 60.9%  
State ..... 32.8%  
Outside State ..... 6.3%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 5.8 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 49  
Occupancy Rate ..... 55.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 56.3 %  
Case Mix Index (CMI) ..... 0.8881

### STAFFING:

Total Number of Physicians..... 8  
Percent of Physicians Board  
Certified Specialists ..... 50.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 16  
Licensed Practical Nurses ..... 12

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# WAYNE GENERAL HOSPITAL


950 MATTHEW DR  
WAYNESBORO, MS 39367  
Medicare Provider Number: 250077

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 533             | 8.4                 | 8.2  | 1.3   | 12.2    | 12.6 | 1.6   | 15.2     | 15.9 | 1.7   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 9               | 44.4                | 31.9 | ----- | 44.4    | 34.5 | ----- | 44.4     | 37.3 | ----- |
| Congestive Heart Failure.....              | 39              | 20.5                | 14.9 | ----- | 20.5    | 23.4 | ----- | 28.2     | 29.5 | ----- |
| Pneumonia/Influenza.....                   | 20              | 10.0                | 16.6 | ----- | 15.0    | 23.6 | ----- | 15.0     | 27.8 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 20              | 5.0                 | 5.2  | ----- | 5.0     | 9.8  | ----- | 10.0     | 13.8 | ----- |
| Transient Cerebral Ischemia.....           | 13              | 0.0                 | 1.6  | ----- | 7.7     | 3.9  | ----- | 15.4     | 6.7  | ----- |
| Stroke.....                                | 17              | 5.9                 | 21.0 | ----- | 11.8    | 26.6 | ----- | 17.6     | 30.3 | ----- |
| Hip Fracture.....                          | 2               | 0.0                 | 4.2  | ----- | 0.0     | 7.6  | ----- | 50.0     | 10.2 | ----- |
| Sepsis.....                                | 3               | 33.3                | 18.3 | ----- | 33.3    | 23.2 | ----- | 33.3     | 25.5 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 2               | 0.0                 | 4.1  | ----- | 0.0     | 7.6  | ----- | 50.0     | 10.1 | ----- |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 2               | 0.0                 | 0.1  | ----- | 0.0     | 0.2  | ----- | 0.0      | 0.4  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# WAYNE GENERAL HOSPITAL

Medicare Provider Number: 250077

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 70.9 years  
Proportion female..... 55.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 26.3 %  
Transferred from skilled nursing facility..... 4.3 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 72.2 %

### COMORBIDITIES:

Cancer..... 4.1 %  
Chronic cardiovascular disease..... 31.7 %  
Chronic liver disease..... 1.1 %  
Chronic renal disease..... 3.4 %  
Chronic pulmonary disease..... 18.4 %  
Cerebrovascular degeneration..... 5.8 %  
Diabetes mellitus..... 8.8 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 68.8%  
State ..... 17.2%  
Outside State ..... 14.0%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.3 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 80  
Occupancy Rate ..... 50.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 32.1 %  
Case Mix Index (CMI) ..... 0.8807

### STAFFING:

Total Number of Physicians..... 15  
Percent of Physicians Board  
Certified Specialists..... 26.7 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 32  
Licensed Practical Nurses ..... 37

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... Yes  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# WEBSTER GENERAL HOSPITAL


500 HIGHWAY 9 S  
EUPORA, MS 39744  
Medicare Provider Number: 250020

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 396             | 8.6                 | 9.8  | 1.6   | 11.6    | 15.2 | 2.2   | 14.9     | 19.1 | 2.5   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 4               | 25.0                | 45.2 | ----- | 25.0    | 48.7 | ----- | 50.0     | 52.6 | ----- |
| Congestive Heart Failure.....              | 20              | 15.0                | 12.9 | ----- | 25.0    | 21.0 | ----- | 25.0     | 27.1 | ----- |
| Pneumonia/Influenza.....                   | 21              | 4.8                 | 13.1 | ----- | 4.8     | 17.8 | ----- | 9.5      | 21.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 15              | 0.0                 | 4.4  | ----- | 0.0     | 8.8  | ----- | 0.0      | 12.3 | ----- |
| Transient Cerebral Ischemia.....           | 5               | 0.0                 | 1.7  | ----- | 0.0     | 4.1  | ----- | 0.0      | 7.0  | ----- |
| Stroke.....                                | 10              | 20.0                | 22.6 | ----- | 30.0    | 31.2 | ----- | 40.0     | 35.9 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 14              | 21.4                | 24.0 | ----- | 21.4    | 30.2 | ----- | 21.4     | 34.8 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 1               | 0.0                 | 0.7  | ----- | 0.0     | 1.3  | ----- | 0.0      | 1.8  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# WEBSTER GENERAL HOSPITAL

Medicare Provider Number: 250020

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 75.3 years  
Proportion female..... 64.4 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 98.5 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.8 %  
Admitted for emergency..... 90.2 %

### COMORBIDITIES:

Cancer..... 8.6 %  
Chronic cardiovascular disease..... 28.0 %  
Chronic liver disease..... 0.5 %  
Chronic renal disease..... 4.3 %  
Chronic pulmonary disease..... 19.2 %  
Cerebrovascular degeneration..... 0.8 %  
Diabetes mellitus..... 11.1 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 70.1%  
State ..... 28.7%  
Outside State ..... 1.2%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 6.4 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 65  
Occupancy Rate ..... 45.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 51.9 %  
Case Mix Index (CMI) ..... 1.0179

### STAFFING:

Total Number of Physicians..... 5  
Percent of Physicians Board  
Certified Specialists ..... 60.0 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 16  
Licensed Practical Nurses ..... 9

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates



# WEST SCOTT BAPTIST HOSPITAL

HIGHWAY 13 S, BOX 370  
MORTON, MS 39117  
Medicare Provider Number: 250132

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 7                  | 0.0                 | 14.6 | ---- | 42.9    | 22.1 | ---- | 57.1     | 26.0 | ---- |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Congestive Heart Failure.....              | 1                  | 0.0                 | 26.4 | ---- | 100.0   | 47.8 | ---- | 100.0    | 59.4 | ---- |
| Pneumonia/Influenza.....                   | 1                  | 0.0                 | 19.2 | ---- | 0.0     | 27.2 | ---- | 100.0    | 31.3 | ---- |
| Chronic Obstructive Pulmonary Disease..... | 1                  | 0.0                 | 15.9 | ---- | 100.0   | 23.7 | ---- | 100.0    | 27.6 | ---- |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Stroke.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 1                  | 0.0                 | 22.5 | ---- | 100.0   | 27.2 | ---- | 100.0    | 29.5 | ---- |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0                  |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 0                  |                     |      |      |         |      |      |          |      |      |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE ( $\pm 2$ SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES

No Graphs are presented when the standard deviation  
was not computed for one or more of the three fiscal years,  
(1988, 1989, or 1990)

# WEST SCOTT BAPTIST HOSPITAL

Medicare Provider Number: 250132

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 77.6 years  
Proportion female..... 42.9 %

### COMORBIDITIES:

Cancer..... 14.3 %  
Chronic cardiovascular disease..... 42.9 %  
Chronic liver disease..... 0.0 %  
Chronic renal disease..... 0.0 %  
Chronic pulmonary disease..... 28.6 %  
Cerebrovascular degeneration..... 0.0 %  
Diabetes mellitus..... 0.0 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 100.0 %  
Transferred from skilled nursing facility..... 0.0 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 0.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 83.3%  
State ..... 16.7%  
Outside State ..... 0.0%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 4.6 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: Health Care Financing Administration (OSCAR)\*\* - Survey Year 1989

### PROFILE:

Total Beds ..... 30  
Ownership/Control..... Church  
Case Mix Index (CMI) ..... 0.9181

### STAFFING:

Medical Residents/Interns ..... 0  
Registered Nurses..... 10  
Licensed Practical Nurses ..... 2

### SPECIALTY SERVICES:

Burn Unit ..... No  
Coronary Care Unit ..... No  
Hospice Care ..... No  
Intensive Care Unit ..... No  
Organ Transplant ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# WHITFIELD MEDICAL SURGICAL HOSPITAL


PO BOX 56  
WHITFIELD, MS 39193  
Medicare Provider Number: 250134

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 159             | 6.3                 | 8.5  | 3.1   | 11.9    | 13.7 | 4.7   | 14.5     | 17.6 | 5.3   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Congestive Heart Failure.....              | 4               | 25.0                | 9.7  | ----- | 25.0    | 16.2 | ----- | 25.0     | 21.2 | ----- |
| Pneumonia/Influenza.....                   | 15              | 20.0                | 14.8 | ----- | 26.7    | 20.4 | ----- | 26.7     | 24.5 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 1               | 0.0                 | 15.6 | ----- | 0.0     | 26.5 | ----- | 0.0      | 33.0 | ----- |
| Transient Cerebral Ischemia.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Stroke.....                                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Fracture.....                          | 3               | 0.0                 | 5.6  | ----- | 0.0     | 10.3 | ----- | 0.0      | 13.3 | ----- |
| Sepsis.....                                | 9               | 11.1                | 24.4 | ----- | 22.2    | 31.0 | ----- | 22.2     | 36.2 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 2               | 0.0                 | 0.9  | ----- | 0.0     | 2.3  | ----- | 0.0      | 4.1  | ----- |
| Cholecystectomy.....                       | 0               |                     |      |       |         |      |       |          |      |       |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (\*) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# WHITFIELD MEDICAL SURGICAL HOSPITAL

Medicare Provider Number: 250134

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 65.2 years  
Proportion female..... 45.3 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 0.0 %  
Transferred from skilled nursing facility..... 23.9 %  
Admitted for elective procedure..... 0.0 %  
Admitted for emergency..... 2.5 %

### COMORBIDITIES:

Cancer..... 1.9 %  
Chronic cardiovascular disease..... 16.4 %  
Chronic liver disease..... 0.6 %  
Chronic renal disease..... 1.9 %  
Chronic pulmonary disease..... 5.0 %  
Cerebrovascular degeneration..... 52.8 %  
Diabetes mellitus..... 5.0 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 65.9%  
State ..... 32.9%  
Outside State ..... 1.2%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 13.0 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 43  
Occupancy Rate ..... 53.0 %  
Ownership/Control..... State Government  
Medicare Discharges ..... 49.9 %  
Case Mix Index (CMI) ..... 0.9914

### STAFFING:

Total Number of Physicians..... 6  
Percent of Physicians Board  
Certified Specialists ..... 50.0 %  
Medical Residents/Interns ..... 1  
Registered Nurses..... 11  
Licensed Practical Nurses ..... 15

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... No

\*\* Except for CMI

\* Not used in calculating mortality rates

# WINSTON COUNTY COMMUNITY HOSPITAL


HIGHWAY 14 E  
LOUISVILLE, MS 39339  
Medicare Provider Number: 250027

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 402             | 10.9                | 8.2  | 1.8   | 17.4    | 12.7 | 3.1   | 20.1     | 16.1 | 2.5   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 11              | 27.3                | 29.6 | ----- | 27.3    | 32.6 | ----- | 27.3     | 35.8 | ----- |
| Congestive Heart Failure.....              | 24              | 20.8                | 13.7 | ----- | 45.8    | 22.5 | ----- | 45.8     | 29.2 | ----- |
| Pneumonia/Influenza.....                   | 28              | 21.4                | 11.9 | ----- | 25.0    | 16.5 | ----- | 25.0     | 19.7 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 3               | 33.3                | 14.3 | ----- | 33.3    | 24.8 | ----- | 33.3     | 32.3 | ----- |
| Transient Cerebral Ischemia.....           | 11              | 0.0                 | 1.6  | ----- | 0.0     | 3.7  | ----- | 9.1      | 6.1  | ----- |
| Stroke.....                                | 20              | 15.0                | 19.8 | ----- | 25.0    | 27.8 | ----- | 35.0     | 32.6 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 2               | 100.0               | 18.5 | ----- | 100.0   | 25.5 | ----- | 100.0    | 29.0 | ----- |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 9               | 0.0                 | 1.2  | ----- | 0.0     | 2.2  | ----- | 0.0      | 3.1  | ----- |
| Hysterectomy.....                          | 0               |                     |      |       |         |      |       |          |      |       |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

### OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES



# WINSTON COUNTY COMMUNITY HOSPITAL

Medicare Provider Number: 250027

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

|                               |            |
|-------------------------------|------------|
| Average age at admission..... | 76.0 years |
| Proportion female.....        | 56.5 %     |

### ADMISSION SOURCES/TYPES:

|                                                |        |
|------------------------------------------------|--------|
| Referred by personal or HMO physician.....     | 99.5 % |
| Transferred from skilled nursing facility..... | 0.0 %  |
| Admitted for elective procedure.....           | 9.0 %  |
| Admitted for emergency.....                    | 90.5 % |

### COMORBIDITIES:

|                                     |        |
|-------------------------------------|--------|
| Cancer.....                         | 4.7 %  |
| Chronic cardiovascular disease..... | 29.1 % |
| Chronic liver disease.....          | 0.5 %  |
| Chronic renal disease.....          | 3.7 %  |
| Chronic pulmonary disease.....      | 10.9 % |
| Cerebrovascular degeneration.....   | 1.5 %  |
| Diabetes mellitus.....              | 7.2 %  |

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

|                     |        |
|---------------------|--------|
| County/City .....   | 80.9%  |
| State .....         | 17.7%  |
| Outside State ..... | 1.4%   |
| Total .....         | 100.0% |

### MEDICARE AVERAGE LENGTH OF STAY:

|                |          |
|----------------|----------|
| Hospital ..... | 6.4 Days |
| State .....    | 7.7 Days |
| National ..... | 8.6 Days |

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

|                            |                  |
|----------------------------|------------------|
| Total Beds .....           | 169              |
| Occupancy Rate .....       | 70.0 %           |
| Ownership/Control.....     | Local Government |
| Medicare Discharges .....  | 47.5 %           |
| Case Mix Index (CMI) ..... | 0.9658           |

### STAFFING:

|                                                            |        |
|------------------------------------------------------------|--------|
| Total Number of Physicians.....                            | 8      |
| Percent of Physicians Board<br>Certified Specialists ..... | 50.0 % |
| Medical Residents/Interns .....                            | 0      |
| Registered Nurses.....                                     | 21     |
| Licensed Practical Nurses .....                            | 9      |

### SPECIALTY SERVICES:

|                                       |     |
|---------------------------------------|-----|
| Burn Unit .....                       | No  |
| Cardiac Intensive Care .....          | Yes |
| Comprehensive Geriatric .....         | No  |
| Hospice Care .....                    | No  |
| Medical/Surgical Intensive Care ..... | Yes |
| Organ/Tissue Transplant .....         | No  |
| Other Intensive Care .....            | No  |
| Trauma Center .....                   | No  |

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

|                           |     |
|---------------------------|-----|
| Alcohol/Drug .....        | No  |
| Rehabilitation.....       | No  |
| Psychiatric .....         | No  |
| Medicare Swing Beds ..... | Yes |

\*\* Except for CMI

\* Not used in calculating mortality rates



**WOMANS HOSPITAL**  
 PO BOX 4546  
 JACKSON, MS 39216  
 Medicare Provider Number: 250136

**FY 1990 MEDICARE HOSPITAL MORTALITY RATES**

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |      |         |      |      |          |      |      |
|--------------------------------------------|--------------------|---------------------|------|------|---------|------|------|----------|------|------|
|                                            |                    | 30 DAYS             |      |      | 90 DAYS |      |      | 180 DAYS |      |      |
|                                            |                    | OBS                 | PRED | SD*  | OBS     | PRED | SD*  | OBS      | PRED | SD*  |
| ALL CAUSES.....                            | 38                 | 0.0                 | 0.7  | ---- | 0.0     | 1.2  | ---- | 0.0      | 1.9  | ---- |
| CONDITIONS:                                |                    |                     |      |      |         |      |      |          |      |      |
| Acute Myocardial Infarction.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Congestive Heart Failure.....              | 0                  |                     |      |      |         |      |      |          |      |      |
| Pneumonia/Influenza.....                   | 0                  |                     |      |      |         |      |      |          |      |      |
| Chronic Obstructive Pulmonary Disease..... | 0                  |                     |      |      |         |      |      |          |      |      |
| Transient Cerebral Ischemia.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Stroke.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Fracture.....                          | 0                  |                     |      |      |         |      |      |          |      |      |
| Sepsis.....                                | 0                  |                     |      |      |         |      |      |          |      |      |
| PROCEDURES:                                |                    |                     |      |      |         |      |      |          |      |      |
| Angioplasty.....                           | 0                  |                     |      |      |         |      |      |          |      |      |
| Coronary Artery Bypass Graft.....          | 0                  |                     |      |      |         |      |      |          |      |      |
| Initial Pacemaker Insertion.....           | 0                  |                     |      |      |         |      |      |          |      |      |
| Carotid Endarterectomy.....                | 0                  |                     |      |      |         |      |      |          |      |      |
| Hip Replacement/Reconstruction.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Open Reduction of Hip Fracture.....        | 0                  |                     |      |      |         |      |      |          |      |      |
| Prostatectomy.....                         | 0                  |                     |      |      |         |      |      |          |      |      |
| Cholecystectomy.....                       | 0                  |                     |      |      |         |      |      |          |      |      |
| Hysterectomy.....                          | 11                 | 0.0                 | 0.1  | ---- | 0.0     | 0.2  | ---- | 0.0      | 0.4  | ---- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

**OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD)  
 FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES**

No Graphs are presented when the standard deviation  
 was not computed for one or more of the three fiscal years,  
 (1988, 1989, or 1990)

**WOMANS HOSPITAL**  
Medicare Provider Number: 250136

**FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES**

|                                                |            |                                     |       |
|------------------------------------------------|------------|-------------------------------------|-------|
| <b>DEMOGRAPHICS:</b>                           |            | <b>COMORBIDITIES:</b>               |       |
| Average age at admission.....                  | 68.6 years | Cancer.....                         | 2.6 % |
| Proportion female.....                         | 100.0 %    | Chronic cardiovascular disease..... | 0.0 % |
| <b>ADMISSION SOURCES/TYPES:</b>                |            | Chronic liver disease.....          | 0.0 % |
| Referred by personal or HMO physician.....     | 94.7 %     | Chronic renal disease.....          | 0.0 % |
| Transferred from skilled nursing facility..... | 0.0 %      | Chronic pulmonary disease.....      | 2.6 % |
| Admitted for elective procedure.....           | 92.1 %     | Cerebrovascular degeneration.....   | 2.6 % |
| Admitted for emergency.....                    | 0.0 %      | Diabetes mellitus.....              | 0.0 % |

**ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\***

|                                              |        |                                         |          |
|----------------------------------------------|--------|-----------------------------------------|----------|
| <b>ORIGIN OF MEDICARE PATIENT ADMISSION:</b> |        | <b>MEDICARE AVERAGE LENGTH OF STAY:</b> |          |
| County/City .....                            | 20.5%  | Hospital .....                          | 5.0 Days |
| State .....                                  | 79.5%  | State .....                             | 7.7 Days |
| Outside State .....                          | 0.0%   | National .....                          | 8.6 Days |
| Total .....                                  | 100.0% |                                         |          |

**HOSPITAL CHARACTERISTICS\***

|                                                                    |                     |                                                 |     |
|--------------------------------------------------------------------|---------------------|-------------------------------------------------|-----|
| <b>SOURCE:</b> AHA Annual Survey of Hospitals** - Survey Year 1990 |                     |                                                 |     |
| <b>PROFILE:</b>                                                    |                     | <b>SPECIALTY SERVICES:</b>                      |     |
| Total Beds .....                                                   | 111                 | Burn Unit .....                                 | No  |
| Occupancy Rate .....                                               | 32.0 %              | Cardiac Intensive Care .....                    | No  |
| Ownership/Control.....                                             | Private, For Profit | Comprehensive Geriatric .....                   | Yes |
| Medicare Discharges .....                                          | 1.4 %               | Hospice Care .....                              | No  |
| Case Mix Index (CMI) .....                                         | 0.8685              | Medical/Surgical Intensive Care .....           | No  |
| <b>STAFFING:</b>                                                   |                     | Organ/Tissue Transplant .....                   | No  |
| Total Number of Physicians.....                                    | 34                  | Other Intensive Care .....                      | No  |
| Percent of Physicians Board<br>Certified Specialists.....          | 97.1 %              | Trauma Center .....                             | No  |
| Medical Residents/Interns .....                                    | 0                   | <b>OTHER SPECIALTY/HOSPITAL-BASED SERVICES:</b> |     |
| Registered Nurses.....                                             | 93                  | Alcohol/Drug .....                              | No  |
| Licensed Practical Nurses .....                                    | 6                   | Rehabilitation.....                             | No  |
|                                                                    |                     | Psychiatric .....                               | No  |
|                                                                    |                     | Medicare Swing Beds .....                       | No  |

\*\* Except for CMI

\* Not used in calculating mortality rates

# YALOBUSHA GENERAL HOSPITAL


HIGHWAY 7, BOX 728  
WATER VALLEY, MS 38965  
Medicare Provider Number: 250061

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|-----------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                 | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                 | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 280             | 8.6                 | 8.2  | 1.7   | 13.6    | 12.7 | 2.2   | 17.1     | 16.0 | 2.5   |
| CONDITIONS:                                |                 |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 10              | 10.0                | 15.3 | ----- | 20.0    | 19.0 | ----- | 20.0     | 22.0 | ----- |
| Congestive Heart Failure.....              | 27              | 11.1                | 14.4 | ----- | 18.5    | 22.8 | ----- | 18.5     | 29.2 | ----- |
| Pneumonia/Influenza.....                   | 26              | 7.7                 | 16.1 | ----- | 19.2    | 22.6 | ----- | 23.1     | 26.8 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 10              | 10.0                | 4.7  | ----- | 10.0    | 8.1  | ----- | 10.0     | 11.2 | ----- |
| Transient Cerebral Ischemia.....           | 5               | 0.0                 | 1.4  | ----- | 20.0    | 3.5  | ----- | 40.0     | 5.9  | ----- |
| Stroke.....                                | 8               | 50.0                | 24.6 | ----- | 50.0    | 37.6 | ----- | 62.5     | 45.0 | ----- |
| Hip Fracture.....                          | 0               |                     |      |       |         |      |       |          |      |       |
| Sepsis.....                                | 0               |                     |      |       |         |      |       |          |      |       |
| PROCEDURES:                                |                 |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 0               |                     |      |       |         |      |       |          |      |       |
| Coronary Artery Bypass Graft.....          | 0               |                     |      |       |         |      |       |          |      |       |
| Initial Pacemaker Insertion.....           | 0               |                     |      |       |         |      |       |          |      |       |
| Carotid Endarterectomy.....                | 0               |                     |      |       |         |      |       |          |      |       |
| Hip Replacement/Reconstruction.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Open Reduction of Hip Fracture.....        | 0               |                     |      |       |         |      |       |          |      |       |
| Prostatectomy.....                         | 0               |                     |      |       |         |      |       |          |      |       |
| Cholecystectomy.....                       | 3               | 0.0                 | 1.1  | ----- | 0.0     | 2.0  | ----- | 0.0      | 2.7  | ----- |
| Hysterectomy.....                          | 1               | 0.0                 | 0.2  | ----- | 0.0     | 0.4  | ----- | 0.0      | 0.7  | ----- |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## OBSERVED MORTALITY RATE (•) AND PREDICTED RANGE (± 2 SD) FOR MEDICARE PATIENT ADMISSIONS FOR ALL CAUSES





# YALOBUSHA GENERAL HOSPITAL

Medicare Provider Number: 250061

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

### DEMOGRAPHICS:

Average age at admission..... 74.7 years  
Proportion female..... 67.5 %

### ADMISSION SOURCES/TYPES:

Referred by personal or HMO physician..... 94.3 %  
Transferred from skilled nursing facility..... 3.6 %  
Admitted for elective procedure..... 26.8 %  
Admitted for emergency..... 71.1 %

### COMORBIDITIES:

Cancer..... 4.6 %  
Chronic cardiovascular disease..... 26.1 %  
Chronic liver disease..... 0.7 %  
Chronic renal disease..... 2.5 %  
Chronic pulmonary disease..... 13.9 %  
Cerebrovascular degeneration..... 2.5 %  
Diabetes mellitus..... 8.9 %

## ORIGIN AND LENGTH OF STAY OF MEDICARE ADMISSIONS\*

### ORIGIN OF MEDICARE PATIENT ADMISSION:

County/City ..... 88.0%  
State ..... 10.3%  
Outside State ..... 1.7%  
Total ..... 100.0%

### MEDICARE AVERAGE LENGTH OF STAY:

Hospital ..... 7.1 Days  
State ..... 7.7 Days  
National ..... 8.6 Days

## HOSPITAL CHARACTERISTICS\*

SOURCE: AHA Annual Survey of Hospitals\*\* - Survey Year 1990

### PROFILE:

Total Beds ..... 85  
Occupancy Rate ..... 85.0 %  
Ownership/Control..... Local Government  
Medicare Discharges ..... 58.8 %  
Case Mix Index (CMI) ..... 0.9614

### STAFFING:

Total Number of Physicians..... 6  
Percent of Physicians Board  
Certified Specialists ..... 66.7 %  
Medical Residents/Interns ..... 0  
Registered Nurses..... 11  
Licensed Practical Nurses ..... 9

### SPECIALTY SERVICES:

Burn Unit ..... No  
Cardiac Intensive Care ..... No  
Comprehensive Geriatric ..... No  
Hospice Care ..... No  
Medical/Surgical Intensive Care ..... No  
Organ/Tissue Transplant ..... No  
Other Intensive Care ..... No  
Trauma Center ..... No

### OTHER SPECIALTY/HOSPITAL-BASED SERVICES:

Alcohol/Drug ..... No  
Rehabilitation..... No  
Psychiatric ..... No  
Medicare Swing Beds ..... Yes

\*\* Except for CMI

\* Not used in calculating mortality rates

# MISSISSIPPI

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |     |         |      |     |          |      |     |
|--------------------------------------------|--------------------|---------------------|------|-----|---------|------|-----|----------|------|-----|
|                                            |                    | 30 DAYS             |      |     | 90 DAYS |      |     | 180 DAYS |      |     |
|                                            |                    | OBS                 | PRED | SD* | OBS     | PRED | SD* | OBS      | PRED | SD* |
| ALL CAUSES.....                            | 84,297             | 8.7                 | 8.6  | 0.1 | 13.1    | 13.3 | 0.3 | 16.3     | 16.7 | 0.2 |
| CONDITIONS:                                |                    |                     |      |     |         |      |     |          |      |     |
| Acute Myocardial Infarction.....           | 2,100              | 30.4                | 27.7 | 1.5 | 34.7    | 30.8 | 1.7 | 36.7     | 33.7 | 1.4 |
| Congestive Heart Failure.....              | 4,301              | 15.2                | 14.0 | 0.8 | 23.6    | 22.4 | 0.8 | 29.2     | 28.5 | 0.7 |
| Pneumonia/Influenza.....                   | 4,805              | 13.1                | 14.8 | 0.6 | 18.1    | 20.5 | 0.8 | 22.0     | 24.1 | 1.0 |
| Chronic Obstructive Pulmonary Disease..... | 1,799              | 6.7                 | 6.7  | 0.8 | 11.3    | 12.2 | 1.0 | 14.9     | 16.5 | 1.3 |
| Transient Cerebral ischemia.....           | 1,560              | 1.5                 | 1.7  | 0.4 | 4.0     | 3.9  | 0.6 | 6.9      | 6.3  | 0.7 |
| Stroke.....                                | 2,959              | 21.7                | 19.7 | 1.0 | 28.5    | 26.2 | 1.1 | 32.8     | 30.2 | 1.3 |
| Hip Fracture.....                          | 1,495              | 8.1                 | 6.5  | 1.3 | 11.8    | 11.5 | 1.2 | 15.1     | 14.9 | 1.2 |
| Sepsis.....                                | 1,063              | 28.0                | 27.5 | 1.4 | 37.2    | 35.7 | 2.4 | 42.3     | 40.5 | 3.2 |
| PROCEDURES:                                |                    |                     |      |     |         |      |     |          |      |     |
| Angioplasty.....                           | 279                | 3.6                 | 3.5  | 1.1 | 6.1     | 4.4  | 1.5 | 6.8      | 5.3  | 1.5 |
| Coronary Artery Bypass Graft.....          | 491                | 6.3                 | 5.1  | 1.7 | 7.5     | 7.0  | 1.4 | 8.1      | 7.8  | 1.3 |
| Initial Pacemaker Insertion.....           | 515                | 3.3                 | 3.1  | 0.8 | 7.4     | 6.1  | 1.3 | 10.5     | 8.7  | 1.7 |
| Carotid Endarterectomy.....                | 318                | 1.6                 | 1.5  | 0.7 | 2.5     | 2.9  | 1.0 | 3.8      | 4.3  | 1.4 |
| Hip Replacement/Reconstruction.....        | 901                | 4.8                 | 3.9  | 1.0 | 7.2     | 7.2  | 1.0 | 9.7      | 9.7  | 1.0 |
| Open Reduction of Hip Fracture.....        | 745                | 7.8                 | 6.0  | 1.3 | 11.8    | 11.0 | 1.3 | 14.6     | 14.5 | 1.5 |
| Prostatectomy.....                         | 1,843              | 1.1                 | 1.1  | 0.3 | 2.7     | 2.6  | 0.5 | 4.4      | 4.4  | 0.7 |
| Cholecystectomy.....                       | 1,233              | 3.1                 | 2.5  | 0.8 | 5.2     | 4.7  | 0.7 | 6.6      | 6.4  | 0.7 |
| Hysterectomy.....                          | 437                | 1.4                 | 0.6  | 1.1 | 1.8     | 1.2  | 1.4 | 1.8      | 1.9  | 1.3 |

\* The Standard Deviation (SD) is not calculated if the number of deaths or cases is too small for satisfactory estimation.

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

|                                                |            |                                     |        |
|------------------------------------------------|------------|-------------------------------------|--------|
| DEMOGRAPHICS:                                  |            | COMORBIDITIES:                      |        |
| Average age at admission.....                  | 73.3 years | Cancer.....                         | 7.1 %  |
| Proportion female.....                         | 57.8 %     | Chronic cardiovascular disease..... | 33.1 % |
| ADMISSION SOURCES/TYPES:                       |            | Chronic liver disease.....          | 0.8 %  |
| Referred by personal or HMO physician.....     | 56.8 %     | Chronic renal disease.....          | 4.1 %  |
| Transferred from skilled nursing facility..... | 1.7 %      | Chronic pulmonary disease.....      | 16.1 % |
| Admitted for elective procedure.....           | 18.8 %     | Cerebrovascular degeneration.....   | 3.4 %  |
| Admitted for emergency.....                    | 47.5 %     | Diabetes mellitus.....              | 8.6 %  |

# ALL STATES

## FY 1990 MEDICARE HOSPITAL MORTALITY RATES

| CATEGORY                                   | NUMBER<br>OF CASES | MORTALITY RATES (%) |      |       |         |      |       |          |      |       |
|--------------------------------------------|--------------------|---------------------|------|-------|---------|------|-------|----------|------|-------|
|                                            |                    | 30 DAYS             |      |       | 90 DAYS |      |       | 180 DAYS |      |       |
|                                            |                    | OBS                 | PRED | SD*   | OBS     | PRED | SD*   | OBS      | PRED | SD*   |
| ALL CAUSES.....                            | 6,542,299          | 9.0                 | 9.0  | ----- | 13.9    | 13.7 | ----- | 17.3     | 17.1 | ----- |
| CONDITIONS:                                |                    |                     |      |       |         |      |       |          |      |       |
| Acute Myocardial Infarction.....           | 204,673            | 25.3                | 25.6 | ----- | 29.5    | 28.7 | ----- | 32.1     | 31.4 | ----- |
| Congestive Heart Failure.....              | 335,426            | 14.3                | 14.4 | ----- | 22.9    | 22.8 | ----- | 29.2     | 29.0 | ----- |
| Pneumonia/Influenza.....                   | 313,303            | 15.3                | 15.5 | ----- | 21.5    | 21.3 | ----- | 25.5     | 25.1 | ----- |
| Chronic Obstructive Pulmonary Disease..... | 107,387            | 8.0                 | 8.0  | ----- | 14.1    | 14.0 | ----- | 18.7     | 18.5 | ----- |
| Transient Cerebral Ischemia.....           | 96,866             | 1.8                 | 1.8  | ----- | 4.0     | 4.0  | ----- | 6.4      | 6.5  | ----- |
| Stroke.....                                | 241,803            | 19.7                | 19.8 | ----- | 26.5    | 26.3 | ----- | 30.4     | 30.0 | ----- |
| Hip Fracture.....                          | 163,386            | 6.7                 | 6.5  | ----- | 11.7    | 11.5 | ----- | 15.1     | 15.0 | ----- |
| Sepsis.....                                | 80,999             | 25.6                | 25.7 | ----- | 34.6    | 33.8 | ----- | 39.8     | 38.6 | ----- |
| PROCEDURES:                                |                    |                     |      |       |         |      |       |          |      |       |
| Angioplasty.....                           | 58,026             | 3.0                 | 3.0  | ----- | 4.0     | 4.0  | ----- | 5.0      | 4.9  | ----- |
| Coronary Artery Bypass Graft.....          | 80,798             | 6.0                 | 5.7  | ----- | 8.3     | 8.1  | ----- | 9.5      | 9.2  | ----- |
| Initial Pacemaker Insertion.....           | 49,642             | 3.2                 | 3.3  | ----- | 6.5     | 6.3  | ----- | 9.1      | 9.1  | ----- |
| Carotid Endarterectomy.....                | 29,990             | 1.6                 | 1.5  | ----- | 2.8     | 2.8  | ----- | 4.0      | 4.1  | ----- |
| Hip Replacement/Reconstruction.....        | 122,156            | 3.4                 | 3.2  | ----- | 6.2     | 5.9  | ----- | 8.1      | 8.0  | ----- |
| Open Reduction of Hip Fracture.....        | 80,075             | 6.1                 | 6.0  | ----- | 11.2    | 11.0 | ----- | 14.5     | 14.5 | ----- |
| Prostatectomy.....                         | 211,087            | 0.9                 | 1.0  | ----- | 2.2     | 2.3  | ----- | 3.7      | 3.8  | ----- |
| Cholecystectomy.....                       | 124,259            | 2.9                 | 2.7  | ----- | 5.0     | 4.9  | ----- | 6.5      | 6.5  | ----- |
| Hysterectomy.....                          | 53,905             | 0.7                 | 0.7  | ----- | 1.4     | 1.5  | ----- | 2.2      | 2.4  | ----- |

\* The Standard Deviation (SD) is not calculated.

## FY1990 VALUES FOR SELECTED EXPLANATORY FACTORS USED TO PREDICT MORTALITY RATES

|                                                |            |                                     |        |
|------------------------------------------------|------------|-------------------------------------|--------|
| DEMOGRAPHICS:                                  |            | COMORBIDITIES:                      |        |
| Average age at admission.....                  | 74.1 years | Cancer.....                         | 7.6 %  |
| Proportion female.....                         | 55.9 %     | Chronic cardiovascular disease..... | 36.6 % |
| ADMISSION SOURCES/TYPES:                       |            | Chronic liver disease.....          | 1.0 %  |
| Referred by personal or HMO physician.....     | 46.1 %     | Chronic renal disease.....          | 3.4 %  |
| Transferred from skilled nursing facility..... | 1.1 %      | Chronic pulmonary disease.....      | 15.0 % |
| Admitted for elective procedure.....           | 22.0 %     | Cerebrovascular degeneration.....   | 3.9 %  |
| Admitted for emergency.....                    | 46.5 %     | Diabetes mellitus.....              | 8.0 %  |





# **Hospital Comments**



**BAPTIST MEMORIAL  
HOSPITAL-DESOTO**

7601 Southcrest Parkway  
Southaven, Mississippi 38671  
(601) 349-4000

**Melvin E. Walker**  
Administrator

(601) 349-4001

Medicare Provider Number: 250141

March 9, 1992

Health Care Financing Administration  
Health Standards and Quality Bureau  
Attention: Mrs. Sandra Kappert  
2-D-2 Meadows East Building  
6325 Security Boulevard  
Baltimore, Maryland 21207

Dear Mrs. Kappert:

Baptist Memorial Hospital-DeSoto is a JCAHO Accredited, 100 bed acute care and 30 bed rehabilitation facility.

Analysis of the mortality statistics provided by the Health Care Financing Administration indicates that the small number of cases in most of the categories makes any attempt at interpretation questionable. Some categories fall below and some above the "expected" rates, which in itself is to be expected since the "expected" rates are basically national averages for a similar population of patients. Further analysis of the "all causes" category, which is the only category for which a standard deviation was supplied, indicates that, when a range is calculated at a 95% level of confidence, the observed rate falls well within the predicted ranges for all three time periods post discharge. Therefore, in general, it appears that any difference between the observed and predicted mortality rates for the categories presented is not meaningful.

Baptist Memorial Hospital-DeSoto is committed to the provision of quality patient care, and has dedicated significant resources to the monitoring, evaluation, and continuous improvement of that care. All mortalities are reviewed as an integral part of this process, and no quality problems have been identified. As in previous years, the mortality data published by the Health Care Financing Administration will be integrated into our ongoing quality monitoring processes. However, we continue to stress that mortality statistics should be viewed as just one component of a comprehensive quality assessment program, and not the ultimate indicators of quality.

Thank you for the opportunity to review and comment on the Medicare hospital mortality information for Baptist Memorial Hospital-DeSoto.

Sincerely,

Melvin Walker  
Administrator



Baptist Memorial Hospital-Union County  
Highway 30 West  
New Albany, Mississippi 38652  
Provider #250006

March 19, 1992

Gail R. Wilensky, Ph.D., Administrator  
Health Care Financing Administration  
Medicare Hospital Information  
Bureau of Data Management and Strategy  
Room 3-A-12, Security Office Park Building  
6325 Security Boulevard  
Baltimore, Maryland 21207-5187  
Attn: Robert Moore

Dear Dr. Wilensky:

Baptist Memorial Hospital-Union County is a JCAHO Accredited, 153 bed acute care facility which provides quality services in a rural community. There is one local nursing home which contributes a large portion of the elderly, chronically and terminally ill patients admitted by our facility.

Analysis of the mortality statistics provided by the Health Care Financing Administration indicates that the small number of cases in most of the categories makes any attempt at interpretation questionable. Some categories fall below and some above the "predicated" rates, which in itself is to be expected since the "predicted" rates are basically national averages for a similar population of patients. Further analysis of those categories for which a standard deviation was supplied indicates that, when ranges are calculated at a 99% level of confidence, all observed rates fall well within their predicted ranges for all three time periods post discharge. Therefore, in general, it appears that any difference between the observed and predicted mortality rates for the categories presented is not meaningful.

Gail R. Wilensky, Ph.D., Administrator


March 19, 1992

Page 2.

Baptist Memorial Hospital-Union County is committed to the provision of quality patient care, and has dedicated significant resources to the monitoring, evaluation, and continuous improvement of that care. All mortalities are reviewed as an integral part of this process, and no quality problems have been identified. As in previous years, the mortality data published by the Health Care Financing Administration will be integrated into our ongoing quality monitoring processes. However, we continue to stress that mortality statistics should be viewed as just one component of a comprehensive quality assessment program, and not the ultimate indicators of quality.

Thank you for the opportunity to review and comment on the Medicare hospital mortality information for Baptist Memorial Hospital-Union County.

Sincerely,

A handwritten signature in cursive script that reads "John Tompkins". The signature is written in dark ink and is positioned above the printed name and title.

John Tompkins  
Administrator

THE UNIVERSITY HOSPITALS AND CLINICS  
THE UNIVERSITY OF MISSISSIPPI MEDICAL CENTER

2500 North State Street  
JACKSON, MISSISSIPPI 39216-4505

Office of the Director

March 18, 1992

Office (601) 984-4100

Gail R. Wilensky, Ph.D., Administrator  
Health Care Financing Administration  
Medicare Hospital Information  
Bureau of Data Management and Strategy  
Room 3-A-12, Security Office Park Building  
6325 Security Boulevard  
Baltimore, Maryland 21207-5187  
Attention: Robert Moore

Re: Medicare Provider #25001

Dear Dr. Wilensky:

After reviewing the medical charts of patients included within the various categories of the 1990 Medicare Hospital Mortality Rates, we believe it would be appropriate to comment on issues not adequately addressed in the methodology used for calculating mortality rates.

We believe that the inclusion of deaths from procedures performed to address conditions which are not the primary reason for admission is misleading especially when the primary diagnosis is life threatening. For example, one patient died after a cholecystectomy after being admitted with a primary diagnosis of sinus venous type atrial septal defect which also required major surgery. Another patient died after a cholecystectomy but was admitted with a primary diagnosis of a perirectal abscess with a significant secondary diagnosis of end stage renal disease due to diabetes mellitus (type II).

In addition, your statistical methods do not adequately accommodate difficulties due to emergency surgery, or when surgery is performed on a salvage basis. These occurrences can have a profound effect on mortality rates. Many of our cardiac patients undergoing bypass procedures are elderly, inactive and suffering from multi-system dysfunction. Consequently, these procedures are frequently emergencies or primarily salvage procedures.

Also, our statistics indicate that the number of patients in certain categories may also be incorrect. This inaccuracy could compromise the validity of the data.

Thank you for the opportunity to respond.

Sincerely,



Frederick D. Woodrell  
Hospital Director

FDW/sw








CMS LIBRARY




3 8095 00015205 4

ISBN 0-16-037884-2



90000



9 780160 378843